

MEGA-DESIGN LIVING





MEGA-DESIGN

Contents

	Page
Range introduction, lists of versions	2-3
Handle versions	4-5
Possible arrangements	6
Suggested combinations	7-11
Side-panels, wall side-panels, intermediate side-panels, fitted shelves for side-panels, corner units for side-panels, book bridge	12-14
Bookshelf ladder	15
Hinge-doors for side-panels, flaps	16-17
Sliding-doors for side-panels	18-19
Guide rails for sliding-doors, rear walls	20
Inside drawer sets, inside flap sets, accessories for inside drawer sets	21
Carcase units for side-panels, fronts and accessories for carcase units for side-panels, insertion cabinets	22-23
Work surfaces	24
Room dividers, carcase units for room divider side-panels, fronts and accessories for room divider side-panels, rear wall panelling for room divider side-panels	25-27
Angled wall panels and angled TV wall panels, accessories for angled wall panels and angled TV wall panels	28-31
TV columns and accessories for TV columns	32
Lowboards and accessories for lowboards, IR repeater set, flat screen supports	34-35
Lamps, remote control, wall shelves	36-37
Top glass section for TV, cable apertures	38
Coffee tables, dining rooms	39
Sketch raster	40
General information:	
Cable apertures	41
Switch options for lamps	42-43
Special-sized products, special articles	44-45
Important notes: quality of walls / assembly instruction	46

MEGA-DESIGN

- is a living room, bookcase and library system with HiFi and TV units as well as room divider units that enable optimum exploitation of the space in a room
- is most striking by way of its simple, modern and timeless form of design
- is above all practical, functional and convenient
- is simple to plan with
- enables a lot of possible arrangements because of its intelligent assembly principle

The concept

MEGA-DESIGN is a system range whose units and fronts always have to be fitted between or in front of side-panels. This is a lot of scope for creative different arrangements, going from light and open combinations to more closed and compact ones.

The appearance can be varied by using the various wood, lacquer and rear-lacquered glass versions and especially by combining the same. Since every front, every side-panel, every unit and every rear wall can be ordered separately, you can determine the look of your own, individual bookcase/living room combination with regard to practical aspects as well as the choice of colours. We also provide suggested combinations to make planning even easier.

The size system

The height raster size is 17.6 cm.

7 different total heights: 2 Raster (R) = 40.6 cm; 4 R = 75.8 cm; 6 R = 111.0 cm; 8 R = 146.2 cm; 10 R = 181.4 cm; 12 R = 216.6 cm; up to 427.8 cm (with wall bracket or for fitting between floor and ceiling)

Front heights in 2, 4, 6, 8, 10 and 12 Raster, carcase heights in 2, 4 and 6 Raster

5 widths: 50, 75, 100, 150 and 200 cm (the unit width is calculated from a side-panel + shelf; to calculate the total width, 3.9 cm must be added for the end side-panel!)

4 side-panel depths: 21.9 cm; 34.7 cm; 45.0 cm; 32.4 cm (room divider side-panel)

Special functions and possible arrangements

- Versatile side-panel system in wood or lacquer version with different fronts and functions, free planning of versions within a shelf combination
 - Side-panels with 2.5 cm high legs or with 2.5 cm high legs and black plinth skirting
 - Straight and depth-profiled fitted shelves and work surfaces
 - Hinge-doors optionally in wood, lacquer and glass version (clear glass or rear-lacquered glass), sliding-doors optionally in wood or rear-lacquered glass version
 - Numerous HiFi and TV functions: lowboards, angled (TV) wall panels for fitting between side-panels or anywhere on walls, TV columns for fitting between side-panels
 - Insertion cabinets
 - Room dividers units
 - Carcase units for side-panels and room divider side-panels, fronts for carcase units, sets of inside drawers
 - All hinge-doors with cushioning brush, all rear walls with brush seal
 - Comprehensive assortment of lamps, remote control
 - **hülsta Push-to-open/hülsta-SoftFlow**: drawers of inside drawer sets and of TV columns with **hülsta-Push-to-open** as fully pull-out units on hidden roller bearings with Push-to-open bracket and 3-dimensional adjustability; all other drawers with **hülsta-SoftFlow** on hidden roller bearings with cushioned automatic closing device as fully pull-out units
 - **hülsta-MagicClose**: all wood/lacquer hinge-doors with cushioned door closing
 - **hülsta-MagicJoin**: invisible connecting bracket between shelves and side-panels in the side-panel system
 - Max. load of wooden and glass shelves (up to 75 cm width) as well as drawers: 25 kg
 - Max. load of wooden and glass shelves (from 75 cm width): 15 kg
- Please also note any existing maximum load information for individual units which may be stated later, the general load information for wall units as well as the important notes on the quality of walls at the end of this type list.

Lists of versions

Version no.	Versions	Price group	Version no.	Fronts of hinge-doors, drawers and flaps *	Price group	Version no.	Fronts of sliding-doors	Price group
0299	White lacquer	I	0299	White lacquer	I			
1058	Pure white lacquer	I	1058	Pure white lacquer	I			
1685	Grey lacquer	I	1685	Grey lacquer	I			
2208	Silk grey lacquer	I	2208	Silk grey lacquer	I			
1260	Natural oak	II	1260	Natural oak	II	1260	Natural oak	II
1529	Core walnut	II	1529	Core walnut	II	1529	Core walnut	II
			1699	Rear-lacquered glass, white	III	1699	Rear-lacquered glass, white	III
			1749	Rear-lacquered glass, pure white	III	1749	Rear-lacquered glass, pure white	III
			1698	Rear-lacquered glass, grey	III	1698	Rear-lacquered glass, grey	III
			2297	Rear-lacquered glass, silk grey	III	2297	Rear-lacquered glass, silk grey	III
			Version no.	Insertion cabinets: rear-lacquered door rim / glass panel of hinge-door	Price group	Version no.	Sliding-doors: guiderail cover	Price group
			1699	White lacquer / Optiwhite glass	III	0299	White lacquer	I
			1749	Pure white lacquer / Optiwhite glass	III	1058	Pure white lacquer	I
			1698	Grey lacquer / stained glass	III	1685	Grey lacquer	I
			2297	Silk grey lacquer / stained glass	III	2208	Silk grey lacquer	I
			2225	Aluminium-colour lacquer / Optiwhite glass	III	0027	Aluminium colour	I
						1260	Natural oak	II
						1529	Core walnut	II

In MEGA-DESIGN colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

* Flap fronts are not available in rear-lacquered glass (exception: flap of lowboard type 21402)!

Plinth versions

MEGA-DESIGN provides two different plinth versions. If no further details are stated in the order, we deliver plinth version A!

A with 2.5 cm high legs in stainless steel look



B with 2.5 cm high legs and black plinth skirting



Wall fitting







Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Handle versions

Handle versions

MEGA-DESIGN provides a number of different handle versions. If no details are given in the order, a standard handle knob 113 is supplied. Alternative handle versions can be ordered without a surcharge. Please state clearly in the order! Sliding-doors with standard 4 cm high handles.

Note: Fronts with clear glass panels or rear-lacquered glass panels can only be fitted with handle knobs.

Handle knob 113 Standard handle; in stainless steel look  Ø 2.1 cm	Stainless steel look	Standard handle 113	Handle knob 156/157/158 optionally in natural oak (handle 156), core walnut (handle 157) or stainless steel look (handle 158)  Ø 2.6 cm	Natural oak Core walnut Stainless steel look	156 157 158
Handle knobs 141 - 159 optionally: White lacquer (handle 141) Pure white lacquer (handle 159) Grey lacquer (handle 145) Silk grey lacquer (handle 150) Natural oak (handle 146) Core walnut (handle 147) Stainless steel look (handle 148)  Ø approx. 1.2 cm	White lacquer Pure white lacquer Grey lacquer Silk grey lacquer Natural oak Core walnut Stainless steel look	141 159 145 150 146 147 148	Handle 162/163 optionally in matt chrome (handle 162) or high-gloss chrome (handle 163)  5.6 cm wide	Matt chrome High-gloss chrome	162 163
Handle 160/161 optionally in high-gloss chrome (handle 161) or antique silver (handle 160)  8.6 cm wide	Antique silver High-gloss chrome	160 161	Handle 164/165 optionally in high-gloss chrome (handle 165) or antique silver (handle 164)  17.8 cm wide	Antique silver High-gloss chrome	164 165


Handle versions

MEGA-DESIGN provides a number of different handle versions. If no details are given in the order, a standard handle knob 113 is supplied. Alternative handle versions can be ordered without a surcharge. Please state clearly in the order! Sliding-doors with standard 4 cm high handles.

Note: Fronts with clear glass panels or rear-lacquered glass panels can only be fitted with handle knobs.

Handle 166/167 optionally in matt chrome (handle 166) or high-gloss chrome (handle 167)	Matt chrome	166	Handle 173/174 optionally in matt chrome (handle 173) or high-gloss chrome (handle 174)	Matt chrome	173
	High-gloss chrome	167		High-gloss chrome	174
Handle 168/169 optionally in matt chrome (handle 168) or high-gloss chrome (handle 169)	Matt chrome	168	Handle 175/176 optionally in matt chrome (handle 175) or high-gloss chrome (handle 176)	Matt chrome	175
	High-gloss chrome	169		High-gloss chrome	176
Handle 170 matt chrome			Handles 177 - 182 handle connection in matt chrome, handle section in wood/lacquer version	White lacquer	177
	Matt chrome	170		Pure white lacquer	178
Handle knob 171/172 optionally in matt chrome (handle knob 171) or high-gloss chrome (handle knob 172)	Matt chrome	171	Handle 183/184 optionally in matt chrome (handle 183) or high-gloss chrome (handle 184)	Matt chrome	183
	High-gloss chrome	172		High-gloss chrome	184

Possible arrangements




- 1 Side-panel** – 2, 4, 6, 8, 10 or 12 Raster high, 21.9; 34.7 or 45.0 cm deep; with optional 2.5 cm high legs (A) or with 2.5 cm high legs and black plinth skirting (B); incl. wall bracket.
- 2 Hinge-doors for side-panels** – 4, 6, 8, 10 or 12 Raster high; in optional wood or lacquer version, with clear glass front or rear-lacquered glass front; rear-lacquered glass fronts (glossy) in aluminium frame and panels of rear-lacquered glass.
- 3 Carcase unit for side-panels** – 2, 4 or 6 Raster high, carcase in standard grey lacquer, with **2 Raster drawers for carcase units**. The carcase units can be fitted between 34.7 or 45.0 cm deep side-panels and fitted shelves. These 2 Raster drawers can only be fitted in carcase units for side-panels.
- 4 Intermediate side-panels for fitted shelves** 21.9; 34.7 or 45.0 cm deep; for vertically dividing compartments on fitted shelves. Fitted shelves and fitted glass shelves can not be assembled at the side of intermediate side-panels.
- 5 TV columns** – 50.8 cm high; are assembled in open sections between 34.7 or 45.0 cm deep side-panels and must always be fitted on the floor. Drawers with hülsta-Push-to-open.
- 6 Front LED spotlamps** (silver coloured); are assembled in front of fitted shelves from 46.1 cm width. Be sure to mark position in sketch. Cables and transformers are stored inside the shelves or in a groove at the back of the side-panel. 12 V; 1.5 W. Cannot be fitted in room dividers units and at the same height as guide rails for sliding-doors.
- 7 Sliding-doors for side-panels** – 2, 4, 6, 8, 10 or 12 Raster high; in optional wood version or with rear-lacquered glass front; rear-lacquered glass fronts (glossy) in aluminium frame and panels of rear-lacquered glass.
- 8 Guide rails for sliding-doors** – cannot be fitted in front of fitted glass shelves; width reductions down to a min. 30 cm for outer shelves.
- 9 Sliding-door cushioning**: sliding-doors are fitted with standard cushioning devices at the ends of the guide rails. If 2 (or more) sliding-doors are fitted next to one another between guide rails, no cushioning device is fitted between the sliding-doors.
- 10 Inside corner doors** – 4, 6 or 8 Raster high; in optional wood or lacquer version
- 11 Inside corner slat** for 90° corner unit with corner shelves
- 12 Side-panels** – ceiling high up to 264.7 cm, ceiling high with height adjusting screws up to 267.2 cm or extra high up to max. 427.9 cm incl. ceiling fitting bracket, 21.9 or 34.7 cm deep
- 13 Angled TV wall panels** – 4 or 6 Raster high, 45.5 cm deep; fitted in open sections between side-panels and shelves and must be fixed firmly to a wall; incl. cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.
- 14 Rear wall incl. end shelf** – 2 or 4 Raster high; fitted below angled TV panel between side-panels and shelves. Rear wall with transverse veneer, 1.1 cm thick (req. space 2.7 cm). Later assembly and assembly of intermediate side-panels not possible.
- 15 Top LED spotlamps** (silver colour); are assembled on fitted shelves from 46.1 cm width. 12 V; 1.5 W. Cannot be fitted in room dividers units. Assembly only above eye level.
- 16 Rear walls** – 1.1 cm thick (req. space 2.7 cm), fitted between side-panels, 2-12 Raster high. Fitted shelves can be placed anywhere. Later fitting of rear wall is not possible. Rear walls must always be ordered with room dividers units when fitting hinge-doors and room divider panelling.
- 17 Wall side-panels** – 2, 4, 6, 8 or 10 Raster high, 21.9; 34.7 or 45.0 cm deep; max. width of a wall side-panel arrangement: 300 cm. The wall side-panels may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Max. load of a wall side-panel column (consisting of 2 wall side-panels and fitted shelves): 100 kg. Lamps, sliding-doors, corner units and shelf ladders cannot be fitted on wall side-panels.
- 18 Lowboard** – 40.6 cm high; 51.8 cm deep; with 1 flap (with 1 partition); incl. 2 cable apertures
- 19 Fitted shelves for side-panels and wall side-panels** – 21.9; 34.7 or 45.0 cm deep; in 5 widths

Suggested combinations

Please state the handle and plinth versions!


MEGA-DESIGN

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.
All suggested combinations incl. rear walls behind fronts (exception: no rear walls behind sliding-doors).




Suggested combination

Price gr.	981002
I	-
II	-



Suggested combination

Price gr.	981003
I	-
II	-




Suggested combination

Price gr.	981023
I	-
II	-

Suggested combinations


Please state the handle and plinth versions!

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.
All suggested combinations incl. rear walls behind fronts (exception: no rear walls behind sliding-doors).




Suggested combination

	981010
Price gr.	-
I	-
II	-



Suggested combination

	981006
Price gr.	-
I	-
II	-



Suggested combination


	981009
Price gr.	-
I	-
II	-

Suggested combinations

Please state the handle and plinth versions!


MEGA-DESIGN

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.
All suggested combinations incl. rear walls behind fronts (exception: no rear walls behind sliding-doors).




Suggested combination

	981016
Price gr. I	-
II	-



Suggested combination

	981017
Price gr. I	-
II	-




Suggested combination

	981018
Price gr. I	-
II	-


Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.
All suggested combinations incl. rear walls behind fronts (exception: no rear walls behind sliding-doors).




Suggested combination

	981019
Price gr.	-
I	-
II	-



Suggested combination

	981020
Price gr.	-
I	-
II	-



Suggested combination


	981021
Price gr.	-
I	-
II	-

Suggested combinations

Please state the handle and plinth versions!

MEGA-DESIGN

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.
All suggested combinations incl. rear walls behind fronts (exception: no rear walls behind sliding-doors).



Suggested combination

	981022
Price gr.	
I	-
II	-

Side-panels

Cable aperture for side-panels:
see "Cable apertures" chapter!

Side-panels, 3.9 cm thick, 21.9; 34.7 resp. 45.0 cm deep

Plinth versions:
optionally with 2.5 cm high legs (A) or with 2.5 cm high legs and black plinth skirting (B); incl. wall bracket. Please state the plinth version (A or B) in the order (see below)!


Please remember to leave 2.5 cm assembly space to the ceiling and 1.5 cm at the sides in every project with side-panels without ceiling fitting brackets!

With ceiling-high side-panels: please state true room height!

Height reductions of the ceiling-high side-panels down to 12 Raster (216.6 cm) without surcharge.

The extra high side-panels (max. 430.4 cm) are always split at 14 Raster height (251.8 cm).
Height reductions without surcharge.

Ceiling-high and extra high side-panels do not have a top rim.
Top rim at a surcharge (see Special-sized products).



		Raster heights						Up to 264.7 cm	Up to 267.2 cm ceiling high, with height adjuster screws at top	Up to 430.4 cm for extra heights, ceiling high up to max. 430.4 cm (incl. brackets)
		2 = 40.6 cm	4 = 75.8 cm	6 = 111.0 cm	8 = 146.2 cm	10 = 181.4 cm	12 = 216.6 cm			
Depth: 21.9 cm	Price gr.	226	426	626	826	1026	1226	1626	1624	2226
	I II	- -	- -	- -	- -	- -	- -	- -	- -	- -
Depth: 34.7 cm	Price gr.	236	436	636	836	1036	1236	1636	1634	2236
	I II	- -	- -	- -	- -	- -	- -	- -	- -	- -
Depth: 45.0 cm	Price gr.	246	446	646	846	1046	1246	1646	1644	2246
	I II	- -	- -	- -	- -	- -	- -	- -	- -	- -

Plinth versions

MEGA-DESIGN provides two different plinth versions. If no further details are stated in the order, we deliver plinth version A!

A with 2.5 cm high legs in
stainless steel look



B with 2.5 cm high legs and
black plinth skirting



Wall side-panels

Wall side-panels, 3.9 cm thick, 21.9; 34.7 or 45.0 cm deep

Please remember to leave 2.5 cm assembly space to the ceiling and 1.5 cm at the sides in every project with side-panels without ceiling fitting brackets!

Max. width of a wall side-panel arrangement: 300 cm.

The wall side-panels may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Max. load of a wall side-panel column (consisting of 2 wall side-panels and fitted shelves): 100 kg, please observe the notes on page 6. Lamps, corner units and shelf ladders cannot be fitted on wall side-panels.


Assembly notes for wall units:
Please be sure to note here the
information and notes in the
"Wall composition" chapter!








		Raster heights					
		2 = 38.1 cm	4 = 73.3 cm	6 = 108.5 cm	8 = 143.7 cm	10 = 178.9 cm	12 = 214.1 cm
Depth: 21.9 cm	Price gr.	225	425	625	825	1025	1225
	I II	- -	- -	- -	- -	- -	- -
Depth: 34.7 cm	Price gr.	235	435	635	835	1035	1235
	I II	- -	- -	- -	- -	- -	- -
Depth: 45.0 cm	Price gr.	245	445	645	845	1045	1245
	I II	- -	- -	- -	- -	- -	- -

Intermediate side-panels for fitted shelves




MEGA-DESIGN

Intermediate side-panels for fitted shelves 3.9 cm thick; 21.9; 34.7 or 45.0 cm deep for vertically dividing compartments on fitted shelves. Fitted shelves and fitted glass shelves can not be assembled at the side of intermediate side-panels.			 2 Raster high = 32.3 cm	
	Depth: 21.9 cm	Price gr. I II	227 - -	
	Depth: 34.7 cm	Price gr. I II	237 - -	
	Depth: 45.0 cm	Price gr. I II	247 - -	


Fitted shelves for side-panels and wall side-panels

Fitted shelves for side-panels and wall side-panels 2.9 cm thick; 21.9; 34.7 or 45.0 cm deep						incl. wall bracket at rear	
			 46.1 cm wide	 71.1 cm wide	 96.1 cm wide	 146.1 cm wide	 196.1 cm wide
	Depth: 21.9 cm	Price gr. I II	4602 - -	7102 - -	9602 - -	1402 - -	1902 - -
Width reduction (down to min. 21.1 cm) without surcharge.	Depth: 34.7 cm	Price gr. I II	4603 - -	7103 - -	9603 - -	1403 - -	1903 - -
	Depth: 45.0 cm	Price gr. I II	4604 - -	7104 - -	9604 - -	1404 - -	1904 - -

Fitted glass shelves for side-panels and wall side-panels





Fitted glass shelves (clear glass) for side-panels and wall side-panels 0.8 cm thick; 17.2; 30.0 or 40.3 cm deep Can only be fitted in combination with rear walls. If fitted glass shelves for side-panels are included, fitted shelves must also be included at the very top and bottom of this side-panel column for constructional reasons.						
	for 46.1 cm width (45.9 cm wide)		for 71.1 cm width (70.9 cm wide)		for 96.1 cm width (95.9 cm wide)	
	for 21.9 cm depth (17.2 cm deep)		4632 -	7132 -	9632 -	
	for 34.7 cm depth (30.0 cm deep)		4633 -	7133 -	9633 -	
	for 45.0 cm depth (40.3 cm deep)		4634 -	7134 -	9634 -	

Depth-profiled fitted shelf for side-panels and wall side-panels


Depth profiled fitted shelf for side-panels and wall side-panels 2.9 cm thick 21.9; 34.7 or 34.7; 45.0 cm deep			 R 46.1 cm wide	
	Depth: 21.9; 34.7 cm	Price gr. I II	46031 L 46032 R - -	
	Depth: 34.7; 45.0 cm	Price gr. I II	46041 L 46042 R - -	

Corner units

Corner units not possible with wall side-panels.

Inside corner slat for 90° corner units with corner shelves; ceiling-high inside corner slat incl. ceiling bracket				Please state side-panel height or true ceiling height! Two inside corner slats must be ordered with extra high side-panels.		Price gr. I II	643 - -
Corner slat for 90° corner unit (non-usable corner), 3.5 x 3.5 cm				Sizes must be included when calculating widths. Please state side-panel height or true ceiling height! Two corner slats must be ordered with extra high side-panels.		Price gr. I II	644 - -
Corner shelves 75 x 75 cm 2.9 cm thick		Width reduction without surcharge			71.1 cm wide		
			Depth: 21.9 cm	Price gr. I II	772 - -		
			Depth: 34.7 cm	Price gr. I II	773 - -		
			Depth: 45.0 cm	Price gr. I II	774 - -		
Corner shelves with depth transition 75 x 75 cm 2.9 cm thick	 R	Width reduction without surcharge	Depth: 21.9:34.7 cm	Price gr. I II	7732 L 7723 R - -		
			Depth: 21.9:45.0 cm	Price gr. I II	7724 L 7742 R - -		
			Depth: 34.7:45.0 cm	Price gr. I II	7734 L 7743 R - -		

















Book bridge

<div>Book bridge 9.6 cm high; 15.0 cm deep</div> <div>for inserting into shelf compartments</div> <div>46.0 (or 71.0 or 96.0) cm wide book bridges can only be fitted in 46.0 (or 71.0 or 96.0) cm wide side-panel columns.</div> <div></div>			for 46.1 cm width (46.0 cm wide)	for 71.1 cm width (71.0 cm wide)	for 96.1 cm width (96.0 cm wide)	
	Depth: 15.0 cm					
		Price gr. I II	46 - -	71 - -	96 - -	

<div><div><div>Bookcase ladder</div><div>(aluminium-coloured) for pushing on to rail in front of side-panels in open areas; approx. 230 cm high; 42 cm wide</div></div><div><div>Notes:</div><div>Bookcase ladder can only be used in combination with rail (max. width of rail: 450 cm). Price of rail is calculated in steps of 10 cm. Please mark the exact position in the sketch. Rail height is optional at 184, 200 or 220 cm. Please also state exact rail height. Only for fitting on to side-panels; maximum distance between side-panels 120 cm. Later assembly, assembly on wall side-panels and assembly on room dividers not possible!</div></div></div> <div></div>	Rail – price per 10 cm section:	
	95	-
	Ladder	
	97	-

Fronts: Hinge-doors
















All fronts with cushioning brush

Rear walls behind fronts have to be ordered separately (see page 20).		for 46.1 cm width		for 71.1 cm width		
		Wood/lacquer doors or doors with rear-lacquered glass panel	Glass doors with clear glass panel	Wood/lacquer doors or doors with rear-lacquered glass panel	Glass doors with clear glass panel	
		Rear lacquered glass fronts (glossy): Glass fronts in aluminium frame and panels of rear-lacquered glass.	Clear glass fronts: Glass fronts in aluminium frame and panels of clear glass.	Rear lacquered glass fronts (glossy): Glass fronts in aluminium frame and panels of rear-lacquered glass.	Clear glass fronts: Glass fronts in aluminium frame and panels of clear glass.	
4 Raster doors 69.3 cm high		 L	 L	 L	 L	
	Price gr. I II III	45531 L 45532 R - - -	45541 L 45542 R -	47531 L 47532 R - - -	47541 L 47542 R -	
6 Raster doors 104.5 cm high		 L	 L	 L	 L	
	Price gr. I II III	65531 L 65532 R - - -	65541 L 65542 R -	67531 L 67532 R - - -	67541 L 67542 R -	
8 Raster doors 139.7 cm high		 L	 L	 L	 L	
	Price gr. I II III	85531 L 85532 R - - -	85541 L 85542 R -	87531 L 87532 R - - -	87541 L 87542 R -	
10 Raster doors 174.9 cm high		 L	 L			
	Price gr. I II III	105531 L 105532 R - - -	105541 L 105542 R -			
12 Raster doors 210.1 cm high		 L	 L			
	Price gr. I II III	125531 L 125532 R - - -	125541 L 125542 R -			

L/R = Door hinge left/right




E 7. 2023

Wohnen: MEGA DESIGN

























	for 71.1 cm width		for 96.1 cm width		Inside corner door
	Wood/lacquer doors or doors with rear-lacquered glass panel	Glass doors with clear glass panel	Wood/lacquer doors or doors with rear-lacquered glass panel	Glass doors with clear glass panel	Wood/lacquer doors
	Rear lacquered glass fronts (glossy): Glass fronts in aluminium frame and panels of rear-lacquered glass.	Clear glass fronts: Glass fronts in aluminium frame and panels of clear glass.	Rear lacquered glass fronts (glossy): Glass fronts in aluminium frame and panels of rear-lacquered glass.	Clear glass fronts: Glass fronts in aluminium frame and panels of clear glass.	for 75 x 75 cm width and 34.7 cm depth
					
	4733 - -	4734 -	4133 - -	4134 -	4773 - -
					
	6733 - -	6734 -	6133 - -	6134 -	6773 - -
					
	8733 - - -	8734 -	8133 - - -	8134 -	8773 - - -

















Fronts: flaps

All fronts with cushioning brush

Rear walls behind fronts have to be ordered separately (see page 20).		for 46.1 cm width	for 71.1 cm width	for 96.1 cm width
		Wood/lacquer flaps	Wood/lacquer flaps	Wood/lacquer flaps
2 Raster flaps 43.1 cm high				
		Flap hinge at bottom	Flap hinge at bottom	Flap hinge at bottom
	Price gr. I II	252 - -	272 - -	212 - -

Fronts: sliding-doors

Sliding-doors with standard 4 cm high handles. Rear walls behind fronts have to be ordered separately (see page 20).		48.9 cm wide		73.9 cm wide	
		Wooden sliding-doors	Sliding-doors with rear-lacquered glass panel Rear lacquered glass fronts (glossy): Glass fronts in aluminium frame and panels of rear-lacquered glass.	Wooden sliding-doors	Sliding-doors with rear-lacquered glass panel Rear lacquered glass fronts (glossy): Glass fronts in aluminium frame and panels of rear-lacquered glass.
2 Raster sliding-doors 34.1 cm high					
	Price gr. I II III	2486 - -		2736 - -	
4 Raster sliding-doors 69.3 cm high					
	Price gr. I II III	4486 - -		4736 - -	
6 Raster sliding-doors 104.5 cm high					
	Price gr. I II III	6486 - -		6736 - -	
8 Raster sliding-doors 139.7 cm high					
	Price gr. I II III	8486 - -		8736 - -	
10 Raster sliding-doors 174.9 cm high					
	Price gr. I II III	10486 - -		10736 - -	
12 Raster sliding-doors 210.1 cm high					
	Price gr. I II III	12486 - -		12736 - -	

98.9 cm wide		148.9 cm wide	
Wooden sliding-doors	Sliding-doors with rear-lacquered glass panel	Wooden sliding-doors	Sliding-doors with rear-lacquered glass panel
	Rear lacquered glass fronts (glossy): Glass fronts in aluminium frame and panels of rear-lacquered glass.		Rear lacquered glass fronts (glossy): Glass fronts in aluminium frame and panels of rear-lacquered glass.
			
2986		2156	
-		-	
-		-	
-		-	
			
4986		4156	
-		-	
-		-	
-		-	
			
6986		6156	
-		-	
-		-	
-		-	
			
8986		8156	
-		-	
-		-	
-		-	

Runners for sliding-doors

The sliding-doors are fitted on runners that have to be ordered separately (see below) and in front of a full-length row of shelves. Please state **in front of which side-panel columns** the sliding-doors are to be fitted. 2 (or more) sliding-doors can also be fitted on top of one another. In this case, 1 (or more) extra intermediate runners have to be ordered besides the standard set of runners (top and bottom). If the runners are required in a **special length**, please order the next longest runner size. This is then shortened at no extra charge. Please state the exact runner length in the order! **No front spotlamps and no further fronts** can be fitted in the area of the runners.


Sliding-door cushioning: the sliding-doors are only cushioned at the ends of the runners. If 2 (or more) sliding-doors are placed next to one another between the runners, there is no cushioning device fitted in between these sliding-doors.

Guiderails and cover caps aluminium-coloured, **guiderail cover** in wood and lacquer versions as well as aluminium-coloured. Please state the required version clearly in the order!

Runners for sliding-doors – Do not fit in front of glass shelves; width reductions down to a min. 30 cm on the outer shelves.


Please state **in front of which side-panel columns** the sliding-doors are to be fitted. 2 (or more) sliding-doors can also be fitted on top of one another. **No front spotlamps and no further fronts** can be fitted in the area of the runners. When planning sliding-doors in front of fitted shelves that are more than 96.1 cm wide, please note that these shelves must be supported by side-panels.

Sketch 1




Set of runners (top and bottom; absolutely essential in every project including sliding-doors)

Sketch 2



Intermediate runner

Sketch 3



Intermediate runner

Profile length (plus 4 mm for cover caps)		98.6 cm wide	148.6 cm wide	198.6 cm wide	223.6 cm wide	248.6 cm wide	298.6 cm wide	348.6 cm wide	373.6 cm wide	398.6 cm wide	448.6 cm wide
Set of runners (top and bottom; see sketch 1)	Price gr. I	1092	1142	1192	1222	1242	1292	1342	1372	1392	1442
	II	-	-	-	-	-	-	-	-	-	-
Intermediate runner (see sketch 2)	Price gr. I	1093	1143	1193	1223	1243	1293	1343	1373	1393	1443
	II	-	-	-	-	-	-	-	-	-	-


Rear walls

Rear walls


Rear walls - 1.1 cm thick - (space required 2.7 cm), fittable between side-panels, 2-12 Raster high. Fitted shelves can be placed anywhere. Later fitting of rear wall is not possible. For room divider units we recommend fitting rear walls where hinge-doors and room divider panelling is used. In this case these must be fitted between two fitted shelves. All rear walls in wood version have a vertical veneer, exception: 2 Raster rear walls have a horizontal veneer. **Rear walls with all-round cushioning brush!**

When integrated LED spotlamps are fitted, the niche rear wall must be split at the height of the lamps. Please remember this when planning!

Floor plan for a rear wall in a side-panel column












Side view for a rear wall in a side-panel column






		for 2 Raster height (32.3 cm high)	for 4 Raster height (67.5 cm high)	for 6 Raster height (102.7 cm high)	for 8 Raster height (137.9 cm high)	for 10 Raster height (173.1 cm high)	for 12 Raster height (208.3 cm high)
for 46.1 cm width	Price gr. I	249	449	649	849	1049	1249
	II	-	-	-	-	-	-
for 71.1 cm width (also suitable for corner units)	Price gr. I	279	479	679	879	1079	1279
	II	-	-	-	-	-	-
for 96.1 cm width	Price gr. I	299	499	699	899	1099	1299
	II	-	-	-	-	-	-
for 146.1 cm width (split in the middle)	Price gr. I	219	419	619	819	1019	1219
	II	-	-	-	-	-	-
for 196.1 cm width (split in the middle)	Price gr. I	229	429	629	829	1029	1229
	II	-	-	-	-	-	-

Inside drawer/flap sets


MEGA-DESIGN

<p>Inside drawer sets for 34.7 or 45.0 cm side-panel depth; req. assembly height: 16.3 cm resp. 32.3 cm</p> <p>Inside drawer sets can also be assembled behind sliding-doors between fitted shelves. Can only be fitted between 2 fitted shelves.</p> <p>Carcase in standard grey lacquer</p> <p>Drawers with hülsta-Push-to-open</p> <p>Changing versions: It is possible to combine different wood/ lacquer versions within front sections. When changing versions from different price groups the higher price group is always charged.</p> <p>Rear-lacquered glass fronts (glossy): glass fronts in aluminium frame and panels of rear-lacquered glass.</p>	<div>1 drawer</div> <div></div> <div>46.1 cm wide</div>		<div>1 drawer</div> <div></div> <div>71.1 cm wide</div>		<div>1 drawer</div> <div></div> <div>96.1 cm wide</div>		
	Price gr. I II III	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
		2570	2580	2770	2780	2170	2180
		-	-	-	-	-	-
	<div>1 drawer</div> <div></div> <div>46.1 cm wide</div>		<div>1 drawer</div> <div></div> <div>71.1 cm wide</div>		<div>1 drawer</div> <div></div> <div>96.1 cm wide</div>		
	Price gr. I II III	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
		256	254	276	274	216	214
		-	-	-	-	-	-
	<div>2 drawers</div> <div></div> <div>46.1 cm wide</div>		<div>2 drawers</div> <div></div> <div>71.1 cm wide</div>		<div>2 drawers</div> <div></div> <div>96.1 cm wide</div>		
	Price gr. I II III	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
257		253	277	273	217	213	
-		-	-	-	-	-	

<p>Inside flap sets for 34.7 or 45.0 cm side-panel depth; req. assembly height: 32.3 cm</p> <p>Inside flap sets can also be assembled behind sliding-doors between fitted shelves. Can only be fitted between 2 fitted shelves.</p> <p>Carcase in standard grey lacquer</p>	<div>1 flap</div> <div></div> <div>46.1 cm wide</div> <div>Flap hinge at bottom</div>		<div>1 flap</div> <div></div> <div>71.1 cm wide</div>		<div>1 flap</div> <div></div> <div>96.1 cm wide</div>		
	Price gr. I II	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
		251	250	271	270	211	210
		-	-	-	-	-	-

<p>Wall bracket If inside drawer/flap sets are included between wall side-panels, a wall bracket must be ordered. Please state clearly in the order.</p>	4462	4712	4962
--	-------------	-------------	-------------










Accessories for inside drawer sets

 <p>Tableau with grey fabric lining</p>		for 46.1 cm width	for 71.1 cm width	for 96.1 cm width
	for 34.7 cm depth	8620	8621	8622
	for 45.0 cm depth	8628	8629	8630

Carcase units for side-panels







Every carcass unit must be completely fitted with 2 Raster drawers for carcass units (see below). Cannot be used as open carcass units.
Carcass in standard grey lacquer.

Please note: These carcass units can only be fitted between 34.7 or 45.0 cm deep side-panels and fitted shelves.

2 Raster carcass units for side-panels 32.3 cm high	for 46.1 cm width		for 71.1 cm width		for 96.1 cm width	
						
	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
	2446	2546	2471	2571	2496	2596
	-	-	-	-	-	-
4 Raster carcass units for side-panels 67.5 cm high						
	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
	4446	4546	4471	4571	4496	4596
	-	-	-	-	-	-
6 Raster carcass units for side-panels 102.7 cm high						
	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
	6446	6546	6471	6571	6496	6596
	-	-	-	-	-	-
Wall bracket If carcass units are included between wall side-panels, a wall bracket must be ordered. Please state clearly in the order.						
		4462		4712		4962
		-		-		-


2 Raster drawers for carcass units

These 2 Raster drawers can only be fitted in carcass units for side-panels.

2 Raster drawers for carcass units	1 drawer  46.1 cm wide		1 drawer  71.1 cm wide		1 drawer  96.1 cm wide	
	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
	20412	22412	20712	22712	20912	22912
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-
Changing versions: It is possible to combine different wood/lacquer versions within front sections. When changing versions from different price groups the higher price group is always charged. Rear-lacquered glass fronts (glossy): glass fronts in aluminium frame and panels of rear-lacquered glass.	2 drawers  46.1 cm wide		2 drawers  71.1 cm wide		2 drawers  96.1 cm wide	
	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
	2041	2241	2071	2271	2091	2291
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	-	-	-	-

Accessories for drawers for carcass units






MEGA-DESIGN

 Tableau with grey fabric lining		for 46.1 cm width	for 71.1 cm width	for 96.1 cm width
	for 34.7 cm depth	8623	8624	8625
	for 45.0 cm depth	8631	8632	8633
		-	-	-





Insertion cabinets

Insertion cabinets consisting of a carcass and a glass door with rear-lacquered door rim. Please state the required version clearly in the order!

Please note: These insertion cabinets can be fitted between 34.7 and 45.0 cm deep side-panels and fitted shelves.

				46.1 cm wide
for 4 Raster height (67.5 cm high)	with 1 fitted glass shelf  L	for 34.7 and 45.0 cm depth	Price gr. I II	4561 L 4562 R - -
for 6 Raster height (102.7 cm high)	with 2 fitted glass shelves  L	for 34.7 and 45.0 cm depth	Price gr. I II	6561 L 6562 R - -
for 8 Raster height (137.9 cm high)	with 3 fitted glass shelves  L	for 34.7 and 45.0 cm depth	Price gr. I II	8561 L 8562 R - -
for 10 Raster height (173.1 cm high)	with 4 fitted glass shelves  L	for 34.7 and 45.0 cm depth	Price gr. I II	10561 L 10562 R - -
for 12 Raster height (208.3 cm high)	with 5 fitted glass shelves  L	for 34.7 and 45.0 cm depth	Price gr. I II	12561 L 12562 R - -

Work surfaces

Work surface 6.4 cm thick; 70.4 cm deep Please state the required width clearly in the order!			70.4-144.7 cm wide	144.8-201.5 cm wide	201.6-249.3 cm wide
		Price gr. I II	1507 - -	1907 - -	2507 - -
Depth profiled work surface 6.4 cm thick; 44.8:70.4 cm wide Please state the required width clearly in the order!			105.6-144.7 cm wide	144.8-201.5 cm wide	201.6-249.3 cm wide
		Price gr. I II	15071 L 15072 R - -	19071 L 19072 R - -	25071 L 25072 R - -
4 Raster lower side-panel for work surface 68.5 cm high incl. 1.8 cm high plinth adjusters; 3.9 cm thick; 70.4 cm deep		Price gr. I II		476 - -	
Cable aperture K1 for work surfaces Silver-coloured; Ø 8.0 cm It is possible to fit a cable aperture in the work surface (against a surcharge). Please state the exact position of the cable aperture in the order!				K1 -	

Mega-Design provides functional room divider units with side-panels and shelves. Fronts (wood, lacquer and glass doors, see pages 16-17) can be fitted at both sides of side-panels. This means that Mega-Design room dividers can also be used at both sides.

Room divider carcase units (see pages 26-27) and inside corners can also be included. Rear panelling can also be fitted (see page 27).

2 Raster lowboards, sliding-doors, fitted glass shelves, lamps and shelf ladders cannot be fitted in room divider units.

Room divider side-panel

Room divider side-panel, 3.9 cm thick, 32.4 cm deep

Plinth versions:

optionally with 2.5 cm high legs (A) or with 2.5 cm high legs and black plinth skirting (B); incl. wall bracket.

Please state the plinth version (A or B) in the order (see below)!

Room divider units can only be fitted completely between floor and ceiling. If the room divider is fixed to a wall at one end and has a maximum width of 203.9 cm and a maximum height of 8 Raster, the ceiling fitting bracket can be omitted.

Please state true room height!



		Height up to max. 264.7 cm Height reductions down to 2 m height without surcharge.
Depth: 32.4 cm	Price gr. I II	1635 - -

Plinth versions

MEGA-DESIGN provides two different plinth versions. If no further details are stated in the order, we deliver plinth version A!

A with 2.5 cm high legs in stainless steel look



B with 2.5 cm high legs and black plinth skirting



Fitted shelves for room divider side-panels

Fitted shelves
2.9 cm thick
32.4 cm deep

Width reduction (down to min. 21.1 cm) without surcharge.



for 46.1 cm width	for 71.1 cm width	for 96.1 cm width
4605	7105	9605
-	-	-
-	-	-


Corner units for room divider side-panels

Corner shelves
75 x 72.7 cm;
2.9 cm thick
32.4 cm deep

Width reduction without surcharge

One base section left (L) or right (R) can be used as room divider

Room divider base



L

for 71.1 cm width

7751 L
7752 R

-
-


Corner shelves
72.7 x 72.7 cm;
2.9 cm thick
32.4 cm deep

Width reduction without surcharge

Base section left and right can be used as room divider

Room divider base

Room divider base




775

-
-

Inside corner slat for 90° corner unit with corner shelves; ceiling-high inside corner slat incl. ceiling bracket

Please state side-panel height or true ceiling height!












643

-
-

Carcase units for room divider side-panels







Every carcase unit must be completely fitted with 2 Raster drawers for carcase units (see below). Cannot be used as open carcase units. Carcase in standard grey lacquer. For carcase units for room divider side-panels the rear wall panelling must be ordered, see next page.

Please note: These carcase units can only be fitted between 32.4 cm deep side-panels and fitted shelves.

2 Raster carcase units for room divider side-panels 32.3 cm high; 32.4 cm deep	for 46.1 cm width		for 71.1 cm width		for 96.1 cm width	
						
		24465		24715		24965
		-		-		-
4 Raster carcase units for room divider side-panels 67.5 cm high; 32.4 cm deep						
	44465		44715		44965	
		-		-		-
6 Raster carcase units for room divider side-panels 102.7 cm high; 32.4 cm deep						
	64465		64715		64965	
		-		-		-


2 Raster drawers for room divider carcase units

These 2 Raster drawers can only be fitted in carcase units for room divider side-panels.

2 Raster drawers for room divider carcase units	1 drawer  46.1 cm wide		1 drawer  71.1 cm wide		1 drawer  96.1 cm wide	
	204125		207125		209125	
Changing versions: It is possible to combine different wood/ lacquer versions within front sections. When changing versions from different price groups the higher price group is always charged. Rear-lacquered glass fronts (glossy): glass fronts in aluminium frame and panels of rear-lacquered glass.	Price gr. I II III	-	-	-	-	-
		-	-	-	-	-
		-	-	-	-	-
	2 drawers  46.1 cm wide		2 drawers  71.1 cm wide		2 drawers  96.1 cm wide	
	20415		20715		20915	
		-		-		-
		-		-		-
		-		-		-
	Price gr. I II III	-		-		-
		-		-		-
		-		-		-

Accessories for drawers of room divider carcase units







MEGA-DESIGN

	for 46.1 cm width	for 71.1 cm width	for 96.1 cm width
 Tableau with grey fabric lining	8620 -	8621 -	8622 -







Rear wall panelling for room divider units

Rear wall panelling for room divider units		2 Raster	4 Raster	6 Raster	8 Raster
<p>Used as rear panelling of carcase units for room divider side-panels as well as inside corners for room divider units in 4, 6 and 8 Raster height. The rear wall panelling is split in the middle in the case of 96.1 cm wide units.</p> <p>The mounting clips for the panelling are visible in the case of open compartments and inside corners as well as behind doors. To cover them we recommend using rear walls (see page 20). In this case these must be fitted between two fitted shelves.</p>	for 46.1 cm width	2566	4566	6566	8566
		Price gr. I II	- -	- -	- -
	for 71.1 cm width (also suitable for corner units)	2766	4766	6766	8766
		Price gr. I II	- -	- -	- -
	for 96.1 cm width	2066	4066	6066	8066
		Price gr. I II	- -	- -	- -

Angled wall panels for fitting on strong walls between side-panels and shelves

4 Raster angled wall panels are fitted in open sections between side-panels and shelves 70.4 cm high; 65.5 cm deep Max. load: 60 kg Cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.	 95.9 cm wide		 145.9 cm wide		 195.9 cm wide	
	Price gr. I II	4969 - -	4149 - -	4199 - -		
6 Raster angled wall panels are fitted in open sections between side-panels and shelves 105.6 cm high; 65.5 cm deep Max. load 60 kg Cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.	 95.9 cm wide		 145.9 cm wide		 195.9 cm wide	
	Price gr. I II	6969 - -	6149 - -	6199 - -		




Angled wall panels for fitting anywhere on wall

4 Raster angled wall panels for fitting anywhere on walls 73.3 cm high; 65.5 cm deep Max. load 60 kg Cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.	 95.9 cm wide		 145.9 cm wide		 195.9 cm wide	
	Price gr. I II	4968 - -	4148 - -	4198 - -		
6 Raster angled wall panels for fitting anywhere on walls 108.5 cm high; 65.5 cm deep Max. load 60 kg Cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.	 95.9 cm wide		 145.9 cm wide		 195.9 cm wide	
	Price gr. I II	6968 - -	6148 - -	6198 - -		


Rear wall incl. end shelf

fitted below angled wall panel between side-panels and shelves





MEGA-DESIGN

<div> <div>Rear wall incl. end shelf</div> <div>fitted below angled wall panel between side-panels and shelves;</div> <div>70.4 cm high</div> </div> <div> <div>Rear wall with a vertical veneer, 1.1 cm thick (space req. 2.7 cm), bottom end shelf, 21.9 cm deep</div> <div>Later assembly and fitting of intermediate side-panels not possible.</div> </div>	<div>  <div>95.9 cm wide</div> </div>			<div>  <div>145.9 cm wide</div> </div>			<div>  <div>195.9 cm wide</div> </div>		
	Price gr.	417			447	497			
I		-			-	-			
II		-			-	-			





Writing surface

<div>Writing surface of metal, with black leather cover 50.0 cm deep</div> <div>fitted on angled wall panels</div>	<div><div></div><div><div>Genuine leather</div></div></div> <div>80.0 cm wide</div>	
		100
		-

Angled TV wall panels for fitting on strong walls between side-panels and shelves

4 Raster angled TV wall panels are fitted in open sections between side-panels and shelves 70.4 cm high; 45.5 cm deep Max. load 60 kg Cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.	 145.9 cm wide		 195.9 cm wide	
	Price gr. I II	4147 - -	4197 - -	
6 Raster angled TV wall panels are fitted in open sections between side-panels and shelves 105.6 cm high; 45.5 cm deep Max. load 60 kg Cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.	 145.9 cm wide		 195.9 cm wide	
	Price gr. I II	6147 - -	6197 - -	





Angled TV wall panels for fitting anywhere on walls

4 Raster angled TV wall panels for fitting anywhere on walls 73.3 cm high; 45.5 cm deep Max. load 60 kg Cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.	 145.9 cm wide		 195.9 cm wide	
	Price gr. I II	4146 - -	4196 - -	
6 Raster angled TV wall panels for fitting anywhere on walls 108.5 cm high; 45.5 cm deep Max. load 60 kg Cable management: The shelf can be drawn forwards on gliders by 8.0 cm. Behind it is a textile cable tub. The panel has a groove cut in the lower section. This makes it easy to connect all electronic equipment with cables.	 145.9 cm wide		 195.9 cm wide	
	Price gr. I II	6146 - -	6196 - -	

Rear walls










fitted below angled TV wall panels between side-panels and shelves

MEGA-DESIGN

<p>2 Raster rear wall fitted below angled TV wall panels between side-panels and shelves; 35.2 cm high</p> <p>Rear wall with a horizontal veneer, 1.1 cm thick (space req. 2.7 cm)</p> <p>Later assembly and fitting of intermediate side-panels not possible.</p>	 <p>145.9 cm wide</p>		 <p>195.9 cm wide</p>	
	Price gr. I II	248 - -	298 - -	
<p>4 Raster rear wall fitted below angled TV wall panels between side-panels and shelves; 70.4 cm high</p> <p>Rear wall with a vertical veneer, 1.1 cm thick (space req. 2.7 cm)</p> <p>Later assembly and fitting of intermediate side-panels not possible.</p>	 <p>145.9 cm wide</p>		 <p>195.9 cm wide</p>	
	Price gr. I II	448 - -	498 - -	

TV columns

for fitting between side-panels






<p>TV columns are fitted in open sections between 34.7 or 45.0 cm deep side-panels and must always be fitted on the floor. 50.8 cm high</p> <p>Drawers with hülsta-Push-to-open</p> <p>Usable inside dims. of open compartments (each side): Height: 9.9 cm Width: 46.1/71.1/96.1 cm Depth: 34.7/45.0 cm</p> <p>Changing versions: It is possible to combine different wood/lacquer versions within front sections. When changing versions from different price groups the higher price group is always charged.</p> <p>Rear-lacquered glass fronts (glossy): glass fronts in aluminium frame and panels of rear-lacquered glass.</p>	2 open compartments; 4 drawers		2 open compartments; 4 drawers		2 open compartments; 4 drawers		
							
	96.1 cm wide		146.1 cm wide		196.1 cm wide		
	Price gr. I II III	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
		2911	2914	21411	21414	21911	21914
		-	-	-	-	-	-
	-	-	-	-	-	-	
	-	-	-	-	-	-	
	2 open compartments; 2 drawers		2 open compartments; 2 drawers		2 open compartments; 2 drawers		
							
	96.1 cm wide		146.1 cm wide		196.1 cm wide		
	Price gr. I II III	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth
		2921	2924	21421	21424	21921	21924
		-	-	-	-	-	-
	-	-	-	-	-	-	
	-	-	-	-	-	-	
	2 open compartments; 3 drawers		2 open compartments; 3 drawers		2 open compartments; 3 drawers		
							
96.1 cm wide		146.1 cm wide		196.1 cm wide			
as illustr. v. versa Price gr. I II III	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	for 34.7 cm depth	for 45.0 cm depth	
	29311 29312	29341 29342	214311 214312	214341 214342	219311 219312	219341 219342	
	-	-	-	-	-	-	
-	-	-	-	-	-		
-	-	-	-	-	-		

Rear walls for TV columns



Rear walls Rear walls – 1.1 cm thick (space req. 2.7 cm) – fitted in TV columns. Later fitting of rear wall is not possible. Rear walls in wood version have a horizontal veneer. Rear walls with all-round brush seal.		
		9.9 cm high
for 96.1 cm width	Price gr.	199
	I	-
	II	-
for 146.1 cm width	Price gr.	119
	I	-
	II	-
for 196.1 cm width	Price gr.	129
	I	-
	II	-





Lowboard

Lowboard 40.6 cm high; 51.8 cm deep Max. load: 50 kg Special-sized products are possible on request. Usable inside dims. of compartments left and right: Height: 32.0 cm Width: 43.8 cm Depth: 41.8 cm Usable inside dims. of each drawer: Height: 10.8 cm Width: 42.5 cm Depth: 34.4 cm	2 sliding-doors; 1 open compartment; incl. 3 cable apertures in rear wall  for 146.1 cm width (145.9 cm wide)		Fitted shelf for open compartment  46.7 cm wide	Fitted shelf for outer compartments  43.8 cm wide
	Price gr. I II III	21401 - - -	4607 - - -	4608 - - -
			Set of drawers for open compartment; drawers with hülsta-Push-to-open  46.1 cm wide	Tableau with grey fabric lining 
	Price gr. I II III		258 - - -	8627 - - -

Lowboard

Lowboard 40.6 cm high; 51.8 cm deep Max. load: 50 kg The flap is also available of rear-lacquered glass. Special-sized products are possible on request. Usable inside dims. of compartments left and right: Height: 32.0 cm Width: 67.0 cm Depth: 42.0 cm	1 flap (with 1 partition); incl. 2 cable apertures in rear wall  for 146.1 cm width (145.9 cm wide)		Fitted shelf; can be fitted left and/or right behind flap  68.7 cm wide
	Price gr. I II III	21402 - - -	4609 - - -

Lowboard

Lowboard 40.6 cm high; 51.8 cm deep Max. load: 50 kg Special-sized products are possible on request. Usable inside dims. of open compartments left and right: Height: 11.5 cm Width: 68.7 cm Depth: 42.0 cm Usable inside dims. of drawer (each side): Height: 14.8 cm Width: 64.5 cm Depth: 34.4 cm	2 open compartments; drawer with split drawer frame; incl. 2 cable apertures in rear wall  for 146.1 cm width (145.9 cm wide)		Tableau with grey fabric lining 
	Price gr. I II III	21403 - - -	8626 - - -

IR repeater set

Infrared signal transmission set for operating media units behind non-transparent fronts. You can operate all the units in one compartment with one set. The following applies:

- One set must be used in each compartment. 2 transmitters can also be installed in large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered.
- The transmitter must be placed in the direct vicinity of the receiver eye.
- Transmittable IR frequency band 20 – 60 kHz
- Up to 3 transmitters can be combined with one receiver.

It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.

The IR repeater set consists of:

- 1 receiver eye (Ø 3.0 cm) incl. standing bracket
- 1 electrical transmitter
- 1 plug EVG 12 V
- Cable clips

Please note the details stated in the operating instructions!

IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket	Extra transmitter
2001	2003
-	-

Flat screen supports

Flat screen support WTL6

The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"); max. load: 45 kg.

Suitable for Curved TV's.

Flat screen support compatible with VESA Norm standard:

min.: 200 x 200 mm

max.: 600 x 400 mm



Flat screen support THIN 545, ideally adaptable

The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-165 cm (40"-65") and a maximum depth of 4.5 cm; max. load: 25 kg.


Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 545. After a few steps you can see if your flat screen TV is compatible with the flat screen support.

Not suitable for Curved TV's.

Flat screen support compatible with VESA Norm standard:

min.: 100 x 100 mm

max.: 600 x 400 mm



Flat screen support THIN 515

The flat screen support can be angled up to a max. 15°. It is suitable for flat screens with a screen diagonal of 102-165 cm (40"-65") and a maximum depth of 5.0 cm; max. load: 25 kg.


Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 515. After a few steps you can see if your flat screen TV is compatible with the flat screen support.

Not suitable for Curved TV's.

Flat screen support compatible with VESA Norm standard:

min.: 100 x 100 mm

max.: 600 x 400 mm



for fitting anywhere on wall	for fitting on solid walls through the rear wall	for fitting on solid walls through the angled wall panel	for fitting anywhere on wall	for fitting on solid walls through the rear wall	for fitting on solid walls through the angled wall panel	for fitting anywhere on wall
	(later assembly not possible; incl. cable aperture in support and rear wall)	(later assembly not possible; incl. cable aperture in support and wall panel)		(later assembly not possible; incl. cable aperture below support in rear wall)	(later assembly not possible; incl. cable aperture below support in wall panel)	
9704	9705	9706	9304	9305	9306	9504
-	-	-	-	-	-	-

Lamps

Please note: We recommend using the same light sources in combinations in order to achieve uniform lighting and colour effects.

Please note: No fronts can be fitted directly above **front and top spotlamps**. When fitting a **front spotlamp** in front of the top fitted shelf one must observe a distance of at least 3.0 cm between the top fitted shelf and the ceiling, when fitting a **top spotlamp** the distance to the ceiling must be at least 4.5 cm.

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).

Lamps are not possible for wall side-panels.

Integrated LED spotlamp
for fitting in fitted shelves for side-panels and wall shelves

This product contains a light source of energy efficiency class F. 12 V.



3.0 W

7941


-

Top LED spotlamp (silver coloured),
for fitting on **fitted shelves from 46.1 cm width**.

Cannot be fitted in room divider units and at the height of the rails.
Can only be fitted above eye-level.

For the project please remember to leave a 4.5 cm gap to the ceiling for assembly!

Luminaire < 60 lm



1.5 W

7713


-

Front LED spotlamp (silver coloured),
for fitting in front of **fitted shelves from 46.1 cm width**. Please mark position in sketch.
Cables and transformer are accommodated inside the shelves or in a rear groove of the side-panel.

Cannot be fitted in room divider units, at the height of runners for sliding-doors and at the height of the rails.

For the project please remember to leave a 3.0 cm gap to the ceiling for assembly!

Luminaire < 60 lm





1.5 W

7714

-

LED light panel
1.9 cm thick, 3.0 cm deep;
for fitting behind wooden or under glass fitted shelves
(can only be fitted in front of rear walls)

This product contains a light source of energy efficiency class F. 12 V.



for insertion cabinets

for 46.1 cm width

for 71.1 cm width

for 96.1 cm width

3.2 W

3.6 W

5.5 W

7.1 W

458

468

718

968

-

-

-

-

Glass rim lamp
LED light strip in aluminium frame for fitting behind fitted glass shelves
(can only be fitted in front of rear walls)

Later fitting is not possible.



This product contains a light source of energy efficiency class F. 12 V.



3.2 W

3.2 W

5.1 W

7.1 W

459

469

719

969


-

-

-

-








The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.








2119

-

Wall shelves

Wall shelves for free wall assembly Depth: 18 cm, thickness: 2.9 cm. Integrated LED spotlamps possible from 75 cm width.			
<div>  <div>50 cm wide</div> </div>	with 2 brackets	Price gr.	5018
		I	-
		II	-
<div>  <div>75 cm wide</div> </div>	with 2 brackets	Price gr.	7518
		I	-
		II	-
<div>  <div>100 cm wide</div> </div>	with 2 brackets	Price gr.	1018
		I	-
		II	-
<div>  <div>125 cm wide</div> </div>	with 2 brackets	Price gr.	1218
		I	-
		II	-
<div>  <div>150 cm wide</div> </div>	with 3 brackets	Price gr.	1518
		I	-
		II	-
<div>  <div>175 cm wide</div> </div>	with 3 brackets	Price gr.	1718
		I	-
		II	-
<div>  <div>200 cm wide</div> </div>	with 3 brackets	Price gr.	2018
		I	-
		II	-

Top glass section for TV, cable apertures

 <p>Top glass section for TV 14.2 cm high; 93.0 cm wide, 40.0 cm deep Glass top, 1.0 cm thick, of clear glass, fitted on lowboards. Max. load: 50 kg</p>	<p>1917 -</p>
 <p>Cable aperture K1 Silver coloured; Ø 8.0 cm; It is possible to fit a cable aperture in the top end shelf of the lowboards and TV columns. The cable aperture can be made in the rear section of the top end shelf. Positioned in centre of compartment, distance from centre of hole to rear rim of unit: 7.5 cm Please state the exact position!</p>	<p>K1 -</p>
 <p>Cable aperture K7 Silver coloured; 7.0 x 12.0 cm; It is possible to fit a cable aperture in the top end shelf of the lowboards and TV columns. Positioned in centre of compartment, flush with rear rim of unit. The K7 cannot be fitted if a rear wall is fitted directly on the lowboard.</p>	<p>K7 -</p>
 <p>Cable aperture K8 Silver coloured; 12.8 x 3.2 cm; It is possible to fit a cable aperture in the top end shelf of the lowboards and TV columns. The cable aperture can be made at the rear rim of the top shelf. Positioned in centre of compartment.</p>	<p>K8 -</p>
 <p>Cable aperture K9 13.0 x 1.6 cm It is possible to fit a cable aperture in a fitted shelf. The cable aperture can be made at the rear rim of the fitted shelf. Positioned in centre of compartment.</p>	<p>K9 -</p>

Possible arrangements



DINING

hülsta offers a room concept to meet all requirements in comfort, beauty of form and attractiveness with a comprehensive collection of dining room tables and chairs.

The **dining tables** in a wide variety of sizes (with and without pullout function) in all wood surface versions and in contemporary designs, as well as the **dining chairs** that can be combined individually using different armrests, comfort features, high-grade cover fabrics (leather, textiles) and metal surfaces can all be found in the “**DINING**” type list.



Coffee tables CT 160

Coffee tables CT 160

The **CT 160 coffee table** in sizes of 80 x 80 cm and 110 x 80 cm offers three different plinth versions. The bottom shelf is veneered or lacquered, the superstructure is of glass, in one of three optional glass versions.

You will find the coffee table CT 160 as well as other coffee tables in the “**Coffee tables**” type list!



Coffee tables

Coffee tables

hülsta offers a comprehensive **collection of coffee tables**, which not only match the hülsta furniture ranges perfectly but can also be combined with other products that are available on the market. You will find these coffee tables in a number of designs, sizes and versions in the “**Coffee tables**” type list.



Sketch raster for the MEGA-DESIGN range


Note on calculating widths!

The width table states all widths up to 475 cm (wider units always in steps of 25 cm), but only includes the unit widths of 50, 75, 100 and 150 cm. This width is calculated from a side-panel + shelf. To determine the total width, 3.9 cm must be added for the end side-panel!

Please superimpose unlined paper and write firmly. In order to avoid slipping, use 2 paper clips or fold the edge of the drawing sheet.

Check list


- 1.) Do the sketch and the order match? Do the dimensions and the sketch match the type number? Are all type numbers correctly stated in the sketch? Can one see the position of door hinges?
- 2.) Are all type numbers correct? Have you perhaps confused price and type numbers?
- 3.) For side-panel assembly with adjuster screws at top: please state exact ceiling height. If the units do not reach up to the ceiling, please state the exact side-panel size.
- 4.) Has the width dimension been correctly calculated? It is calculated from a side-panel + shelf; to calculate the total width, 3.9 cm must be added for the end side-panel!
- 5.) When combining wood and lacquer versions: is it quite clear, which shelves, side-panels, units, rear walls and fronts are to be delivered in which version?
- 6.) Are fitted and front halogen spotlamps, bookcase ladders, rear walls and interior fittings for flap units marked in the sketch?
- 7.) When ordering sliding-doors: Have you ordered the runners separately and stated, in front of which side-panel columns the sliding-doors are to be fitted?
- 8.) Have you stated the desired handle and plinth versions?
- 9.) Is this a follow-up order? If so, when was the original order? Have shelves been fitted in front of rear walls? Please state separately! If possible, include a sketch on which the existing and new units are clearly marked.



Scale 1 : 25

Handle and plinth versions must be stated in the order!





Base sketch



Important note! Please do not forget to include the following details with each order. This avoids time-consuming correspondence and unnecessary delays in delivery.

Front version(s)	Carcass version(s)	Handle type no.	Plinth version	Customer	Date	Commission

It is possible to provide the cover shelves, side sections, shelves, etc., in units from nearly all the hülsta living room ranges with cable apertures so it is easier to feed cables of electronic equipment through these units. There are four different types of cable apertures to choose from, as listed here. **Please be sure to follow the important notes.**

<p>Cable aperture K1</p> <p>Cable aperture for 80 mm hole, silver colour Standard cable aperture; particularly suitable for cover shelves, side sections and shelves</p> <p>Sizes: Assembly height: 21 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm</p>  <p>K1</p>	<p>Cable aperture K2</p> <p>Cable aperture for 80 mm hole, silver colour particularly suitable for rear walls and side sections</p> <p>Sizes: Assembly height: 8 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm</p>  <p>K2</p>	<p>Cable aperture K3</p> <p>Cable aperture for 60 mm hole, silver colour particularly suitable for shelves and constructional shelves (suitable to an extent for scart cables)</p> <p>Sizes: Assembly height: 21 mm Outside diameter: 72 mm Inside diameter: 54 mm Diameter of hole: 60 mm</p>  <p>K3</p>	<p>Cable aperture K20</p> <p>Cable aperture for 80 mm hole, silver colour particularly suitable for side-panels and centre partitions</p> <p>Sizes: Assembly height: 2x 8 mm Outside diameter: 92 mm Inside diameter: 74 mm Diameter of hole: 80 mm</p>  <p>K20</p>
--	--	--	--









IMPORTANT NOTES Please be sure to note!

Please be sure to state the **exact position** of the cable aperture in your order (always measure distances from the centre of the cable aperture). For **wall units** the cable aperture is only possible in the bottom position (due to the suspension brackets). With **cover shelves**, the position of the cable aperture is determined in the factory, in accordance with factors specific to the given range. The same applies to technical exceptions because of custom-based planning. The K 20 is positioned in the centre (depthwise) in the **side-panel**. Please state the exact height (centre of hole of cable aperture from bottom rim of side-panel)! Subject to technical progress.

The **minimum distance** for the cable aperture (measured from the inside): 100 mm from the side and 70 mm from the rear (for horizontal surfaces) or 100 mm from the side and 70 mm from the base (for vertical surfaces). Please state if the aperture is to be fitted at the left, at the right or in the centre.

Standard position: If no details of the exact position of the cable aperture are given in your order, the cable aperture is always fitted at the bottom centre or at the rear centre of the relevant surface, whereby the distances stated above still apply.

Caution! Please note that the cable aperture can not be fitted where there is an integrated or front spotlight, centre partitions or a split rear wall. **Please be sure to observe the following explanatory diagrams!**

for vertical surfaces	for horizontal surfaces
<p>Minimum distance 100 mm from the side and 70 mm from the base</p>  	<p>Minimum distance 100 mm from the side and 70 mm from the rear</p>  
<p>Standard position at the centre of the surface and 70 mm from the base</p> 	<p>Standard position at the centre of the surface and 70 mm from the rear</p> 
<p>Please note! If there is an integrated or front spotlight in a shelf, for example, the cable aperture cannot be fitted at this position!</p> 	<p>Please note! If there is a centre partition, for example, between two shelves, the cable aperture cannot be fitted at this position!</p> 

Switch options for lamps:
Radio remote control with change of colour temperature

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

- The following points must be noted with the radio remote control:**
- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
 - The total wattage power of all lamps included per receiver must not exceed 30 W.
 - 4 channels = 4 light groups
 - 1 light group = x lights
 - All lamps within a light group can be dimmed to the same brightness.
 - The change of the colour temperature takes place for all lamps in all light groups.
 - The radio remote control is not suitable for equipment operating on 110 V.
- Please be sure to note the operating and programming instructions!**

4-channel radio remote control with change of color temperature



4-channel radio remote control
with change of color temperature

Type	2119	-
------	------	---

Examples of use (schematic diagrams)

Example 1

Lights inside a unit


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlight in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlight in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 2

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlight and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlight and the LED light panels in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 3

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom LED light panels in the left, centre and right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Notes on calculating sizes of sloping units

Side sloping


Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.

Measurements required:

- H 1 = Room height
- H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- B 1 = Width of slope
- B 2 = Width of slope
- G = Total width
- S = Wardrobe width

Please note!


- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level.



Rear sloping

Measurements required:

- H 1 = Room height
- H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- T 1 = Depth of slope
- T 2 = Depth of slope



MEGA-DESIGN

All special-sized products shown
in this type list for MEGA-DESIGN
are free of charge!

Height reductions (not possible on drawers):

Side-panel (below 2 m, incl. top rim)	99901	-
Carcase	99902	-
Rear wall	99906	-
Wood/lacquer door (not possible on rear-lacquered glass fronts)	99903	-

Width reductions:

Carcase (only possible on drawer and flap units, for lowboards on request)	99912	-
Hinge-door wood/lacquer	99913	-
Wall shelf (not below 36 cm, with spotlamps not below 75 cm)	99915	-
Wood/lacquer drawer (not below 25.0 cm)	99917	-
Rear wall	99920	-
Fitted glass shelf	999144	-
Bookbridge (not below 21.1 cm)	99940	-

Depth reductions (not possible on drawers):

Fitted shelf (not below 21.9 cm)	99934	-
Fitted glass shelf	999344	-
Side-panel (not below 21.9 cm)	99931	-
Work surface	99933	-

Side sloping:

Please observe the notes on making exact measurements on the previous page as these are essential!

Side-panel	99944	-
------------	--------------	---

Rear sloping:

Please observe the notes on making exact measurements on the previous page as these are essential!

Side-panel	99956	-
------------	--------------	---

Special-sized products are not possible for: rear-lacquered glass fronts, sliding-doors, angled (TV) panels, fittings and accessories, profiled shelves, tables.

More special products are possible.

Please get in touch with your customer advisor.

Special articles

Cover panels

for side and top panelling of fitted wardrobes (support construction and fitting materials must be acquired on site).

Basic price per order	9901	-
+ price per m ² lacquer or veneer	990	-

Veneer match with fronts can not be guaranteed.

Rim veneer

superimposed ex works or rims lacquered for veneer and lacquer versions per m. length

9902	-
-------------	---

Dimensions

Range	max. length	max. width
MEGA-DESIGN	207.0 cm	34.7 cm

Individual special-sized products

If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a 33 unit type factor. In your order please state for us the relevant enquiry number and the 33 unit type factor stated.

33	-
-----------	---

Special colours; Note on "Blue Angel" / Emissions label of DGM**Special colours**

All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV (see here the different lacquer versions in the NEO range), depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Important notes

Wall composition / assembly instruction









Important notes:
The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.

Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete \geq C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.



Materials table
with a description of which sets are to be used with the following types of walls:

Standard set	Assembly mortar set only suitable for the materials stated below!			
Concrete C12/15 Compression strength \geq 15 N/mm ² 		Building bricks Mz 12 Compression strength \geq 12 N/mm ²		Solid blocks of light concrete V2 Compression strength \geq 2 N/mm ²
		Limestone blocks KS 12 Compression strength \geq 12 N/mm ²		Perforated blocks of light concrete Hbl 2 Compression strength \geq 2 N/mm ²
		Perforated sand lime bricks KSL12 Compression strength \geq 12 N/mm ²		Aerated concrete PP2 Compression strength \geq 2 N/mm ²
		Vertically perforated bricks HLz 12 Compression strength \geq 12 N/mm ² Bulk density \geq 1.0 kg/dm ³		

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

<p>Labelling in type list drawings / assembly notes for wall units</p> <p>The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.</p> <p> = 3 support boards  = 4 support boards, etc.</p> <p>One assembly mortar set is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.</p> <p>Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.</p>		
<p>Standard set</p> <p>The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.</p>		
<p>Assembly mortar set for up to a maximum of 3 support boards consisting of:</p> <p>9x injection retaining sleeve 9x screw-in sleeve 1x injection cartridge 2x static mixer 1x assembly instructions</p> <p>Please use the mounting screws from the standard set (supplied free of charge).</p>	<p>Example of order:</p> <ul style="list-style-type: none">• Add up number of support boards for all existing unit types• Divide the sum by “3”• Round up the result to a full number <p>= Number of assembly mortar sets required</p>	<p>M2</p> <p>-</p>

hülsta MEGA DESIGN

Stand: E 7. 2023

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadtho
Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000
www.huelsta.com

