

**now!**  
by hülsta

MINIMO



7/23  
E

[www.now.huelsta.com](http://www.now.huelsta.com)

## now! minimo

They grow up so quickly - so it's just as well the furniture can adapt accordingly. now! minimo has been designed as a baby's and young children's range for minis of all sizes: it not only provides space for your baby's dreams and for changing nappies, it accompanies the child through its first steps in life with a twinkle in the eye. By changing the set of handles now! minimo converts into a beautifully formed junior's room. Rounded edges and handles ensure safety, convertible units ensure long-term use and some loving details provide the inspiration for some wonderful bed-time stories.

## Planning notes

### Lists of versions

#### Versions

##### Carcase and front



#### Versions

##### Accent




#### Melamine resin coated surface

(snow white)

especially robust and expedient for young children's rooms due to the impervious and therefore hygienic surface which is also very easy to clean!


#### Baby's bed / bed

Baby's bed / bed in carcase versions




#### Chest

Carcase in carcase versions




#### Wardrobes

Carcase and interior fittings in carcase versions




#### Console, bookcase

Carcase in carcase versions



**Nappy-changing chest** (consisting of chest, nappy-changing unit and nappy-changing surface; nappy-changing surface not for sale in the UK)

Carcase of the chest and nappy-changing unit in carcase versions




Nappy-changing surface (not for sale in the UK) with washable cover, design diamond taupe, drawer in accent versions



#### Lower bookcase, wall shelf

Lower bookcase and wall shelf in carcase versions



Front of the chest in front versions

- **hülsta-SoftFlow:** All drawers with auto pull-in feature with brake as fully pull-out units
- Since 1996, we are entitled to label all of our modular furniture and base frames with the strictly regulated "Blue Angel", which awards products that are low in emissions and especially environmentally friendly.
- **Important note:** Because orders are read automatically, the correct type number for the required unit must be stated in the order. Please be sure to remember this in the order!



Please be sure to see the “now! general“ chapter on the following subjects:

- Important notes on including lighting
- Remote control unit for LED lamps
- IR repeater set for lowboards
- Cable aperture assembly set
- Flatscreen TV sizes overview
- Flap hinge
- Wall units
- Maximum loads
- Quality of walls / assembly instructions

**now!** minimo  
by hülsta

● ● ● made in germany


## Planning notes

### Important note:

Because orders are read automatically, the correct type number for the required unit must be stated in the order. Please be sure to remember this in the order!


## Planning chests

### Planning step 1



**Choice of unit**  
in the required version

### Planning step 2




**Choice of optional accessories**  
such as:

- Nappy-changing unit
- Nappy-changing surface (not for sale in the UK)
- Lower bookcase (only in combination with nappy-changing unit)
- Handle conversion set


## Planning a wardrobe

### Planning step 1



**Choice of unit**  
in the required version

### Planning step 2




**Choice of optional accessories**  
such as:

- Passepartout
- Handle conversion set
- Fitted shelves


## Planning a bed

### Planning step 1



**Choice of unit**  
in the required version

### Planning step 2




**Choice of optional accessories**  
such as:

- Headboard/bedside top section
- Linen box
- Base frame
- Mattress (not for sale in the UK)

## Convertible baby's bed


### Planning step 1




**Convertible baby's bed ...**  
in the required version

Baby's bed incl. 3 times height adjustable base frame, detachable bars and convertible sides; lying surface: 70 x 140 cm. Optionally with reversible mattress (with medium-soft baby's side and firm junior's side) or with minimo mattress. Mattresses not for sale in the UK.

Note: In the natural oak version the „tooth“ is omitted in the bed.



**... convertible to junior's bed**  
The baby's bed is convertible to a junior's bed.



**Versions**  
**Carcase and front**

Snow white
------------

**Versions**  
**Accent**



Snow white Natural oak (Veneer)
------------------------------------





**Special combinations**

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

- Special combination consisting of:
- Wardrobe with 2 doors and 1 drawer
  - Baby's bed incl. base frame
  - Chest with 2 doors and nappy-changing unit




Note: In the natural oak version the „tooth“ is omitted in the bed.





Article	Special combination	
	Order no.	
Accents in snow white	990023	-
Accents in natural oak	990126	-

- Special combination consisting of:
- Wardrobe with 3 doors
  - Baby's bed incl. base frame
  - Chest with 3 drawers and nappy-changing unit





Note: In the natural oak version the „tooth“ is omitted in the bed.





Article	Special combination	
	Order no.	
Accents in snow white	990043	-
Accents in natural oak	990146	-

- Special combination consisting of:
- Wardrobe with 3 doors and 1 drawer
  - Baby's bed incl. base frame
  - Chest with 3 drawers and nappy-changing unit



Note: In the natural oak version the „tooth“ is omitted in the bed.



Article	Special combination	
	Order no.	
Accents in snow white	990063	-
Accents in natural oak	990166	-

Baby's bed incl. 3 times height adjustable base frame, detachable bars and convertible sides

Mattress cover (100 % cotton/satin quilted on Polyester fleece), suitable for allergy sufferers, with all-round high-quality Keder seam, removable and washable with mild detergent up to 60° C, cold foam of mattress core with needle felt sheet on one side; according to DIN EN 16890. Not for sale in the UK!



Mattress cover (100 % cotton, satin-like, white, quilted), suitable for allergy sufferers, with firm rim on long sides, removable and washable with mild detergent up to 60° C; core of polyurethane foam, with cubic contours for perfect pressure relief and adaptation to body, vertical hole for perfect ventilation – counters lack of oxygen in surface („sudden infant's death“); Eco Tex standard 100, class 1, baby; acc. to DIN EN 16890. Not for sale in the UK!

Note: In the natural oak version the „tooth“ is omitted in the bed.



Baby's bed convertible to junior's bed



Lower section of head- and footboard as well as bed sides



Reversible mattress:  
baby's side: medium-soft  
junior's side: firm



Lying surface: 70 x 140 cm

Article	Baby's bed		Mattress for baby's bed		Mattress minimo for baby's bed	
H x W x D in cm	88 x 80 x 144		for lying surface: 70 x 140 cm		for lying surface: 70 x 140 cm	
	Order no.		Order no.		Order no.	
Accent in snow white	55883	-	588	-	599	-
Accent in natural oak	55886	-				


## Bed

Bed incl. support slats for base frame and mattress

**Mattress, Base frame**

Mattress with 7 zone HR-cold foam core and all-round zip, reversible.  
Not for sale in the UK!

Base frame fixed, non-adjustable



Lying surface:  
90 x 200 cm

Lying surface:  
100 x 200 cm

Lying surface:  
120 x 200 cm



Article	Bed		
H x W x D in cm	78.1 x 98 x 205	78.1 x 108 x 205	78.1 x 128 x 205
	Order no.	Order no.	Order no.
	550923	551023	551223

Article	Mattress for bed	Base frame for bed
	Order no.	Order no.
for lying surface 200 x 90 cm	NO928690	HF01122
for lying surface 200 x 100 cm	NO928610	HF01123
for lying surface 200 x 120 cm	NO928620	HF01124

## Headboard/bedside top section, linen box

Top section for headboard or on bedside fittable as guardrail

on castors; linen box is pushed under bed.  
Up to 2 linen boxes can be fitted per bed.



Article	Headboard/bedside top section for bed	Linen box for bed
H x W x D in cm	20 x 98 x 2.5	21.1 x 99.4 x 96
	Order no.	Order no.
	55293	55193

## Console, seat upholstery


1 drawer

Seat upholstery for console; with grey cover, 100% cotton; cover washable up to 60°C. Not for sale in the UK!

40.0 cm high  
(41.8 cm high  
incl. 1.8 cm high  
plinth adjusters)



Drawer



Article	Console	Seat upholstery
H x W x D in cm	40 x 45.5 x 40	4 x 41 x 35
	Order no.	Order no.
Accent in snow white	55503	512
Accent in natural oak	55506	



**Versions**  
**Carcase and front**

Snow white
------------

**Versions**  
**Accent**

Snow white Natural oak (Veneer)
------------------------------------






**Chests**

2 doors with 2 fitted shelves

2 doors with 1 fitted shelf,  
1 drawer

3 drawers

93.3 cm high  
(95.1 cm high  
incl. 1.8 cm high  
plinth adjusters)



Article	Chest	Chest	Chest
H x W x D in cm	93.3 x 90.2 x 53.1	93.3 x 90.2 x 53.1	93.3 x 90.2 x 53.1
	<b>Order no.</b>	<b>Order no.</b>	<b>Order no.</b>
Accent in snow white	55913	55903	55923
Accent in natural oak	-	55906	55926




**Chests,  
lower bookcase**

2 doors with each 1 fitted shelf,  
1 drawer, 2 open compartments

3 drawers

3 open compartments; lower bookcase only  
fittable in combination with nappy-changing  
unit (optionally left and/or right)

93.3 cm high  
(95.1 cm high  
incl. 1.8 cm high  
plinth adjusters)






Article	Chest	Chest	Lower bookcase
H x W x D in cm	93.3 x 135.2 x 53.1	93.3 x 135.2 x 53.1	93.3 x 18 x 22.5
	<b>Order no.</b>	<b>Order no.</b>	<b>Order no.</b>
Accent in snow white	55103	55933	55113
Accent in natural oak	55106	55936	-

**Nappy-changing units,  
nappy-changing  
surface**

Nappy-changing units protruding from chest 18 cm at rear and 9 cm at front

Nappy-changing facility type 2 up to 15 kg. We recommend the  
adjacent now! nappy-changing surface for the nappy-changing unit.

Nappy-changing surface with washable cover,  
design diamond taupe, with thermo fleece pad-  
ding, safety by way of three-sided roll protection.  
Not for sale in the UK!



for 90.2 cm wide chests

for 135.2 cm wide chests

Article	Nappy-changing unit	Nappy-changing unit	Nappy-changing surface
H x W x D in cm	14 x 90.2 x 80	14 x 135.2 x 80	6 x 85 x 70
	<b>Order no.</b>	<b>Order no.</b>	<b>Order no.</b>
Accent in snow white	51903	51913	5996
Accent in diamond taupe	-	-	-
Accent in natural oak	51906	51916	-

## Wardrobes





2 doors; interior fittings:  
2 fitted shelves and  
1 clothes rod

2 doors, 1 drawer; interior  
fittings: 1 fitted shelf and  
1 clothes rod

3 doors; interior fittings:  
5 fitted shelves left,  
2 fitted shelves and  
1 clothes rod right


3 doors, 1 drawer; interior  
fittings: 4 fitted shelves left,  
1 fitted shelf and 1 clothes  
rod right

192.0 cm high  
(193.8 cm high  
incl. 1.8 cm high  
plinth adjusters)



Article	Wardrobe		Wardrobe		Wardrobe		Wardrobe	
H x W x D in cm	192 x 90 x 53.1		192 x 90 x 53.1		192 x 135 x 53.1		192 x 135 x 53.1	
	<b>Order no.</b>		<b>Order no.</b>		<b>Order no.</b>		<b>Order no.</b>	
Accent in snow white	<b>51203</b>		<b>51223</b>		<b>51213</b>		<b>51233</b>	
Accent in natural oak	-		-		-		-	

## Accessories for wardrobes



Article	Passepartout	
	for 90 cm width	for 135 cm width
	<b>Order no.</b>	<b>Order no.</b>
Accent in natural oak	<b>5906</b>	<b>51356</b>




Article	Fitted shelf	
	for 45 cm width	for 90 cm width
	<b>Order no.</b>	<b>Order no.</b>
	<b>540</b>	<b>590</b>

## Handle conversion set for wardrobes and chests

Handle conversion set  
consisting of 2 short rod  
handles – for wardrobes  
and chests


Examples of use



one set of 2





two sets of 2



Article	Handle conversion set	
	<b>Order no.</b>	
Snow white lacquer	<b>502</b>	
Natural oak	<b>503</b>	

## Bookcase, wall shelves, wall hook



Wall hook in  
knobs look

Article	Bookcase		Wall shelf		Wall shelf		Wall hook	
H x W x D in cm	173.8 x 45.5 x 33.5		32.2 x 90 x 23		2.6 x 70 x 25			
	<b>Order no.</b>		<b>Order no.</b>		<b>Order no.</b>		<b>Order no.</b>	
Accent in snow white	<b>51003</b>		<b>52903</b>		<b>5703</b>		<b>500</b>	
Accent in natural oak	<b>51006</b>		-		<b>5706</b>		-	

**Versions**  
**Carcase and front**

Snow white
------------

**Versions**  
**Accent**

Snow white Natural oak (Veneer)
------------------------------------






**Seat bench,  
storage box,  
seat upholstery**

Seat height: 33.5 cm  
  
 Max. load: 110 kg

on castors; storage box is pushed under seat bench


Seat upholstery for seat bench; with grey cover, 100% cotton; cover washable up to 60°C. We recommend fitting 2 seat upholstery units for the seat bench. Not for sale in the UK!



Article	Seat bench		Storage box		Seat upholstery	
H x W x D in cm	41.8 x 90 x 38		33.3 x 89.5 x 35.9		4 x 41 x 35	
	<b>Order no.</b>		<b>Order no.</b>		<b>Order no.</b>	
Accent in snow white	<b>55493</b>		<b>5493</b>		<b>512</b>	
Accent in natural oak	-		<b>5496</b>		-	

**Child's desk**

Tabletop 4x height adjustable from 52.8 to 72.0 cm in intervals of 6.4 cm; knobs in standard natural oak



Total width incl. protruding knob: 111.4 cm

Article	Child's desk	
H x W x D in cm	76.5 x 105 x 75	
	<b>Order no.</b>	
	<b>5113</b>	



Please superimpose unlined paper and write firmly. In order to avoid slipping, use 2 paper clips or fold the edge of the drawing sheet.

made in germany

Check list

- 1.) Do the **sketch and the order** match? Do the **dimensions and the sketch** match the type number? Are all **type numbers** correctly stated in the sketch?  
Can one see the **position of door hinges**?
- 2.) Are all **type numbers** correct? Have you perhaps confused **price and type numbers**?
- 3.) In combinations of **versions**: is it clear which units are to be delivered in which version?
- 4.) Are all **accessories** such as fitted shelves etc. included in the sketch?
- 5.) Is this an **additional order**? If so, when was the **original order**? If possible, include a sketch on which the existing and new units are clearly marked.

Please also remember the planning notes on the introductory pages!

		45,5	90/90,2	135/135,2	180,0	270,0
Wardrobes	192,0					
Bookcase	173,8					
Chests	93,3					
Console/seat bench	41,8					
Legs	1,5 / 1,8					

	<b>Base sketch</b>	<b>Scale 1 : 25</b>

**Important note!**  
Please do not forget to include the following details with each order. This avoids time-consuming correspondence and unnecessary delays in delivery.

Version(s)	Customer	Date	Commission
------------	----------	------	------------

## Wall fitting

### Important notes:

Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15.

For other materials (please see next page) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

### Further notes:

If 2 - 8 Raster (assembly) units are included as wall units, a maximum load per unit of 40 kg must not be exceeded for reasons of stability!

The wall units can only be fitted on absolutely solid walls. Light masonry is not suitable for this purpose.

If (assembly) units are stacked on top of one another, a wall bracket must be ordered for each stacked unit.

For each project please remember to leave a 2.0 cm gap at the top to be able to mount units.

## Maximum loads

### Maximum loads

Max. load of wooden and glass (fitted) shelves (up to 70.5 cm wide) and drawers: 25 kg

Max. load of wooden and glass (fitted) shelves (between 70.5 and 105.7 cm wide): 15 kg

Max. load of wooden and glass (fitted) shelves (from 105.7 cm wide): 10 kg

Max. load of cover shelves: 35 kg per metre length for floor units.

**Please also note any maximum loads which may be stated in the type list for the individual units!**

## Wall composition / assembly instruction

### Important notes:









The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place. Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete  $\geq$  C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

### Materials table

with a description of which sets are to be used with the following types of walls:

Standard set	Assembly mortar set only suitable for the materials stated below!			
Concrete C12/15 Compression strength $\geq$ 15 N/mm <sup>2</sup> 		Building bricks Mz 12 Compression strength $\geq$ 12 N/mm <sup>2</sup>		Solid blocks of light concrete V2 Compression strength $\geq$ 2 N/mm <sup>2</sup>
		Limestone blocks KS 12 Compression strength $\geq$ 12 N/mm <sup>2</sup>		Perforated blocks of light concrete Hbl 2 Compression strength $\geq$ 2 N/mm <sup>2</sup>
		Perforated sand lime bricks KSL12 Compression strength $\geq$ 12 N/mm <sup>2</sup>		Aerated concrete PP2 Compression strength $\geq$ 2 N/mm <sup>2</sup>
		Vertically perforated bricks HLz 12 Compression strength $\geq$ 12 N/mm <sup>2</sup> Bulk density $\geq$ 1.0 kg/dm <sup>3</sup>		

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



## Mounting sets

### Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

- 3 = 3 support boards  
4 = 4 support boards, etc.

One **assembly mortar set** is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

**Important note:** Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard cartridge applicator tool which are the basic essentials for safe and clean workmanship.

### Standard set

The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

### Assembly mortar set for up to a maximum of 3 support boards consisting of:

- 9x injection retaining sleeve
- 9x screw-in sleeve
- 1x injection cartridge
- 2x static mixer
- 1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

### Example of order:

- Add up number of support boards for all existing unit types
  - Divide the sum by “3”
  - Round up the result to a full number
- = Number of assembly mortar sets required

5555

**now! minimo**

Stand: E 7. 2023

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.  
© Copyright by hülsta · Imprimé en Allemagne · Printed in Germany

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadthoorn  
Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000  
[www.now.huelsta.com](http://www.now.huelsta.com)

***now!***  
by hülsta