
7/23 E







TANTUM

Contente

| | Page |
|--|-------|
| Range introduction, lists of versions, important notes | 2-4 |
| Special combinations | 5-6 |
| Hinge- and folding-door wardrobes, combined hinge-/sliding-door wardrobes | 7-11 |
| Beds, accessories for beds | 13-17 |
| Ancillary units, wall shelves, angled shelves | 18-19 |
| Mirrors, pouf | 20 |
| | |

General information:

| Usable bed inside height and space under bed | 21 |
|--|-------|
| Special-sized products, special articles | 22-23 |
| Switch options for lamps | 24-25 |
| Important notes: wall composition / assembly instruction | 26 |

Nature meets architecture

The impressive combination of genuine oak natura veneer with architectural influences delivers the distinctive Tantum look. Matt anthracite or pure white lacquered glass fronts are beautiful to the touch and can be perfectly teamed up with the oak wood.

The simplistic shapes draw the eye to the details that make up this bedroom range: Characteristic slat elements are an extraordinary eye-catcher. In keeping with the current trend, the structures inspired by contemporary architecture soften the front look of the storage units. Dovetailed headboards and strong end-grain wood elements within side tables and benches create a wonderfully natural atmosphere. If desired, cleverly upholstered units add restful comfort to this calm room. Tantum plays with the contrast of intricate design and earthy strength. Traditional craftsmanship makes such a design possible.

Wardrobes featuring a movable full-length mirror unit offer individual solutions. The practical wardrobe interior fittings keep the wardrobe tidy. There is a clever storage option for every single item of clothing or accessory.

Wardrobes

Hinge- and folding-door wardrobes as well as combined hinge-/sliding-door wardrobes according to the endless assembly principle

- Hinge- and folding-door wardrobes as well as combined hinge-/sliding-door wardrobes can be combined with one another
- Hinge- and folding-door wardrobes with optional cornice profile (with LED lamp) and/or top LED lamp (12 V;
- Extra-wide panorama units of folding-door wardrobes without centre partition
- Combined hinge-/sliding-door wardrobes with optional top LED lamp (12 V; 3.2 W)
- Wardrobe interior carcase in white lacquer (standard) or grey lacquer
- Standard interior fittings: 2 fitted shelves, 1 clothes rod
- Functional and high-quality interior wardrobe fittings (see "Wardrobe interior fittings" type list)

Beds

- Beds with wooden and upholstered headboard as well as upholstered beds in four widths and three lengths
- Beds with upholstered headboard and upholstered beds in two heights
- Beds with bed arched support and bed clip in pure white lacquer or anthracite structured lacquer
- Upholstery for wooden headboard

In combination with the hülsta Sleeping System, the beds guarantee highest sleeping comfort. With its high-quality spring base frames and mattresses, the hülsta Sleeping System provides the perfect prerequisites for relaxing sleep (see "SLEEPING SYSTEMS" type list).

Ancillary units

- Wall console in one width and one height, with optional panel and LED panel lamp
- Consoles, stool, chests and high chest in one width and one height each
- Bench, dressing/writing table and valet stand
- Wall shelves and angled shelves, angled shelves with optional LED lamp
- Mirrors
- Pouf

Quality features

- All wardrobe doors with cushioning bracket
- Wardrobe doors with metal handle and high-quality spring hinges
- Extra-wide fitted wardrobe shelves (160 and 200 cm) of 3-layered quality chipboard
- All metal hinges
- Visually unobtrusive 2.5 mm drilled holes for wardrobes
- Centre partitions and end side-sections of wardrobes with special plinth adjustment
- hülsta-Push-to-open: Drawers and hinge-doors of ancillary units with hülsta-Push-to-open device. All drawers on hidden bearings as fully pull-out units
 hülsta-SoftGlide: Sliding-doors with pneumatic auto pull-in feature in opening and closing directions
- hülsta-MagicClose: All wardrobe doors with door cushioning system

Schlafen: Tantum

Range introduction TANTUM

Lists of versions

Wardrobes

| Version no. | Wardrobe carcase exterior sides, cornice profile | Version no. | Wardrobe interior carcase |
|----------------------|---|--------------|--|
| 1058 0664 2481 | Pure white lacquer Anthracite lacquer Oak natura 01 | 0299 1685 | White lacquer (standard) Grey lacquer |
| Version no. | Wardrobe front | Version no. | Wardrobe handle |
| 2360 2482 2481 | Rear-lacquered glass pure white matt Rear-lacquered glass anthracite matt Oak natura 01 | 1058 0664 | pure white anthracite |

Changing versions

- The version no. for the carcase exterior sides, cornice profile and front must be stated separately as colour combinations are possible.

 Wardrobe handle in pure white for wardrobe fronts in rear-lacquered glass pure white matt or in anthracite for wardrobe fronts in rear-lacquered glass anthracite matt. For wardrobe fronts in oak natura 01, please state the required wardrobe handle version clearly in the order.

 With the wardrobes you can choose between two versions for the wardrobe interior fittings. The desired version must be stated in the order. If no details are given in the order, the wardrobe interior fittings are supplied in white lacquer.
- Accent slat of wardrobe doors always in oak natura 01.

Beds, pouf

| Version no. | Beds | Upholstered beds, upholstered head- board, upholstery, pouf | Version no. | Bed arched support, bed clip |
|-------------|---------------|--|--------------|---|
| 2481 | Oak natura 01 | hülsta cover collection | 1058 2333 | Pure white lacquer Anthracite structured lacquer |

Ancillary units, wall shelves, angled shelves, mirrors

| Allomai | Anomaly units, wan shores, angled shores, mirrors | | | | | | |
|----------------------|---|----------------------|--|----------------------|--|--|--|
| Version no. | Ancillary unit carcase and front, wall shelves, mirrors | Version no. | Panel for wall console | Version no. | Angled shelves | | |
| 2481 | Oak natura 01 | 2481 1058 0664 | Front top panel: Oak natura 01 Rear wall panel: Pure white lacquer Anthracite lacquer | 2481 2360 2482 | Angled shelf: Oak natura 01 Angled shelf top: Rear-lacquered glass pure white matt Rear-lacquered glass anthracite matt | | |
| Version no. | Accent versions * | Version no. | Ancillary unit substructure | | | | |
| 2360 2482 2481 | Rear-lacquered glass pure white matt Rear-lacquered glass anthracite matt Oak natura 01 | 1058 2333 | Pure white lacquer Anthracite structured lacquer | | | | |

^{*} The accent versions are only available for chosen drawers. These are specially marked.

Range introduction

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. Set as an extra order, rease note that this asserting initial set is also unity suitable for the materials lated. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over — especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes.

Please be sure to note here the information and notes in the "Wall composition"

Notes on delivery

Notes on delivery:

3


4

The majority of the units are delivered standard as fully connected units (glued) so that the carcase cannot be disassembled. There are however some exceptions to this rule:

Some carcases are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with

Some carcases are delivered in individual sections because of their size. These types are marked with a 2 in the type list.

The fronts with the number 2 are delivered separately and can therefore always be (dis-)





1



Please also note the mattresses and base frames in the "Sleeping systems" type list!

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra. Special combinations consisting of a bed unit (bed with wooden headboard and bed frame in wood version and two stools) and a hinge- or folding-door wardrobe. The price of an entire special Special-sized products for special combinations are possible! Pricing: special combination + 15% plus all the required special-sized products (see "Special-sized products")! combination (bed unit and wardrobe) can be found in the grey shaded boxes! Important: Choose a bed with wooden headboard and bed frame in wood version (all bed sizes possible – please state type number; see page 13) and two stools (stool type 6041 is possible; see page **18**) as well as one of the wardrobes listed below. Information on the energy class: see page 7 below! 5-door hinge- or folding-door wardrobe Surcharge for top Surcharge for Surcharge for LED Price of an entire special combination (centre unit always with hinge-door, cornice profile lamp for cornice (bed unit and wardrobe) hinges right) profile with with 252 cm wide hinge-doors folding-doors For this wardrobe combination we For this wardrobe combination we recommend 3 LED light panels. recommend 3 top LED lamps. 3x 385 3x **395** C8416 C8417 303 3х 3x 6-door hinge- or folding-door wardrobe For this wardrobe For this wardrobe combination we recommend 3 top LED lamps. combination we recommend 3 LED light panels. C8436 C8437 304 3x 385 3x 395 3х 3х 5-door combined hinge-/sliding-door wardrobe 4 hinge-doors, 1 sliding-door 302 cm wide For this wardrobe combination we recommend 3 top LED lamps. 3x 3951 C8426 3x

Additional fittings for wardrobes / surcharge / lamps

| Additional fittings for wardrobes | | , , , , , , , | • | | | |
|---|--|--|-----------------------------------|---|------------------------|-----------------------------------|
| Radio remote control | | | Top LED lamp | | | |
| Surcharge for radio remote control with change of colour temperature | 2119 | | | each additional lam | p (3.2 W) 395 | - |
| (transmitter + receiver) type Additional fittings for beds | 2119 | | LED light panel | | | |
| Bed | | | Type | each additional light | t panel (3.2 W) 385 | - |
| Standard version: bed with wooden headboard and bed fra in wood version (as in illustration 1) | ame | | Information on class: see page | | | |
| Surcharge for upholstery for wooden headboard | | | Si | urcharge for upholster | y for wooden headl | ooard |
| | | | | 1 1 | | I |
| | 2 | | for 140 cm width | for 160 cm width | for 180 cm width | for 200 cm width |
| | | | 8014 | 8016 | 8018 | 8020 |
| Surcharge for 100 cm high upholstered headboard | | | | rcharge for 100 cm hig | h upholstered head | lboard |
| | | | | Cover pr | ice group | |
| | | and the same of th | 1 | II | l III | IV |
| | 1 | ======= | 1000 | 1000 | 1000 | 1000 |
| | | | without surcharg | • | - | - |
| Surcharge for 110 cm high upholstered headboard | | | Su | rcharge for 110 cm hig | jh upholstered head | dboard |
| | | | | Cover pri | ice group | |
| | | A CONTRACTOR OF THE PARTY OF TH | 1 | Ш | III | IV |
| | | الميسيسية | 1001 | 1001 | 1001 | 1001 |
| 0 | -latad | | without surcharge | ' | 100 binbbal | - |
| Surcharge for upholstered bed with 100 cm high upho headboard | Distered | | Surcharge for | upholstered bed with | 100 cm nign upnos | sterea neaadoara |
| | | | | Cover pri | ce group | 1 |
| | | | 1002 | 1002 | 1002 | 1002 |
| | | | 1002 | 1002 | 1002 | 1002 |
| Surcharge for upholstered bed with 110 cm high upho | plstered | <u> </u> | Surcharge for | upholstered bed with | 110 cm high uphol | stered headboard |
| headboard | | | | Cover pri | ce aroun | |
| | | | ı | II | III | IV |
| | | | 1003 | 1003 | 1003 | 1003 |
| LED bedside lamp Stainless steel colour; swivelling LED lamp with motion se | ensor and adjustable runtime. | | - | - | - | - |
| | - | | | | | |
| This | product contains a light source of | (2) | | | 9 W | |
| | gy efficiency class E. 12 V. | | | - | | |
| Additional fittings for consoles | | | | | | |
| Consoles Standard version: stool (as in illustration 1) | Surcharge for wall console with 1 drawer | C | or panel for wall onsole | Surcharge for LED la panel | . | rge for console with 2 drawers |
| | (surcharge per console) | (surchar | ge per panel) | (surcharge per panel | | harge per console) |
| | | | | This product contains a light source | ② | |
| | | | | of clicity cilicitity | 6.8 W | |
| | | | | | | |
| | | | ********* | 100100000000000000000000000000000000000 | i | |
| 4-1 | | | | | | |
| Illustr. 1 | 4001 | | 5062 | 1004 | | 4002 |
| | I - | 1 | - | _ | I | - |

Hinge- and folding-door wardrobes and combined hinge-/sliding-door wardrobes

TANTUM

Wardrobes according to the endless assembly principle

Hinge- and folding-door wardrobes and combined hinge-/sliding-door wardrobes can be planned endless-ly and combined with one another. Due to the various element widths one can create many total wardrobe widths. In this way the available floor space can be exploited to the full. For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. In the case of single-door hinge-door units as well as folding-door wardrobes one can choose between left- and right-hand hinges. The graphics shown below give you an excerpt from our wardrobe assortment.

Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod.

Wardrobe interior carcase and interior fittings in white lacquer (standard) or in grey lacquer.

Dimensions Hinge- and folding-door wardrobes


| | without cornice profile | with cornice profile | with top LED lamp |
|-------------------------|----------------------------|----------------------|-------------------|
| Heights incl. plinth | 229.6 cm | 231.6 cm | 234.8 cm |
| Depths | 61.4 cm | 67.8 cm | 71.5 cm |
| Widths | | see pages 8-11 | |

Examples of wardrobes

6-door hinge- or folding-door wardrobe


302 cm wide





5-door combined hinge-/sliding-door wardrobe

4 hinge-doors, 1 sliding-door 302 cm wide



Hinge- and folding-door wardrobes

- Hinge- and folding-door wardrobes can be planned endlessly and combined with one another
- Cornice profile and lamps at a surcharge
- Extra-wide panorama units in 160/162 and 200/202 cm width without centre partition
- Hinge-door wardrobes: Unit outside widths: 42, 52, 82, 102 cm (basic units) 40, 50, 80, 100 cm (extension units) Unit inside widths: 38, 48, 78, 98 cm
- Unit inside widths: 38, 48, 78, 98 cm
 Folding-door wardrobes:
 Unit outside widths: 82, 102, 162, 202 cm (basic units)
 80, 100, 160, 200 cm (extension units)
- Unit inside widths: 78, 98, 158, 198 cm

 Outside depth: 61.4 cm
- Inside depth: 56.0 cm
- Door opening angle: approx. 110°

For calculating the total width when fitting the cornice profile, please note the cornice profile protrusion of 0.3 cm left and right!

Combined hinge-/sliding-door wardrobes

- Description of hinge-doors: see above
- Sliding-door always with a mirror
- Unit outside widths: 162, 182, 202, 242, 282, 302 cm (basic units) 160, 180, 200, 240, 280, 300 cm (extension units) Unit inside widths (behind sliding-door): 78, 98 cm
- Outside depth: 68.4 cm
- Inside depth: 56.0 cm

Lamps

All hinge- and folding-door wardrobes are available with an optional cornice profile and LED lamps or with top LED lamps. One LED light panel (3.2 W) or one top LED lamp (3.2 W) is fitted standard above each unit – 1 or 2 door. Exception: in the case of panorama units two LED light panels or two top LED lamps are fitted. If required, an LED light panel or a top LED lamp can be fitted centrally above each door. Please include a sketch in all cases. The same applies to combined hinge-/sliding-door wardrobes with the exception that no cornice profile can be planned.

Switching is done by an external foot switch. A radio remote control is also available as an alternative, which is charged extra. The radio remote control incorporates one transmitter and one receiver which operate all the LED lamps. The foot switch is omitted when the radio remote control is employed.

Please note: When planning a cornice profile, please note that a distance of at least 7.0 cm to the ceiling must be observed.

Radio remote control

Surcharge for radio remote control with change of colour temperature

(transmitter + receiver) type 2119

Top LED lamp

LED light panel

Surcharge for each additional lamp (3.2 W)

Type 395
This product contains a light source of energy efficiency class G. 12 V.

chargy chickensy class at 12 th

energy efficiency class F. 12 V.

Surcharge for each additional light panel (3.2 W)

Type
This product contains a light source of

385

Hinge-door wardrobes

| Hinge-door wardrobes | | | | ceiling and at the | e side for assembly! |
|---|--|---|--|---|--|
| Hinge-door wardrobes | | Door with accent slat | Surcharge for cornice profile | Surcharge for LED lamp for cornice profile | Surcharge for top LED lamp |
| Height: 229.6 cm (height wit LED lamp: see table on page | th cornice profile and/or top 7 top right) | | | connec prome | |
| Width: see table | | | | per unit: 1 lamp | per unit: 1 lamp |
| Depth: 61.4 cm (depth with a lamp: see table on page 7 to | cornice profile and/or top LED p right) | | | | |
| Interior fittings per unit: 2 fitt | ed shelves, 1 clothes rod. | | | 71111 | |
| Wardrobe interior carcase an lacquer (standard) or in grey | d interior fittings in white lacquer. | | | Information | on the energy |
| | | Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth: 61.4 cm | | | age 7 below! |
| Basic units with 2 outer side | e-sections (each 2 cm thick) | | | | |
| basic unit, incorporating both out | the first element on the left is consider side-sections. One can only incluing on extension units, the right-hand n. | de one basic unit | Please also note the functi in the "Wardrobe interior f possible special-sized pr | ional and high-quality wardro ittings" type list as well as the oducts. | be interior fittings e special articles and |
| + 42 + | Single-door unit, left or right, 42 cm wide | C02011 L C02012 R | 341 | | |
| + 52 + + 52 + + L | Single-door unit, left or right, 52 cm wide | C2011 L C2012 R | 342 | | |
| | Twin-door unit, 82 cm wide | C0202 | 343 | | |
| 102 | Twin-door unit, 102 cm wide | C202 - | 344 | 385 | 395 |
| Extension units with 1 cent | re partition (2 cm thick) | | | | |
| + 40 + + + + + + + + + + + + + + + + + + | Single-door unit, left or right, 40 cm wide | C00011 L C00012 R | 345 | | |
| L | Single-door unit, left or right, 50 cm wide | C0011 L C0012 R | 346 | | |
| 4,10 | Twin-door unit, 80 cm wide | C0002 | 347 | | |
| 100 | Twin-door unit, 100 cm wide | C002 | 348 | | |
| <u> </u> | | | - | | |

| Folding-door wai | rdrobes | | | | TANTUN |
|--|--|---|--|---|---|
| Folding-door wardrobes | | Door with accent slat | Surcharge for cornice profile | Surcharge for LED lamp for cornice profile | Surcharge for top LED lamp |
| Height: 229.6 cm (height with cord LED lamp: see table on page 7 top | nice profile and/or top right) | | | connice prome | |
| Width: see table | | | | per unit: 1 lamp | per unit: 1 lamp |
| Depth: 61.4 cm (depth with cornic lamp: see table on page 7 top right | ee profile and/or top LED t) | | | | |
| Interior fittings per unit: 2 fitted she | elves, 1 clothes rod. | | | 7111 | |
| Wardrobe interior carcase and inte lacquer (standard) or in grey lacqu | | Carcase depth: 61.4 cm | Andrew State | | on the energy |
| | | Front thickness: 2.3 cm Total depth: 61.4 cm | | Class. See p | age 7 below! |
| Basic units with 2 outer side-sect For each wardrobe combination, the fire basic unit, incorporating both outer side in each combination. When adding on e employed as the end side-section. | st element on the left is considerations. One can only include | de one basic unit | Please also note the funct in the "Wardrobe interior f possible special-sized pr | ional and high-quality wardro ittings" type list as well as the oducts. | be interior fittings special articles and |
| + 82 -+ L | Twin-door unit, left or right, 82 cm wide | C2221 L C2222 R | 343 | | |
| 102 — L | Twin door unit, left or right, 102 cm wide | C2321 L C2322 R | 344 | 385 - | 395 |
| 162 | Panorama unit 4-door, 162 cm wide - without partition | C2420 - | 350 | For this wardrobe unit we recom- mend 2 LED light panels. | For this wardrobe unit we recom- mend 2 top LED lamps. |
| 202 | Panorama unit 4-door, 202 cm wide - without partition | C2520 | 351 | 2x 385 | 2x 395 |
| Extension units with 1 centre par | rtition (2 cm thick) | | | | |
| ************************************** | Twin-door unit, left or right, 80 cm wide | C0221 L C0222 R | 347 | | |
| ************************************** | Twin door unit, left or right, 100 cm wide | C0321 L C0322 R | 348 | 385 | 395 |
| 160 1 | | C0420 | 352 | - | - |
| 4 180 | Panorama unit 4-door, 160 cm wide - without partition | - | - | For this wardrobe unit we recom- mend 2 LED light panels. | For this wardrobe unit we recom- mend 2 top LED lamps. |
| 200 | Panorama unit 4-door, 200 cm wide - without partition | C0520 | 353 | 2x 385 | 2x 395 |
| v V | | | - | 2x - | 2x - |
| | | | | | |

Combined hinge-/sliding-doors – Basic units

| Basic units | | V | vardrobe carcase and the ceiling and | 2.0 cm at the side for assembly! |
|---|--|---|--|---|
| Combined hinge-/sliding-doors – Basic u | ınits | | Door with accent slat | Surcharge for top LED lamp |
| Height: 229.6 cm (total height incl. sliding-door theight with top LED lamp: 235.6 cm) | prackets: 231.6 cm; | | | |
| Width: see table | | | | per unit: 1 lamp |
| Depth: 68.4 cm (depth with top LED lamp: 71.4 dinside depth: 56.0 cm | em); | | | |
| Interior fittings per unit: 2 fitted shelves, 1 clothes | s rod. | | | |
| Wardrobe interior carcase and interior fittings in (standard) or in grey lacquer. | white lacquer | | | 1 1 1 |
| From the wardrobe width of 242 cm, the sliding-the left and to the right in front of the hinge-door. | | | | |
| Cornice profile is not possible! | 1 | | | |
| | | | Carcase depth: 61.4 cm Front thickness: 2.3 cm Total depth: 68.4 cm | Information on the energy class: see page 7 below! |
| Basic units with 2 outer side-sections (each 2 c | m thick) | | | |
| For each wardrobe combination, the first element on the basic unit, incorporating both outer side-sections. One of in each combination. When adding on extension units, the employed as the end side-section. | an only include one basic unit | Please also note the fu in the "Wardrobe interi possible special-sized | nctional and high-quality wardro or fittings" type list as well as the I products. | be interior fittings e special articles and |
| | | | | For this wardrobe unit we recom- |
| 82 + 80 + | Twin-door unit, | | 00704 I | mend 2 top LED lamps. |
| R B | single sliding-door unit, left or right, 162 cm wide | | C2701 L C2702 R | 2x 3951 |
| | 102 cm wide | | - | 2x - |
| | | | | For this wardrobe unit we recom- |
| 102 182 80 | Twin-door unit, | | | mend 2 top LED lamps. |
| R R | single sliding-door unit, left or right, 182 cm wide | | C2711 L C2712 R | 2x 3951 |
| \ _ - | 102 cili wide | | | 2x - |
| | | | | |
| 102 202 100 | Twin-door unit, | | | For this wardrobe unit we recommend 2 top LED lamps. |
| - | single sliding-door unit, left or right, | | C2721 L C2722 R | 2x 3951 |
| R | 202 cm wide | | | |
| | | | - | 2x - |
| | | | | For this wardrobe unit we recom- |
| 82 + 80 + 80 | Quadruple-door unit, | | C2730 | mend 3 top LED lamps. 3x 3951 |
| 2 2 | single sliding-door unit, 242 cm wide | | G2730 | 3x 3951 |
| | | | | |
| | | | - | 3x - |
| 102 282 100 | | | | For this wardrobe unit we recom- mend 3 top LED lamps. |
| \frac{1}{2} | Quadruple-door unit, single sliding-door unit, | | C2740 | 3x 3951 |
| | 282 cm wide | | | |
| | | | - | 3x - |
| | | | | |
| 102 100 100 | Quadruple-door unit, | | | For this wardrobe unit we recommend 3 top LED lamps. |
| 4. | single sliding-door unit, 302 cm wide | | C2750 | 3x 3951 |
| | OUL OIL WILL | | | |
| I | | | _ | 3x - |

Combined hinge-/sliding-doors – Extension units

TANTUM

| - Extension units | | | | IANTUW |
|---|---|---|--|---|
| Combined hinge-/sliding-doors – Ext | ension units | | Door with accent slat | Surcharge for top LED lamp |
| Height: 229.6 cm (total height incl. sliding-do height with top LED lamp: 235.6 cm) | por brackets: 231.6 cm; | | | per unit: |
| Width: see table | | | | per unit: 1 lamp |
| Depth: 68.4 cm (depth with top LED lamp: 7 inside depth: 56.0 cm | 1.4 cm); | | | |
| Interior fittings per unit: 2 fitted shelves, 1 clo | othes rod. | | | |
| Wardrobe interior carcase and interior fittings (standard) or in grey lacquer. | s in white lacquer | | | |
| From the wardrobe width of 242 cm, the slidi the left and to the right in front of the hinge-c | ng-door can be pushed to doors. | | | |
| Cornice profile is not possible! | | | Carcase depth: 61.4 cm | Information on the energy |
| | | | Front thickness: 2.3 cm Total depth: 68.4 cm | class: see page 7 below! |
| Extension units with 1 centre partition (2 cm | n thick) | Please also note the func in the "Wardrobe interior possible special-sized p | tional and high-quality wardro fittings" type list as well as the roducts. | bbe interior fittings e special articles and |
| i 160 i | | | | For this wardrobe unit we recom- |
| 80 + 80 + | Twin-door unit, single sliding-door unit, | | C0701 L | mend 2 top LED lamps. 2x 3951 |
| R R | left or right, 160 cm wide | | C0702 R | |
| \ | | | - | 2x - |
| 180 - 180 - 100 - 180 - 100 - 1 | | | | For this wardrobe unit we recom- mend 2 top LED lamps. |
| 4 4 | Twin-door unit, single sliding-door unit, | | C0711 L | 2x 3951 |
| ° R | left or right, 180 cm wide | | C0712 R | |
| | | | - | 2x - |
| | | | | For this wardrobe unit we recom- mend 2 top LED lamps. |
| 100 200 100 | Twin-door unit, single sliding-door unit, | | C0721 L | 2x 3951 |
| R | left or right, 200 cm wide | | C0722 R | |
| | | | - | 2x - |
| 80 240 80 80 | | | | For this wardrobe unit we recom- mend 3 top LED lamps. |
| 4 20 4 30 4 30 | Quadruple-door unit, single sliding-door unit, | | C0730 | 3x 3951 |
| + | 240 cm wide | | | |
| | | | - | 3x - |
| 280 | | | | For this wardrobe unit we recom- mend 3 top LED lamps. |
| 100 + 80 + 100 + | Quadruple-door unit, single sliding-door unit, | | C0740 | 3x 3951 |
| | 280 cm wide | | | |
| | | | - | 3x - |
| 300 | | | | For this wardrobe unit we recom- |
| 100 100 100 | Quadruple-door unit, | | C0750 | mend 3 top LED lamps. 3x 3951 |
| 4.10 | single sliding-door unit, 300 cm wide | | 30.00 | |
| | | | _ | 3x - |
| Schlafen: Tantum F 7 2023 | 1.70 | Cliding door unit loft/right | <u>-</u> | U.V. |

Possible arrangements





Beds with wooden headboard

Please also note the mattresses and base frames in the "Sleeping systems" type list!

TANTUM

| Beds with wooden headboard Bed frame in wood version, bed arched support and bed clip in pure white lacquer or anthracite structured lacquer | Inside dims. | Outside dims. | Type no. | |
|--|--|--|--|------------------|
| Beds incl. support slats for base frames and mattresses • Adjustable in height by 3.2 cm downwards and upwards • Usable bed inside height: max. 18.0 cm Please state all the versions clearly in the order! | 140x200 160x200 180x200 200x200 | 152.5x213.8 172.5x213.8 192.5x213.8 212.5x213.8 | 41420101 41620101 41820101 42020101 | |
| Bed sizes: | 140x210 160x210 180x210 200x210 | 152.5x223.8 172.5x223.8 192.5x223.8 212.5x223.8 | 41421101 41621101 41821101 42021101 | - - - - |
| Headboard height: 101.0 cm Height of top rim of bed side: 47.1 cm Space to floor: 22.0 cm Usable bed inside height (when support slats in bottom position): 18.0 cm | 140x220 160x220 180x220 200x220 | 152.5x233.8 172.5x233.8 192.5x233.8 212.5x233.8 | 41422101 41622101 41822101 42022101 | - - - - |
| Upholstery for wooden headboard approx. 43.2 cm high; 2.0 cm thick; total depth 6.0 cm Upholstery with a cover from the hülsta cover collection | | rer collection: see "hi e state the required v | | |
| | | Upholstery for w | ooden headboard | |
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | for 140 cm width | for 160 cm width | for 180 cm width | for 200 cm width |
| | 8014 | 8016 | 8018 | 8020 |
| | - | - | - | - |

Accessories for beds

| LED bedside lamp Stainless steel colour; swivelling LED lamp with motion sensor and adjustable runtime. | | |
|---|--|--------------------------|
| | This product contains a light source of energy efficiency class E. 12 V. | 0.9 W 895 - |

Beds with 100 cm high upholstered headboard Please also note the mattresses and base frames in the "Sleeping systems" type list!


Beds with 100 cm high upholstered headboard

Bed frame in wood version, bed arched support and bed clip in pure white lacquer or anthracite structured lacquer

Beds incl. support slats for base frames and mattresses

- Adjustable in height by 3.2 cm downwards and upwards
- Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!



Bed sizes: Headboard height: 100.0 cm Height of top rim of bed side: 47.1 cm Space to floor: 22.0 cm Usable bed inside height (when support slats in bottom position): 18.0 cm

| | Inside dims. | Outside dims. | Туре по. | |
|---|--|--|--|------------------|
| | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420102 41620102 41820102 42020102 | |
| Upholstered headboard in cover price group I | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421102 41621102 41821102 42021102 | - - - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422102 41622102 41822102 42022102 | - - - |
| | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420102 41620102 41820102 42020102 | - - - |
| Upholstered headboard in cover price group II | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421102 41621102 41821102 42021102 | - - - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422102 41622102 41822102 42022102 | - - - |
| | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420102 41620102 41820102 42020102 | |
| Upholstered headboard in cover price group III | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421102 41621102 41821102 42021102 | - - - - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422102 41622102 41822102 42022102 | - - - - |
| Genuine leather | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420102 41620102 41820102 42020102 | - - - - |
| Upholstered headboard in cover price group IV | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421102 41621102 41821102 42021102 | - - - - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422102 41622102 41822102 42022102 | - - - - |

Beds with 110 cm high upholstered headboard Please also note the mattresses and base frames in the "Sleeping systems" type list!

TANTUM


Beds with 110 cm high upholstered headboard

Bed frame in wood version, bed arched support and bed clip in pure white lacquer or anthracite structured lacquer

Beds incl. support slats for base frames and mattresses

- Adjustable in height by 3.2 cm downwards and upwards
 Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!



Bed sizes: Headboard height: 110.0 cm Height of top rim of bed side: 47.1 cm Space to floor: 22.0 cm Usable bed inside height (when support slats in bottom position): 18.0 cm

| | Inside dims. | Outside dims. | Type no. | |
|---|--|--|--|------------------|
| | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420112 41620112 41820112 42020112 | - - - |
| Upholstered headboard in cover price group I | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421112 41621112 41821112 42021112 | - - - - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422112 41622112 41822112 42022112 | - - - - |
| | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420112 41620112 41820112 42020112 | - - - |
| Upholstered headboard in cover price group II | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421112 41621112 41821112 42021112 | - - - - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422112 41622112 41822112 42022112 | - - - - |
| | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420112 41620112 41820112 42020112 | - - - |
| Upholstered headboard in cover price group III | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421112 41621112 41821112 42021112 | - - - - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422112 41622112 41822112 42022112 | - - - - |
| Genuine leather | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420112 41620112 41820112 42020112 | - - - |
| Upholstered headboard in cover price group IV | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421112 41621112 41821112 42021112 | - - - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422112 41622112 41822112 42022112 | - - - - |

hülsta cover collection: see "hülsta cover collection" type list. Please state the required version clearly in the order!

Upholstered beds with 100 cm high upholstered headboard

Please also note the mattresses and base frames in the "Sleeping systems" type list!


Upholstered beds with 100 cm high upholstered headboard Bed arched support and bed clip in pure white lacquer or anthracite structured lacquer

- Beds incl. support slats for base frames and mattresses

 Adjustable in height by 3.2 cm downwards and upwards

 Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!



Bed sizes: Headboard height: 100.0 cm Height of top rim of bed side: 53.0 cm Space to floor: 22.0 cm Usable bed inside height (when support slats in bottom position): 18.0 cm

| | Inside dims. | Outside dims. | Type no. | |
|--|--|--|--|------------------|
| | 140x200 | 167x223 | 41420103 | - |
| | 160x200 | 187x223 | 41620103 | - |
| | 180x200 | 207x223 | 41820103 | - |
| | 200x200 | 227x223 | 42020103 | - |
| Upholstered bed in cover price group I | 140x210 | 167x233 | 41421103 | - |
| | 160x210 | 187x233 | 41621103 | - |
| | 180x210 | 207x233 | 41821103 | - |
| | 200x210 | 227x233 | 42021103 | - |
| | 140x220 | 167x243 | 41422103 | - |
| | 160x220 | 187x243 | 41622103 | - |
| | 180x220 | 207x243 | 41822103 | - |
| | 200x220 | 227x243 | 42022103 | - |
| | 140x200 | 167x223 | 41420103 | - |
| | 160x200 | 187x223 | 41620103 | - |
| | 180x200 | 207x223 | 41820103 | - |
| | 200x200 | 227x223 | 42020103 | - |
| Upholstered bed in cover price group II | 140x210 | 167x233 | 41421103 | - |
| | 160x210 | 187x233 | 41621103 | - |
| | 180x210 | 207x233 | 41821103 | - |
| | 200x210 | 227x233 | 42021103 | - |
| | 140x220 160x220 180x220 200x220 | 167x243 187x243 207x243 227x243 | 41422103 41622103 41822103 42022103 | - |
| | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420103 41620103 41820103 42020103 | |
| Upholstered bed in cover price group III | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421103 41621103 41821103 42021103 | - - - |
| | 140x220 | 167x243 | 41422103 | - |
| | 160x220 | 187x243 | 41622103 | - |
| | 180x220 | 207x243 | 41822103 | - |
| | 200x220 | 227x243 | 42022103 | - |
| Genuine leather | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420103 41620103 41820103 42020103 | - - - - |
| Upholstered bed in cover price group IV | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421103 41621103 41821103 42021103 | - - - |
| | 140x220 | 167x243 | 41422103 | - |
| | 160x220 | 187x243 | 41622103 | - |
| | 180x220 | 207x243 | 41822103 | - |
| | 200x220 | 227x243 | 42022103 | - |

Upholstered beds with 110 cm high upholstered headboardPlease also note the mattresses and base frames in the "Sleeping systems" type list!


TANTUM

Upholstered beds with 110 cm high upholstered headboard Bed arched support and bed clip in pure white lacquer or anthracite structured lacquer

Beds incl. support slats for base frames and mattresses

- Adjustable in height by 3.2 cm downwards and upwards
- Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!



Bed sizes: Headboard height: 110.0 cm Height of top rim of bed side: 53.0 cm Space to floor: 22.0 cm Usable bed inside height (when support slats in bottom position): 18.0 cm

| type list! | IANTUW | | | |
|--|--|--|--|------------------|
| | Inside dims. | Outside dims. | Type no. | |
| | 140x200 | 167x223 | 41420113 | - |
| | 160x200 | 187x223 | 41620113 | - |
| | 180x200 | 207x223 | 41820113 | - |
| | 200x200 | 227x223 | 42020113 | - |
| Upholstered bed in cover price group I | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421113 41621113 41821113 42021113 | - - - - |
| | 140x220 | 167x243 | 41422113 | - |
| | 160x220 | 187x243 | 41622113 | - |
| | 180x220 | 207x243 | 41822113 | - |
| | 200x220 | 227x243 | 42022113 | - |
| | 140x200 | 167x223 | 41420113 | - |
| | 160x200 | 187x223 | 41620113 | - |
| | 180x200 | 207x223 | 41820113 | - |
| | 200x200 | 227x223 | 42020113 | - |
| Upholstered bed in cover price group II | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421113 41621113 41821113 42021113 | - - - - |
| | 140x220 | 167x243 | 41422113 | - |
| | 160x220 | 187x243 | 41622113 | - |
| | 180x220 | 207x243 | 41822113 | - |
| | 200x220 | 227x243 | 42022113 | - |
| | 140x200 | 167x223 | 41420113 | - |
| | 160x200 | 187x223 | 41620113 | - |
| | 180x200 | 207x223 | 41820113 | - |
| | 200x200 | 227x223 | 42020113 | - |
| Upholstered bed in cover price group III | 140x210 | 167x233 | 41421113 | - |
| | 160x210 | 187x233 | 41621113 | - |
| | 180x210 | 207x233 | 41821113 | - |
| | 200x210 | 227x233 | 42021113 | - |
| | 140x220 | 167x243 | 41422113 | - |
| | 160x220 | 187x243 | 41622113 | - |
| | 180x220 | 207x243 | 41822113 | - |
| | 200x220 | 227x243 | 42022113 | - |
| Genuine leather | 140x200 160x200 180x200 200x200 | 167x223 187x223 207x223 227x223 | 41420113 41620113 41820113 42020113 | - - - - |
| Upholstered bed in cover price group IV | 140x210 160x210 180x210 200x210 | 167x233 187x233 207x233 227x233 | 41421113 41621113 41821113 41821113 | - - - |
| | 140x220 | 167x243 | 41422113 | - |
| | 160x220 | 187x243 | 41622113 | - |
| | 180x220 | 207x243 | 41822113 | - |
| | 200x220 | 227x243 | 42022113 | - |

Notes on delivery:
Please see here the information on range introduction pages.


Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!

Consoles, stool


The wall consoles may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Please be sure to note here the information and notes in the "Wall composition" chapter!

| Wall console | Wall console | Panel for wall console | LED lamp for panel |
|---|----------------------|--|----------------------------|
| 23.0 cm high; 45.3 cm deep | 1 drawer | | Title and allowed |
| Max. load: 5 kg | | | of energy efficiency ⊕ ⇄ ⊕ |
| Panel for wall console 60.0 cm high; 1.0 cm thick | ACCENT | THE STATE OF THE S | Class L. 12 V. |
| LED lamp for panel LED lamp with switch in panel | 60.0 cm wide | 70.0 cm wide | 6.8 W |
| | 5061 | 5062 | 1004 |
| | | | |
| | _ | - | - |
| Console 46.2 cm high; 45.3 cm deep | Console 2 drawers | Si | tool |
| Stool 46.9 cm high; 40.0 cm deep | | | |
| | ACCENT | | |
| | 60.0 cm wide 5063 | | em wide 041 |
| | 3000 | | ודע |
| | | | |
| | - | | - |

Chests




High chest




Ancillary units TANTUM

Bench



Dressing/writing table, valet stand



Wall shelves

| Wall shelves 3.3 cm thick; 25.2 cm deep | 60.0 cm wide | 120.0 cm wide |
|---|--------------|---------------|
| for fitting anywhere on walls Max. load: 25 kg | 561 | 5121 |
| | <u>-</u> | _ |

Angled shelves

The angled shelves may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Please be sure to note here the information and notes in the "Wall composition" chapter!

| Angled shelves 21.7 cm high 25.2 cm deep for fitting anywhere on walls | | |
|--|--------------|---------------|
| Max. load: 15 kg | 60.0 cm wide | 120.0 cm wide |
| | 560 | 5120 |
| | | |
| | | |
| | _ | - |

LED lamps for angled shelves


| LED lamps for angled shelves | 4.5 W | 7.8 W | | |
|--|-------------------|---|--|--|
| LED lamp incl. foot switch; radio remote control possible against surcharge. | | N/L | | |
| | for 60.0 cm width | for 120.0 cm width | | |
| | 504 | 505 | | |
| This product contains a light source of energy efficiency class E. 12 V. | - | - | | |

Ancillary units

Mirrors

| Mirror 105.2 cm high; 8.0 cm deep | fittable horizontally and vertically | |
|---|--------------------------------------|---------|
| Round mirror 2.5 cm thick; on 1.9 cm thick base plate in lacquer version | , t | (t) |
| | 85.2 cm wide | Ø 80 cm |
| | 5000529 | 5000528 |

Pouf




Note on usable bed inside height:

The support slats of the hülsta beds are delivered in the centre position, i.e. they can be adjusted by 3.2 cm upwards and downwards. If the slats are set in the lowest position, the maximum usable bed inside height is achieved.

In the case of some beds, the bed inside height is comparatively low. This means that mattresses in combination with base frames that are somewhat higher are not held so well by the bed side sections. Please note that the usable bed inside height of beds with height adjustable support slats is reduced when these are set higher.

This is how to calculate the individual height from the data supplied with the base frames:



Note on space under bed:

The storage space underneath the base frame is calculated from the bed height minus the usable bed inside height.

Example bed: **42.2 cm - 18.0 cm = 24.2 cm.**

Special heights, special widths, special depths



Special heights

- Hinge-, folding- and sliding-door wardrobes can be reduced in height at intervals of 1.0 cm.
- Below eye-level we recommend fitting a top cover shelf made of panelling material. Please state in order!
- Special heights in stepped versions (not possible on sliding-door wardrobes) at a surcharge.

Surcharge per step:

00030



Special widths

Only applies to hinge- and folding-door wardrobes

- Single-door units, left or right hinges, can be reduced down to 25 cm width (apart from profiled doors).
- Twin-door units can be reduced at both sides down to 50 cm total width (apart from profiled doors).
- Interior fittings such as drawers and other fittings cannot be reduced in width.
- For notes on width reductions on Multi-Forma sliding-door wardrobes please see special-sized products





Special depths

- Depth reductions are made on side sections, plinths, cornices and shelves.
- Interior fittings such as drawers and other fittings cannot be reduced in depth.
- A max. reduction of 30.0 cm is possible on hinge- and folding-door wardrobes.
- A max. reduction of 9.0 cm is possible on profiled hinge-doors.
- For sliding-door wardrobes, a max. reduction of 30.0 cm is possible.
- Please note that for technical production reasons not every special depth can be achieved: 2.5 cm standard reduction between 0 and 2.5 cm

 - 5.0 cm standard reduction between 4.5 and 5.0 cm
 - 27.5 cm standard reduction between 27.0 and 27.5 cm

Notes on calculating sizes of sloping units





Side sloping

Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer

Measurements required:

Room height

Height of slope (If a space is required between the wall and the wardrobe/unit,

please state the exact distance.)

Width of slope


B 2 = Width of slope G Total width

Wardrobe width

Please note!

- If the slope cuts across the position of a handle, the handle of this door only is positioned further down in production.
- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level
- If a cornice is fitted, please state if this is to be continued in the sloping section.





Rear sloping

Rear sloping is possible on all wardrobe units.

Measurements required:

Room height

H2 =Height of slope (If a space is required between the wall and the wardrobe/unit,

please state the exact distance.)

Depth of slope

T2 = Depth of slope

TANTUM

Special articles

| Wardrobes | | | Cover panels for side and top panelling of fitted wardrobes (support construction and fitting |
|---|-------|-------------------|---|
| Special heights: | | | materials must be acquired on site) |
| Hinge-door/folding-door wing – wood | 0003 | without surcharge | |
| Hinge-door/folding-door wing – rear-lacquered glass | 00034 | - | Basic price per order 9901 - |
| Special heights are not possible on combined | 00004 | | + price per m² in price group I 9908 - |
| hinge-/sliding-door units. | | | Veneer match with fronts can not be guaranteed. |
| minge-/snamy-aoor anns. | | | volicer materi with from call not be guaranteed. |
| Special widths: | | | |
| | 0005 | | |
| for single-door unit – wood | | - | |
| for single-door unit – rear-lacquered glass | 00054 | - | Rim veneer |
| for twin-door unit – wood | 0006 | - | superimposed ex works or rims lacquered |
| for twin-door unit – rear-lacquered glass | 00064 | - | for veneer and lacquer versions per m. length |
| for panorama unit – wood | 00062 | - | in price group I 9902 - |
| for panorama unit – rear-lacquered glass | 00065 | - | in price group i |
| Special widths are not possible on combined | | | |
| hinge-/sliding-door units. | | | |
| | | | 165° hinges |
| When ordering extra fitted shelves and clothes rods | | | Wardrobe doors can also be fitted with 165° hinges against a surcharge (only |
| Size reduction surcharge per fitted shelf | 9991 | - | |
| Size reduction surcharge per clothes rod | 9992 | _ | possible on plain, straight hinge-doors). Please mark the doors clearly in the order! |
| bize reduction surcharge per ciotiles rou | 0002 | | Note: Doors with 165° hinges do not have a door cushioning system. |
| Special depths: | | | |
| Surcharge per unit | 0007 | _ | Cureboure for 1050 binnes nor binne door. |
| outonargo por arm | 0001 | | Surcharge for 165° hinges per hinge-door: |
| When ordering extra fitted shelves | | | 180 - |
| Size reduction surcharge per fitted shelf | 9993 | _ | |
| bizo roddollori odronargo por nitod onon | 0000 | | Individual special-sized products |
| Side sloping: | | | If the special-sized product that you require is so unusual that it cannot be illustrate |
| | | | with the many special sized products that we already provide and charge for, then w |
| Surcharge per unit without cornice profile | 9994 | | will quote you the price using a 33 unit type factor. In your order please state for us |
| in the slope – wood | 9994 | - | the relevant enquiry number and the 33 unit type factor stated. |
| Surcharge per unit without cornice profile | | | the relevant enquiry number and the 33 unit type factor stated. |
| in the slope – rear-lacquered glass | 9995 | - | |
| Surcharge per unit with cornice profile | | | 00 |
| in the slope – wood | 99916 | - | 33 - |
| Surcharge per unit with cornice profile | | | |
| in the slope – rear-lacquered glass | 99917 | - | |
| 3 · · · · · · · · · · · · · · · · · · · | | | Special colours; Note on "Blue Angel" / Emissions label of DGM |
| Side sloping is possible up to a minimum | | | |
| height of 128 cm. Side sloping is not possible | | | Special colours |
| on folding- and sliding-door units. | | | All the hülsta lacquer colours are possible for nearly all the hülsta ranges. |
| on folding and onding door anno. | | | Availability and prices on request. |
| Rear sloping: | | | |
| Surcharge per unit | 99912 | - | Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A) |
| | | | It is possible that the requirements of the "Blue Angel" and the DGM Emissions Labe |
| | | | cannot be met by some of the lacquer colours in price groups III and IV (see here the |
| Ancillary units | | | different lacquer versions in the NEO range), depending on the colour mix (surface ra |
| | | | these colours in the corresponding order). However, the legal requirements are defin |
| Special sizes are not possible on ancillary units. | | | met in all cases! |
| Beds | | | |
| | | | |
| Bed in special length 190 cm | 99964 | - | |
| Bed with 2 footboards (all-round bed) | 99967 | without surcharge | } |
| Special sizes are not possible on upholstered beds. | | g- | |
| • | | | |
| | | | |

Special-sized products for special combinations: Pricing: special combination + 15% plus all the required special-sized products (see above)

More special-sized products are possible. Please get in touch with your customer advisor.

Switch options for lamps: Radio remote control with change of colour temperature

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

The following points must be noted with the radio remote control:

- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The change of the colour temperature takes place for all lamps in all light groups.
- The radio remote control is not suitable for equipment operating on 110 V.

Please be sure to note the operating and programming instructions!

4-channel radio remote control with change of color temperature



Light colour warmer Light colour colder

Channel 1 to 4 (with dimmer function)

All off All on 4-channel radio remote control with change of color temperature

Type

2119

24

Examples of use (schematic diagrams)

Example 1

Lights inside a unit


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamp in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlamp in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 2

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamp and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlamp and the LED light panels in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 3

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamps in the left, centre and right cabinet


Channel 2 operates (and dims) all the lights in light group 2, i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom LED light panels in the left, centre and right cabinet

Notes

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.

E 7, 2023



Important notes

Wall composition / assembly instruction

Important notes:

The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.

Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete \geq C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

| Standard set | Assembly mortar so | Assembly mortar set only suitable for the materials stated below! | | | | | |
|--|--------------------|---|--|---|--|--|--|
| Concrete C12/15 Compression strength ≥ 15 N/mm ² | | Building bricks Mz 12 Compression strength ≥ 12 N/mm ² | | Solid blocks of light concrete V2 Compression strength ≥ 2 N/mm² | | | |
| | | Limestone blocks KS 12 Compression strength ≥ 12 N/mm² | | Perforated blocks of light concrete HbI 2 Compression strength ≥ 2 N/mm ² | | | |
| | | Perforated sand lime bricks KSL12 Compression strength ≥ 12 N/mm² | | Aerated concrete PP2 Compression strength ≥ 2 N/mm² | | | |
| | | Vertically perforated bricks HLz 12 Compression strength \geq 12 N/mm ² Bulk density \geq 1.0 kg/dm ³ | | | | | |

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

3 = 3 support boards

= 4 support boards, etc.

One **assembly mortar set** is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.

Standard set

The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

Assembly mortar set for up to a maximum of 3 support boards consisting of:

9x injection retaining sleeve

9x screw-in sleeve

1x injection cartridge

2x static mixer

1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

Example of order:

- · Add up number of support boards for all existing unit types
- Divide the sum by "3"
- Round up the result to a full number
- Number of assembly mortar sets required

M2

-

Notes TANTUM

27

hülsta TANTUM

Stand: E 7. 2023

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadtlohn Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000 www.huelsta.com

