

AMANA SLEEPING





AMANA

Contents

	Page
Range introduction, lists of versions, important notes	2-4
Special combinations	5-7
Hinge- and folding-door wardrobes, combined folding-/sliding-door wardrobes	9-12
Beds, accessories for beds	14-17
Ancillary units, wall shelves, angled shelves	18-19
Mirrors, pouf	20

General information:

Usable bed inside height and space under bed	21
Special-sized products, special articles	22-23
Switch options for lamps	24-25
Important notes: wall composition / assembly instruction	26

AMANA – The spirit of the times in colour

Amana owes its design language to current trends and individual ideas: Our designers have intensively studied the design themes and lifestyles of our time and created with Amana a classic yet unusual sleeping range featuring particularly organic colour nuances. The design team has consistently derived the world of Amana from its work with living trends and mood boards and added extras that are typical of hülsta.

Amana's balanced, nature-inspired colour scheme perfectly matches the uncluttered lines of this designer range. In combination with elegant oak natura, Amana creates a beautiful atmosphere in the natural shade of sage. Classic white is also available. Unusual combinations such as the interplay of sliding- and folding-doors, versatile ancillary units with end-grain wood and sumptuously upholstered comfort elements make this characterful range a stylish all-rounder.

Wardrobes

Hinge- and folding-door wardrobes according to the endless assembly principle and combined folding-/sliding-door wardrobes

- Hinge- and folding-door wardrobes can be combined with one another
- Hinge- and folding-door wardrobes with optional cornice profile (with LED lamp) and/or top LED lamp (12 V; 3.2 W)
- Extra-wide panorama units of folding-door wardrobes without centre partition
- Combined folding-/sliding-door wardrobes with optional top LED lamp (12 V; 3.2 W)
- Combined folding-/sliding-door wardrobes in four widths
- Wardrobe interior carcass in white lacquer (standard) or grey lacquer
- Standard interior fittings: 2 fitted shelves, 1 clothes rod
- Functional and high-quality interior wardrobe fittings (see "Wardrobe interior fittings" type list)

Beds

- Beds with upholstered headboard and upholstered beds in four widths, three lengths and two heights
- Beds on wooden arched support and accent in oak natura

In combination with the hülsta Sleeping System, the beds guarantee highest sleeping comfort. With its high-quality spring base frames and mattresses, the hülsta Sleeping System provides the perfect prerequisites for relaxing sleep (see "SLEEPING SYSTEMS" type list).

Ancillary units

- Console (on substructure), stool, chests (on substructure) and high chest in one width and one height each
- Bench, dressing/writing table and valet stand
- Wall shelves and angled shelves
- Mirrors
- Pouf

Quality features

- All wardrobe doors with cushioning bracket
- Wardrobe doors with metal handle and high-quality spring hinges
- Extra-wide fitted wardrobe shelves (160 and 200 cm) of 3-layered quality chipboard
- All metal hinges
- Visually unobtrusive 2.5 mm drilled holes for wardrobes
- Centre partitions and end side-sections of wardrobes with special plinth adjustment
- **hülsta-SoftFlow:** Drawers of ancillary units on hidden bearings incl. auto pull-in feature with brake as fully pull-out units
- **hülsta-SoftGlide:** Sliding-doors with pneumatic auto pull-in feature in opening and closing directions
- **hülsta-MagicClose:** All wardrobe doors with door cushioning system

Lists of versions

Hinge- and folding-door wardrobes

Version no.	Wardrobe carcass exterior sides, cornice profile	Price group	Version no.	Wardrobe front	Price group	Version no.	Wardrobe interior carcass
1058 2330	Pure white lacquer Oak natura	I I	1058 2330 2507	Pure white lacquer Oak natura Super matt sage green	I I II	0299 1685	White lacquer (standard) Grey lacquer

Changing versions

- The version no. for the carcass exterior sides, cornice profile and front must be stated separately as colour combinations are possible.
- With the wardrobes you can choose between two versions for the wardrobe interior fittings. The desired version must be stated in the order. If no details are given in the order, the wardrobe interior fittings are supplied in white lacquer.
- Accent slat of wardrobe doors always in oak natura.

Combined folding-/sliding-door wardrobes

Version no.	Wardrobe carcass exterior sides, folding-doors	Price group	Version no.	Sliding-doors	Price group	Version no.	Wardrobe interior carcass
2330	Oak natura	I	1058 2330 2507	Pure white lacquer Oak natura Super matt sage green	I I II	0299 1685	White lacquer (standard) Grey lacquer

Changing versions

- The version no. for the carcass exterior sides and front must be stated separately as colour combinations are possible.
- Handle profile always in the same version as the sliding-door; exception: in the oak natura version, the handle profile is in anthracite structured lacquer.
- With the wardrobes you can choose between two versions for the wardrobe interior fittings. The desired version must be stated in the order. If no details are given in the order, the wardrobe interior fittings are supplied in white lacquer.
- Accent slat of wardrobe doors always in oak natura.

Beds, pouf

Version no.	Bed frame	Price group		Upholstered beds, upholstered head-board, pouf	Version no.	Wooden arched support, bed frame accent
1058 2330 2507	Pure white lacquer Oak natura Super matt sage green	I I II		hülsta cover collection	2330	Oak natura

- For special combinations, all versions for the bed frame are in price group I.

Ancillary units, wall shelves, angled shelves, mirrors

Version no.	Ancillary unit carcass, front and substructure, angled shelves	Price group	Version no.	Wall shelves	Price group	Version no.	Stool, bench, mirrors
1058 2507	Pure white lacquer Super matt sage green	I II	1058 2330	Pure white lacquer Oak natura	I I	2330	Oak natura

Range introduction

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units
The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" chapter!

3
4

Notes on delivery

Notes on delivery:
The majority of the units are delivered standard as **fully connected units (glued)** so that the carcass **cannot be disassembled**. There are however some **exceptions** to this rule:

Some carcasses are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with a **1** in the type list.

1

Some carcasses are delivered **in individual sections** because of their size. These types are marked with a **2** in the type list.

2

The fronts with the number **2** are delivered separately and can therefore always be (dis-) assembled.

Special combinations

Please also note the mattresses and base frames in the “Sleeping systems” type list!

AMANA

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.







Special combinations consisting of a **bed unit** (bed with 100 cm high upholstered headboard in cover price group I and bed frame in wood/lacquer version and two stools) and a **hinge- or folding-door wardrobe**. The price of an entire special combination (bed unit and wardrobe) can be found in the grey shaded boxes!

Special-sized products for special combinations are possible! Pricing:
special combination + 15% plus all the required special-sized products
(see „Special-sized products“)!

Important: Choose a bed with 100 cm high upholstered headboard and bed frame in wood/lacquer version (all bed sizes are possible – please state type number; see page 14) and two stools (stool type 6041 is possible; see page 18) as well as one of the wardrobes listed below.



















Information on the energy class: see page 9 below!

	Price of an entire special combination (bed unit and wardrobe)		Surcharge for cornice profile	Surcharge for LED lamp for cornice profile	Surcharge for top LED lamp
	with hinge-doors	with folding-doors			
5-door hinge- or folding-door wardrobe (centre unit always with hinge-door, hinges right) 252 cm wide   	<div>Price gr.</div> <div>I</div> <div>II</div>				
	D8416	D8417	303	3x 385	3x 395
	-	-	-	3x -	3x -
6-door hinge- or folding-door wardrobe 302 cm wide   	<div>Price gr.</div> <div>I</div> <div>II</div>				
	D8436	D8437	304	3x 385	3x 395
	-	-	-	3x -	3x -

Special combinations

Please also note the mattresses and base frames in the "Sleeping systems" type list!

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.		
<p>Special combinations consisting of a bed unit (bed with 100 cm high upholstered headboard in cover price group I and bed frame in wood/lacquer version and two stools) and a combined folding-/sliding-door wardrobe. The price of an entire special combination (bed unit and wardrobe) can be found in the grey shaded boxes!</p>		<p>Special-sized products for special combinations are possible! Pricing: special combination + 15% plus all the required special-sized products (see „Special-sized products“)! </p>
<p>Important: Choose a bed with 100 cm high upholstered headboard and bed frame in wood/lacquer version (all bed sizes are possible – please state type number; see page 14) and two stools (stool type 6041 is possible; see page 18) as well as one of the wardrobes listed below.</p>		<p>Information on the energy class: see page 9 below!</p>
	<p>Price of an entire special combination (bed unit and wardrobe) with folding-/sliding-doors</p>	<p>Surcharge for top LED lamp</p>
<p>5-door combined folding-/sliding-door wardrobe 4 folding-doors, 1 sliding-door 242 cm wide</p>   <p>Price gr. I II</p>	<p>E8410</p> <p>- -</p>	<p>For this wardrobe combination we recommend 3 top LED lamps.</p> <p>3x 3951</p> <p>3x -</p>
<p>5-door combined folding-/sliding-door wardrobe 4 folding-doors, 1 sliding-door 282 cm wide</p>   <p>Price gr. I II</p>	<p>E8420</p> <p>- -</p>	<p>For this wardrobe combination we recommend 3 top LED lamps.</p> <p>3x 3951</p> <p>3x -</p>
<p>6-door combined folding-/sliding-door wardrobe 4 folding-doors, 2 sliding-doors 312 cm wide</p>   <p>Price gr. I II</p>	<p>E8430</p> <p>- -</p>	<p>For this wardrobe combination we recommend 4 top LED lamps.</p> <p>4x 3951</p> <p>4x -</p>
<p>6-door combined folding-/sliding-door wardrobe 4 folding-doors, 2 sliding-doors 352 cm wide</p>   <p>Price gr. I II</p>	<p>E8440</p> <p>- -</p>	<p>For this wardrobe combination we recommend 4 top LED lamps.</p> <p>4x 3951</p> <p>4x -</p>

Additional fittings for wardrobes																			
Radio remote control		Top LED lamp																	
Surcharge for radio remote control with change of colour temperature (transmitter + receiver) type		Surcharge for each additional lamp (3.2 W) Type																	
2119		395																	
-		-																	
Additional fittings for beds		LED light panel																	
Bed		Surcharge for each additional light panel (3.2 W) Type																	
Standard version: bed with 100 cm high upholstered headboard in cover price group I and bed frame in wood/lacquer version (as in illustration 1)		385																	
-		-																	
		<div>Information on the energy class: see page 9 below!</div>																	
Illustr. 1																			
Surcharge for 100 cm high upholstered headboard in cover price group II, III or IV		Surcharge for 100 cm high upholstered headboard in cover price group II, III or IV																	
		<table><tr><th colspan="4">Cover price group</th></tr><tr><th>I</th><th>II</th><th>III</th><th>IV</th></tr><tr><td>1000</td><td>1000</td><td>1000</td><td>1000</td></tr><tr><td>Standard</td><td>-</td><td>-</td><td>-</td></tr></table>		Cover price group				I	II	III	IV	1000	1000	1000	1000	Standard	-	-	-
Cover price group																			
I	II	III	IV																
1000	1000	1000	1000																
Standard	-	-	-																
Surcharge for 115 cm high upholstered headboard		Surcharge for 115 cm high upholstered headboard																	
		<table><tr><th colspan="4">Cover price group</th></tr><tr><th>I</th><th>II</th><th>III</th><th>IV</th></tr><tr><td>1001</td><td>1001</td><td>1001</td><td>1001</td></tr><tr><td>without surcharge</td><td>-</td><td>-</td><td>-</td></tr></table>		Cover price group				I	II	III	IV	1001	1001	1001	1001	without surcharge	-	-	-
Cover price group																			
I	II	III	IV																
1001	1001	1001	1001																
without surcharge	-	-	-																
Surcharge for upholstered bed with 100 cm high upholstered headboard		Surcharge for upholstered bed with 100 cm high upholstered headboard																	
		<table><tr><th colspan="4">Cover price group</th></tr><tr><th>I</th><th>II</th><th>III</th><th>IV</th></tr><tr><td>1002</td><td>1002</td><td>1002</td><td>1002</td></tr><tr><td>without surcharge</td><td>-</td><td>-</td><td>-</td></tr></table>		Cover price group				I	II	III	IV	1002	1002	1002	1002	without surcharge	-	-	-
Cover price group																			
I	II	III	IV																
1002	1002	1002	1002																
without surcharge	-	-	-																
Surcharge for upholstered bed with 115 cm high upholstered headboard		Surcharge for upholstered bed with 115 cm high upholstered headboard																	
		<table><tr><th colspan="4">Cover price group</th></tr><tr><th>I</th><th>II</th><th>III</th><th>IV</th></tr><tr><td>1003</td><td>1003</td><td>1003</td><td>1003</td></tr><tr><td>without surcharge</td><td>-</td><td>-</td><td>-</td></tr></table>		Cover price group				I	II	III	IV	1003	1003	1003	1003	without surcharge	-	-	-
Cover price group																			
I	II	III	IV																
1003	1003	1003	1003																
without surcharge	-	-	-																
LED bedside lamp		0.9 W																	
Stainless steel colour; swivelling LED lamp with motion sensor and adjustable runtime.		895																	
This product contains a light source of energy efficiency class E. 12 V.		-																	
																			
Additional fittings for consoles																			
Consoles		Surcharge for console with 1 drawer (surcharge per console)																	
Standard version: stool (as in illustration 1)		Surcharge for console with 2 drawers (surcharge per console)																	
																			
Illustr. 1		1004																	
		-																	
		-																	
		-																	
Price gr.		1005																	
I		-																	
II		-																	

Possible arrangements



Hinge- and folding-door wardrobes and combined folding-/sliding-door wardrobes

AMANA

Wardrobes according to the endless assembly principle

Hinge- and folding-door wardrobes can be planned endlessly and combined with one another. Due to the various element widths one can create many total wardrobe widths. In this way the available floor space can be exploited to the full. For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. In the case of single-door hinge-door units as well as folding-door wardrobes one can choose between left- and right-hand hinges. The graphics shown below give you an excerpt from our wardrobe assortment.

Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod.

Wardrobe interior carcass and interior fittings in white lacquer (standard) or in grey lacquer.


Dimensions

Hinge- and folding-door wardrobes

	without cornice profile	with cornice profile	with top LED lamp
Heights incl. plinth	229.6 cm	231.6 cm	234.8 cm
Depths	61.4 cm	67.8 cm	71.5 cm
Widths	see pages 10-12		

Examples of wardrobes

6-door hinge- or folding-door wardrobe 302 cm wide



Hinge- and folding-door wardrobes

- Hinge- and folding-door wardrobes can be planned endlessly and combined with one another
- Cornice profile and lamps at a surcharge
- Extra-wide panorama units in 160/162 and 200/202 cm width without centre partition
- Hinge-door wardrobes:
Unit outside widths: 42, 52, 82, 102 cm (basic units)
40, 50, 80, 100 cm (extension units)
Unit inside widths: 38, 48, 78, 98 cm
- Folding-door wardrobes:
Unit outside widths: 82, 102, 162, 202 cm (basic units)
80, 100, 160, 200 cm (extension units)
Unit inside widths: 78, 98, 158, 198 cm
- Outside depth: 61.4 cm
- Inside depth: 56.0 cm
- Door opening angle: approx. 94°

For calculating the total width when fitting the cornice profile, please note the cornice profile protrusion of 0.3 cm left and right!

Combined folding-/sliding-door wardrobes

- Description of folding-doors: see above
- Wardrobe outside widths: 242, 282, 312, 352 cm
Unit inside widths (behind sliding-door): 74, 78 cm
- Outside depth: 64.0 cm
- Inside depth: 56.0 cm

Lamps

All hinge- and folding-door wardrobes are available with an optional cornice profile and LED lamps or with top LED lamps. One LED light panel (3.2 W) or one top LED lamp (3.2 W) is fitted standard above each unit – 1 or 2 door. Exception: in the case of panorama units two LED light panels or two top LED lamps are fitted. If required, an LED light panel or a top LED lamp can be fitted centrally above each door. Please include a sketch in all cases. The same applies to combined folding-/sliding-door wardrobes with the exception that no cornice profile can be planned.

Switching is done by an external foot switch. A radio remote control is also available as an alternative, which is charged extra. The radio remote control incorporates one transmitter and one receiver which operate all the LED lamps. The foot switch is omitted when the radio remote control is employed.

Please note: When planning a cornice profile, please note that a distance of at least 7.0 cm to the ceiling must be observed.

Radio remote control

Surcharge for radio remote control with change of colour temperature

(transmitter + receiver) type

2119

-

Top LED lamp

Surcharge for each additional lamp (3.2 W)

Type

395

-

This product contains a light source of energy efficiency class G. 12 V.



LED light panel

Surcharge for each additional light panel (3.2 W)

Type


385

-

This product contains a light source of energy efficiency class F. 12 V.















6-door combined folding-/sliding-door wardrobe 312 cm wide



Hinge-door wardrobes













For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Hinge-door wardrobes		Door with accent slat	Surcharge for cornice profile	Surcharge for LED lamp for cornice profile	Surcharge for top LED lamp
<p>Height: 229.6 cm (height with cornice profile and/or top LED lamp: see table on page 9 top right)</p> <p>Width: see table</p> <p>Depth: 61.4 cm (depth with cornice profile and/or top LED lamp: see table on page 9 top right)</p> <p>Interior fittings per unit: 2 fitted shelves, 1 clothes rod.</p> <p>Wardrobe interior carcass and interior fittings in white lacquer (standard) or in grey lacquer.</p>		 <p>Carcass depth: 61.4 cm Front thickness: 2.3 cm Total depth: 61.4 cm</p>		<p>per unit: 1 lamp</p> 	<p>per unit: 1 lamp</p> 
			<div>Information on the energy class: see page 9 below!</div>		
<p>Basic units with 2 outer side-sections (each 2 cm thick)</p> <p>For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section is employed as the end side-section.</p>			<p>Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products.</p>		
	Single-door unit, left or right, 42 cm wide	Price gr. I II	D02011 L D02012 R - -	341 -	385 -
	Single-door unit, left or right, 52 cm wide	Price gr. I II	D2011 L D2012 R - -	342 -	
	Twin-door unit, 82 cm wide	Price gr. I II	D0202 - -	343 -	
	Twin-door unit, 102 cm wide	Price gr. I II	D202 - -	344 -	
Extension units with 1 centre partition (2 cm thick)					
	Single-door unit, left or right, 40 cm wide	Price gr. I II	D00011 L D00012 R - -	345 -	395 -
	Single-door unit, left or right, 50 cm wide	Price gr. I II	D0011 L D0012 R - -	346 -	
	Twin-door unit, 80 cm wide	Price gr. I II	D0002 - -	347 -	
	Twin-door unit, 100 cm wide	Price gr. I II	D002 - -	348 -	

L/R = Door hinge left/right











E 7. 2023

Schlafen: AMANA

Folding-door wardrobes		Door with accent slat	Surcharge for cornice profile	Surcharge for LED lamp for cornice profile	Surcharge for top LED lamp
Height: 229.6 cm (height with cornice profile and/or top LED lamp: see table on page 9 top right) Width: see table Depth: 61.4 cm (depth with cornice profile and/or top LED lamp: see table on page 9 top right) Interior fittings per unit: 2 fitted shelves, 1 clothes rod. Wardrobe interior carcass and interior fittings in white lacquer (standard) or in grey lacquer.		 Carcass depth: 61.4 cm Front thickness: 2.3 cm Total depth: 61.4 cm		per unit: 1 lamp 	per unit: 1 lamp 
		<div>Information on the energy class: see page 9 below!</div>			
Basic units with 2 outer side-sections (each 2 cm thick) For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section is employed as the end side-section.			Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products .		
 Twin-door unit, left or right, 82 cm wide	Price gr. I II	D2221 L D2222 R - -	343 -	385 -	395 -
 Twin door unit, left or right, 102 cm wide	Price gr. I II	D2321 L D2322 R - -	344 -		
 Panorama unit 4-door, 162 cm wide - without partition	Price gr. I II	D2420 - -	350 -	For this wardrobe unit we recommend 2 LED light panels. 2x 385 2x -	For this wardrobe unit we recommend 2 top LED lamps. 2x 395 2x -
 Panorama unit 4-door, 202 cm wide - without partition	Price gr. I II	D2520 - -	351 -		
Extension units with 1 centre partition (2 cm thick)					
 Twin-door unit, left or right, 80 cm wide	Price gr. I II	D0221 L D0222 R - -	347 -	385 -	395 -
 Twin door unit, left or right, 100 cm wide	Price gr. I II	D0321 L D0322 R - -	348 -		
 Panorama unit 4-door, 160 cm wide - without partition	Price gr. I II	D0420 - -	352 -	For this wardrobe unit we recommend 2 LED light panels. 2x 385 2x -	For this wardrobe unit we recommend 2 top LED lamps. 2x 395 2x -
 Panorama unit 4-door, 200 cm wide - without partition	Price gr. I II	D0520 - -	353 -		

Combined folding-/sliding-door wardrobes

For each project please remember to leave a 4.0 cm gap between wardrobe carcass and the ceiling and 2.0 cm at the side for assembly!

Combined folding-/sliding-door wardrobes		Door with accent slat	Surcharge for top LED lamp
<p>Height: 229.6 cm (total height incl. sliding-door brackets: 231.6 cm; height with top LED lamp: 235.6 cm)</p> <p>Width: see table</p> <p>Depth: 64.0 cm (depth with top LED lamp: 71.4 cm); inside depth: 56.0 cm</p> <p>Interior fittings per unit: 2 fitted shelves, 1 clothes rod.</p> <p>Wardrobe interior carcass and interior fittings in white lacquer (standard) or in grey lacquer.</p> <p>Cornice profile is not possible!</p>		 <p>Carcass depth: 61.4 cm Front thickness: 2.3 cm Total depth: 64.0 cm</p>	<p>per unit: 1 lamp</p>  <div>Information on the energy class: see page 9 below!</div>
<p>Please also note the functional and high-quality wardrobe interior fittings in the „Wardrobe interior fittings“ type list as well as the special articles and possible special-sized products.</p>			
<p>5-door combined folding-/sliding-door wardrobe 4 folding-doors, 1 sliding-door 242 cm wide</p>   <p>Price gr. I II</p>		<p>E2242</p> <p>- -</p>	<p>For this wardrobe combination we recommend 3 top LED lamps.</p> <p>3x 3951</p> <p>3x -</p>
<p>5-door combined folding-/sliding-door wardrobe 4 folding-doors, 1 sliding-door 282 cm wide</p>   <p>Price gr. I II</p>		<p>E2282</p> <p>- -</p>	<p>For this wardrobe combination we recommend 3 top LED lamps.</p> <p>3x 3951</p> <p>3x -</p>
<p>6-door combined folding-/sliding-door wardrobe 4 folding-doors, 2 sliding-doors 312 cm wide</p>   <p>Accessories Fitted shelf behind sliding-door Type 790062 - Clothes rod behind sliding-door Type 790162 -</p> <p>Price gr. I II</p>		<p>E2312</p> <p>- -</p>	<p>For this wardrobe combination we recommend 4 top LED lamps.</p> <p>4x 3951</p> <p>4x -</p>
<p>6-door combined folding-/sliding-door wardrobe 4 folding-doors, 2 sliding-doors 352 cm wide</p>   <p>Accessories Fitted shelf behind sliding-door Type 790062 - Clothes rod behind sliding-door Type 790162 -</p> <p>Price gr. I II</p>		<p>E2352</p> <p>- -</p>	<p>For this wardrobe combination we recommend 4 top LED lamps.</p> <p>4x 3951</p> <p>4x -</p>




**hülsta cover collection: see “hülsta cover collection” type list.
Please state the required version clearly in the order!**

Beds with 100 cm high upholstered headboard
Bed frame in wood/lacquer version, wooden arched support
and accent in oak natura

Beds incl. support slats for base frames and mattresses

- Adjustable in height by 3.2 cm downwards and upwards
- Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!



Bed sizes:

Headboard height: 100.0 cm
Height of top rim of bed side: 47.0 cm
Space to floor: 21.5 cm
Usable bed inside height
(when support slats in bottom position): 18.0 cm

Accessories for beds

LED bedside lamp

Stainless steel colour; swivelling LED lamp with motion sensor and adjustable runtime.

This product contains a light source of energy efficiency class E. 12 V.



895

0.9 W

1



E 7.2023

Schlafen: AMANA

Beds with 115 cm high upholstered headboard

Please also note the mattresses and base frames in the "Sleeping systems" type list!

AMANA


Beds with 115 cm high upholstered headboard		Inside dims.	Outside dims.	Type no.	Price group	
Bed frame in wood/lacquer version, wooden arched support and accent in oak natura					I	II
<div>Beds incl. support slats for base frames and mattresses</div> <div>• Adjustable in height by 3.2 cm downwards and upwards</div> <div>• Usable bed inside height: max. 18.0 cm</div> <div>Please state all the versions clearly in the order!</div> <div></div> <div>Bed sizes: Headboard height: 115.0 cm Height of top rim of bed side: 47.0 cm Space to floor: 21.5 cm Usable bed inside height (when support slats in bottom position): 18.0 cm</div>	Upholstered headboard in cover price group I	140x200	167x223.1	41420111	-	-
		160x200	187x223.1	41620111	-	-
		180x200	207x223.1	41820111	-	-
		200x200	227x223.1	42020111	-	-
		140x210	167x233.1	41421111	-	-
		160x210	187x233.1	41621111	-	-
		180x210	207x233.1	41821111	-	-
		200x210	227x233.1	42021111	-	-
		140x220	167x243.1	41422111	-	-
		160x220	187x243.1	41622111	-	-
		180x220	207x243.1	41822111	-	-
		200x220	227x243.1	42022111	-	-
	Upholstered headboard in cover price group II	140x200	167x223.1	41420111	-	-
		160x200	187x223.1	41620111	-	-
		180x200	207x223.1	41820111	-	-
		200x200	227x223.1	42020111	-	-
		140x210	167x233.1	41421111	-	-
		160x210	187x233.1	41621111	-	-
		180x210	207x233.1	41821111	-	-
		200x210	227x233.1	42021111	-	-
		140x220	167x243.1	41422111	-	-
		160x220	187x243.1	41622111	-	-
		180x220	207x243.1	41822111	-	-
		200x220	227x243.1	42022111	-	-
Upholstered headboard in cover price group III	140x200	167x223.1	41420111	-	-	
	160x200	187x223.1	41620111	-	-	
	180x200	207x223.1	41820111	-	-	
	200x200	227x223.1	42020111	-	-	
	140x210	167x233.1	41421111	-	-	
	160x210	187x233.1	41621111	-	-	
	180x210	207x233.1	41821111	-	-	
	200x210	227x233.1	42021111	-	-	
	140x220	167x243.1	41422111	-	-	
	160x220	187x243.1	41622111	-	-	
	180x220	207x243.1	41822111	-	-	
	200x220	227x243.1	42022111	-	-	
Upholstered headboard in cover price group IV		140x200	167x223.1	41420111	-	-
		160x200	187x223.1	41620111	-	-
		180x200	207x223.1	41820111	-	-
		200x200	227x223.1	42020111	-	-
		140x210	167x233.1	41421111	-	-
		160x210	187x233.1	41621111	-	-
		180x210	207x233.1	41821111	-	-
		200x210	227x233.1	42021111	-	-
		140x220	167x243.1	41422111	-	-
		160x220	187x243.1	41622111	-	-
		180x220	207x243.1	41822111	-	-
		200x220	227x243.1	42022111	-	-

Accessories for beds

LED bedside lamp

Stainless steel colour; swivelling LED lamp with motion sensor and adjustable runtime.

This product contains a light source of energy efficiency class E. 12 V.



895

0.9 W

Upholstered beds with 100 cm high upholstered headboard

hülsta cover collection: see "hülsta cover collection" type list.
Please state the required version clearly in the order!


Please also note the mattresses and base frames in the "Sleeping systems" type list!

Upholstered beds with 100 cm high upholstered headboard

Wooden arched support in oak natura


Beds incl. support slats for base frames and mattresses
• Adjustable in height by 3.2 cm downwards and upwards
• Usable bed inside height: max. 18.0 cm

Please state all the versions clearly in the order!



Bed sizes:

Headboard height: 100.0 cm
Height of top rim of bed side: 47.0 cm
Space to floor: 16.4 cm
Usable bed inside height
(when support slats in bottom position): 18.0 cm

	Inside dims.	Outside dims.	Type no.	
Upholstered bed in cover price group I	140x200	167x223	41420102	-
	160x200	187x223	41620102	-
	180x200	207x223	41820102	-
	200x200	227x223	42020102	-
	140x210	167x233	41421102	-
	160x210	187x233	41621102	-
	180x210	207x233	41821102	-
	200x210	227x233	42021102	-
	140x220	167x243	41422102	-
	160x220	187x243	41622102	-
	180x220	207x243	41822102	-
	200x220	227x243	42022102	-
Upholstered bed in cover price group II	140x200	167x223	41420102	-
	160x200	187x223	41620102	-
	180x200	207x223	41820102	-
	200x200	227x223	42020102	-
	140x210	167x233	41421102	-
	160x210	187x233	41621102	-
	180x210	207x233	41821102	-
	200x210	227x233	42021102	-
	140x220	167x243	41422102	-
	160x220	187x243	41622102	-
	180x220	207x243	41822102	-
	200x220	227x243	42022102	-
Upholstered bed in cover price group III	140x200	167x223	41420102	-
	160x200	187x223	41620102	-
	180x200	207x223	41820102	-
	200x200	227x223	42020102	-
	140x210	167x233	41421102	-
	160x210	187x233	41621102	-
	180x210	207x233	41821102	-
	200x210	227x233	42021102	-
	140x220	167x243	41422102	-
	160x220	187x243	41622102	-
	180x220	207x243	41822102	-
	200x220	227x243	42022102	-
 Upholstered bed in cover price group IV	140x200	167x223	41420102	-
	160x200	187x223	41620102	-
	180x200	207x223	41820102	-
	200x200	227x223	42020102	-
	140x210	167x233	41421102	-
	160x210	187x233	41621102	-
	180x210	207x233	41821102	-
	200x210	227x233	42021102	-
	140x220	167x243	41422102	-
	160x220	187x243	41622102	-
	180x220	207x243	41822102	-
	200x220	227x243	42022102	-

Accessories for beds

LED bedside lamp

Stainless steel colour; swivelling LED lamp with motion sensor and adjustable runtime.

This product contains a light source of energy efficiency class E. 12 V.



895




0.9 W

-

Upholstered beds with 115 cm high upholstered headboard

AMANA

Please also note the mattresses and base frames in the "Sleeping systems" type list!

Upholstered beds with 115 cm high upholstered headboard Wooden arched support in oak natura Beds incl. support slats for base frames and mattresses • Adjustable in height by 3.2 cm downwards and upwards • Usable bed inside height: max. 18.0 cm Please state all the versions clearly in the order!  Bed sizes: Headboard height: 115.0 cm Height of top rim of bed side: 47.0 cm Space to floor: 16.4 cm Usable bed inside height (when support slats in bottom position): 18.0 cm		Inside dims.	Outside dims.	Type no.	
	Upholstered bed in cover price group I	140x200 160x200 180x200 200x200	167x223 187x223 207x223 227x223	41420112 41620112 41820112 42020112	- - - -
		140x210 160x210 180x210 200x210	167x233 187x233 207x233 227x233	41421112 41621112 41821112 42021112	- - - -
		140x220 160x220 180x220 200x220	167x243 187x243 207x243 227x243	41422112 41622112 41822112 42022112	- - - -
	Upholstered bed in cover price group II	140x200 160x200 180x200 200x200	167x223 187x223 207x223 227x223	41420112 41620112 41820112 42020112	- - - -
Accessories for beds LED bedside lamp Stainless steel colour; swivelling LED lamp with motion sensor and adjustable runtime. This product contains a light source of energy efficiency class E. 12 V.  895 0.9 W		140x210 160x210 180x210 200x210	167x233 187x233 207x233 227x233	41421112 41621112 41821112 42021112	- - - -
		140x220 160x220 180x220 200x220	167x243 187x243 207x243 227x243	41422112 41622112 41822112 42022112	- - - -
		140x200 160x200 180x200 200x200	167x223 187x223 207x223 227x223	41420112 41620112 41820112 42020112	- - - -
		140x210 160x210 180x210 200x210	167x233 187x233 207x233 227x233	41421112 41621112 41821112 42021112	- - - -
		140x220 160x220 180x220 200x220	167x243 187x243 207x243 227x243	41422112 41622112 41822112 42022112	- - - -
					
Upholstered bed in cover price group IV 140x200 160x200 180x200 200x200 140x210 160x210 180x210 200x210 140x220 160x220 180x220 200x220					
167x223 187x223 207x223 227x223 167x233 187x233 207x233 227x233 167x243 187x243 207x243 227x243					
41420112 41620112 41820112 42020112 41421112 41621112 41821112 42021112 41422112 41622112 41822112 42022112					
- - - - - - - - - - - -					

Ancillary units




Notes on delivery:
Please see here the information on range introduction pages.

1
2




Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!




4
6

Consoles, stool


Console on substructure 47.0 cm high; 45.0 cm deep Console 46.9 cm high; 45.0 cm deep Stool 46.9 cm high; 40.0 cm deep	1 drawer		2 drawers	Stool
	 60.0 cm wide 5061		 60.0 cm wide 5062	 40.0 cm wide 6041
Price gr.	I	-	-	-
	II	-	-	-

Chests


Chests 83.5 cm high; 45.0 cm deep Fitted shelf for fitting behind doors; 1.9 cm thick	3 drawers		2 doors with 1 fitted shelf	Fitted shelf
	 120.0 cm wide 51202		 120.0 cm wide 51201	 for 120.0 cm width 903
Price gr.	I	-	-	-
	II	-	-	-

Chests on substructure 99.9 cm high; 45.0 cm deep Fitted shelf for fitting behind doors; 1.9 cm thick	3 drawers		2 doors with 1 fitted shelf	Fitted shelf
	 120.0 cm wide 51204		 120.0 cm wide 51203	 for 120.0 cm width 903
Price gr.	I	-	-	-
	II	-	-	-



High chest

High chest 136.9 cm high; 45.0 cm deep	6 drawers	
	 60.0 cm wide 5064	
Price gr.	I	-
	II	-



Bench

Bench 46.5 cm high; 40.0 cm deep	 100.0 cm wide	
		6101 -

Dressing/writing table, valet stand



Dressing/writing table 76.0 cm high; 45.0 cm deep Valet stand 136.9 cm high; 35.0 cm deep Wall fitting necessary	Dressing/writing table 1 drawer  100.0 cm wide		Valet stand 1 drawer  60.0 cm wide	
		6102 - -		6061 - -
	Price gr. I II			

Wall shelves

Wall shelves 3.3 cm thick; 25.0 cm deep for fitting anywhere on walls Max. load: 15 kg	 60.0 cm wide		 120.0 cm wide	
		561 - -		5121 - -
	Price gr. I II			



Angled shelves

The angled shelves may only be fitted on absolutely solid walls. Gypsum or other light masonry is not suitable for this purpose. Please be sure to note here the information and notes in the "Wall composition" chapter!



Angled shelves 21.0 cm high; 22.0 cm deep for fitting anywhere on walls Max. load: 10 kg	 60.0 cm wide		 120.0 cm wide	
		560 - -		5120 - -
	Price gr. I II			

Ancillary units

Mirrors

<div>Mirror</div> <div>105.2 cm high; 8.0 cm deep</div> <div>Round mirror</div> <div>2.5 cm thick; on 1.9 cm thick base plate in lacquer version</div>	fittable horizontally and vertically		
			
	85.2 cm wide		Ø 80 cm
	5000529		5000528
	-		-

Pouf

<div>Pouf</div> <div>48.0 cm high</div>	<div>hülsta cover collection: see “hülsta cover collection” type list. Please state the required version clearly in the order!</div>			
				
	Ø 41,0 cm			
	Cover price group			
	I	II	III	IV 
	6001	6001	6001	6001
	-	-	-	-

Note on usable bed inside height:

The support slats of the hülsta beds are delivered in the centre position, i.e. they can be adjusted by 3.2 cm upwards and downwards. If the slats are set in the lowest position, the **maximum usable bed inside height** is achieved.

In the case of some beds, the bed inside height is comparatively low. This means that mattresses in combination with base frames that are somewhat higher are not held so well by the bed side sections. Please note that the usable bed inside height of beds with height adjustable support slats is reduced when these are set higher.

This is how to calculate the individual height from the data supplied with the base frames:


Example: bed and hülsta flex basic B base frame
(back and foot sections adjustable)

Max. usable bed inside height:
18.0 cm



approx. 12.5 cm for holding
mattress

5.5 cm total height of base frame
(example: hülsta flex basic B)




Note on space under bed:

The storage space underneath the base frame is calculated from the bed height minus the usable bed inside height.

Example bed: $42.2 \text{ cm} - 18.0 \text{ cm} = 24.2 \text{ cm}$.

Special-sized products

Special heights, special widths, special depths




Special heights

- Hinge-, folding- and sliding-door wardrobes can be reduced in height at intervals of 1.0 cm.
- Below eye-level we recommend fitting a top cover shelf made of panelling material.
- Please state in order!
- Special heights in stepped versions (not possible on sliding-door wardrobes) at a surcharge.

Surcharge per step:

00030


-



Special widths

Only applies to hinge- and folding-door wardrobes

- Single-door units, left or right hinges, can be reduced down to 25 cm width (apart from profiled doors).
- Twin-door units can be reduced at both sides down to 50 cm total width (apart from profiled doors).
- Interior fittings such as drawers and other fittings cannot be reduced in width.
- For notes on width reductions on Multi-Forma sliding-door wardrobes please see special-sized products for Multi-Forma.





Special depths

- Depth reductions are made on side sections, plinths, cornices and shelves.
- Interior fittings such as drawers and other fittings cannot be reduced in depth.
- A max. reduction of 30.0 cm is possible on hinge- and folding-door wardrobes.
- A max. reduction of 9.0 cm is possible on profiled hinge-doors.
- For sliding-door wardrobes, a max. reduction of 30.0 cm is possible.
- Please note that for technical production reasons not every special depth can be achieved:
2.5 cm standard reduction between 0 and 2.5 cm
5.0 cm standard reduction between 4.5 and 5.0 cm
27.5 cm standard reduction between 27.0 and 27.5 cm

Notes on calculating sizes of sloping units

Side sloping

Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.





Measurements required:

- H 1 = Room height
- H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- B 1 = Width of slope
- B 2 = Width of slope
- G = Total width
- S = Wardrobe width

Please note!

- If the slope cuts across the position of a handle, the handle of this door only is positioned further down in production.
- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level.
- If a cornice is fitted, please state if this is to be continued in the sloping section.



Rear sloping

Rear sloping is possible on all wardrobe units.

Measurements required:

- H 1 = Room height
- H 2 = Height of slope (If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- T 1 = Depth of slope
- T 2 = Depth of slope

AMANA

Special articles

Wardrobes

Special heights:

Hinge-door/folding-door wing – in price gr. I
Hinge-door/folding-door wing – in price gr. II
Special heights are not possible on combined
folding-/sliding-door wardrobes.

0003 without surcharge
00034 -

Special widths:

for single-door unit – in price gr. I
for single-door unit – in price gr. II
for twin-door unit – in price gr. I
for twin-door unit – in price gr. II
for panorama unit – in price gr. I
for panorama unit – in price gr. II
Special widths are not possible on combined
folding-/sliding-door wardrobes.

0005 -
00054 -
0006 -
00064 -
00062 -
00065 -

When ordering extra fitted shelves and clothes rods
Size reduction surcharge per fitted shelf
Size reduction surcharge per clothes rod

9991 -
9992 -

Special depths:

Surcharge per unit

0007 -

When ordering extra fitted shelves
Size reduction surcharge per fitted shelf

9993 -

Side sloping:

Surcharge per unit without cornice profile
in the slope – in price gr. I
Surcharge per unit without cornice profile
in the slope – in price gr. II
Surcharge per unit with cornice profile
in the slope – in price gr. I
Surcharge per unit with cornice profile
in the slope – in price gr. II

9994 -
9995 -
99916 -
99917 -

Side sloping is possible up to a minimum height of
110 cm. Side sloping is not possible on folding- and
sliding-door units.

Rear sloping:

Surcharge per unit

99912 -

Ancillary units

Special sizes are not possible on ancillary units.

Beds

Bed in special length 190 cm
Special sizes are not possible on upholstered beds.

99964 -

Special-sized products for special combinations:

Pricing: special combination + 15% plus all the required
special-sized products (see above)

More special-sized products are possible.

Please get in touch with your customer advisor.

Cover panels

for side and top panelling of fitted wardrobes (support construction and fitting
materials must be acquired on site)

Basic price per order 9901 -
+ price per m² in price group I 9908 -
Veneer match with fronts can not be guaranteed.

Rim veneer

superimposed ex works or rims lacquered
for veneer and lacquer versions per m. length
in price group I

9902 -

165° hinges

Wardrobe doors can also be fitted with **165° hinges** against a surcharge (only
possible on plain, straight hinge-doors). Please mark the doors clearly in the order!
Note: Doors with 165° hinges do not have a door cushioning system.

Surcharge for 165° hinges per hinge-door:

180 -

Individual special-sized products

If the special-sized product that you require is so unusual that it cannot be illustrated
with the many special sized products that we already provide and charge for, then we
will quote you the price using a 33 unit type factor. In your order please state for us
the relevant enquiry number and the 33 unit type factor stated.

33 -

Special colours; Note on “Blue Angel” / Emissions label of DGM

Special colours

All the hülsta lacquer colours are possible for nearly all the hülsta ranges.
Availability and prices on request.

Note on “Blue Angel” (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the “Blue Angel” and the DGM Emissions Label
cannot be met by some of the lacquer colours in price groups III and IV (see here the
different lacquer versions in the NEO range), depending on the colour mix (surface ratio of
these colours in the corresponding order). However, the legal requirements are definitely
met in all cases!

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

- The following points must be noted with the radio remote control:**
- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
 - The total wattage power of all lamps included per receiver must not exceed 30 W.
 - 4 channels = 4 light groups
 - 1 light group = x lights
 - All lamps within a light group can be dimmed to the same brightness.
 - The change of the colour temperature takes place for all lamps in all light groups.
 - The radio remote control is not suitable for equipment operating on 110 V.
- Please be sure to note the operating and programming instructions!**

4-channel radio remote control with change of color temperature



4-channel radio remote control with change of color temperature

Type	2119	-
------	------	---

Examples of use (schematic diagrams)

Example 1

Lights inside a unit


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlight in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlight in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 2

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlight and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlight and the LED light panels in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 3

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom LED light panels in the left, centre and right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Important notes

Wall composition / assembly instruction









Important notes:
The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.

Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete \geq C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table
with a description of which sets are to be used with the following types of walls:

Standard set	Assembly mortar set only suitable for the materials stated below!			
Concrete C12/15 Compression strength \geq 15 N/mm ² 		Building bricks Mz 12 Compression strength \geq 12 N/mm ²		Solid blocks of light concrete V2 Compression strength \geq 2 N/mm ²
		Limestone blocks KS 12 Compression strength \geq 12 N/mm ²		Perforated blocks of light concrete Hbl 2 Compression strength \geq 2 N/mm ²
		Perforated sand lime bricks KSL12 Compression strength \geq 12 N/mm ²		Aerated concrete PP2 Compression strength \geq 2 N/mm ²
		Vertically perforated bricks HLz 12 Compression strength \geq 12 N/mm ² Bulk density \geq 1.0 kg/dm ³		

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

<p>Labelling in type list drawings / assembly notes for wall units</p> <p>The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.</p> <p>3 = 3 support boards 4 = 4 support boards, etc.</p> <p>One assembly mortar set is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.</p> <p>Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.</p>		
<p>Standard set</p> <p>The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.</p>		
<p>Assembly mortar set for up to a maximum of 3 support boards consisting of:</p> <p>9x injection retaining sleeve 9x screw-in sleeve 1x injection cartridge 2x static mixer 1x assembly instructions</p> <p>Please use the mounting screws from the standard set (supplied free of charge).</p>	<p>Example of order:</p> <ul style="list-style-type: none">• Add up number of support boards for all existing unit types• Divide the sum by “3”• Round up the result to a full number <p>= Number of assembly mortar sets required</p>	<p>M2</p> <p>-</p>

hülsta AMANA

Stand: E 7. 2023

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadtho
Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000
www.huelsta.com

