7/23 E



MULTI-DIELE



MULTI-DIELE

Link to the assembly / user instruction movies



Contents


	Page
Range description	2
NEO NEW	4-19
TETRIM	20-33
GENTIS	34-53
Clothes/niche hallway unit	54-67
Switch options for lamps	68-69
Special-sized products, special articles	70-72
Important notes: wall composition / assembly instruction	73

Designed with single units to suit your individual requirements or as a recess solution fitted inch-perfect into the available space, hülsta will welcome you and your guests with a perfect entrance: stylish and confident in terms of design, versatile in terms of functionality and your personal ideas. Whether as a modular combination, recess solution or cabinet system, MULTI-DIELE offers easy access to a coat rack, mirror and all your accessories. It provides a comfortable seat and adds stylish lacquer, natural wood and lighting accents to your entrance. Welcome to your home!





MULTI-DIELE NEO



Lists of versions

Version no.	Carcase, fronts, clothes panels, frames of open compartments	Price group	Version no.	Open compartments (inside), rear walls	Price group	Version no.	Cover shelves NEW	Price group
1058 0299 1685 2208	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer	 	1058 0299 1685 2208	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer	 	1058 0299 1685 2208	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer	-
1260 1529 2205 1002 1696 2200	Natural oak Core walnut High-gloss pure white lacquer * High-gloss white lacquer * High-gloss grey lacquer * High-gloss silk grey lacquer *	 	1260 1529 RALM NEW	Natural oak Core walnut Free colour choice according to the RAL colour system - Matt lacquer	"	1260 1529 2205 1002 1696 2200	Natural oak Core walnut High-gloss pure white lacquer High-gloss white lacquer High-gloss grey lacquer High-gloss silk grey lacquer	
RALM	Free colour choice according to the RAL colour system - Matt lacquer	III				RALM	Free colour choice according to the RAL colour system - Matt lacquer	
RALH	Free colour choice according to the RAL colour system - High-gloss lacquer *	IV				RALH	Free colour choice according to the RAL colour system - High-gloss lacquer	IV
Fabric no.	Seat upholstery]			1749 1699 1698 2297	Rear-lacquered glass, pure white Rear-lacquered glass, white Rear-lacquered glass, grey Rear-lacquered glass, silk grey	
						2369 2370	Ceramic zaha stone Ceramic storm nero	
S451	Artificial leather with structure white		Material ide	entification artificial leather		2435 2262	Ceramic white Ceramic grey	
S453	Artificial leather with structure taupe		with structu	ire:	2268 2269 2270	Ceramic calacatta Ceramic concrete		
S455	Artificial leather with structure brown grey	n	leather, 39%	top: 100% polyurethane, below: 41% leather, 39% polyethylene, 20% cotton Not for sale in the UK!			Ceramic pulpis	

^{*} The interior carcase of the high-gloss lacquer versions is in a matching matt lacquer colour.

Changing versions

Colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

Free colour choice according to the RAL colour system

The RAL colour system

Determine almost any desired colour and colour combination yourself - it's easy with the RAL colour system. RAL colours are standardised colours that are assigned a unique number and are used in a number of colour systems and colour catalogues that are used worldwide. No matter which colour you choose: every colour trend finds the ideal application in this collection from hülsta.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)
It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Important notes

Changing versions:

Colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

Glass cover shelves:

Please be sure to state the required version of the rear lacquered glass shelves in the order!

Ceramic cover shelves:

Please be sure to state the required version of the ceramic cover shelves in the order!

Metal substructures:

Metal substructures optionally in high-gloss chrome (metal substructure A) resp. in high-gloss chrome or anthracite structured lacquer (metal substructure B). When ordering metal substructure B please be sure to state the desired version!

Standard interior fittings:

Fitted wooden shelves are included behind wooden and mirror doors at 2 Raster intervals.

Drawer frames in standard grey

Wall units:

If units are to be included as wall units, a wall bracket must be ordered.

Stacked units:

If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

Combinations of floor and wall units:

If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

Max. load:

Max. load of wooden shelves (up to 70.4 cm width) as well as drawers: 25 kg Max. load of wooden shelves (between 70.4 and 105.6 cm width): 15 kg

Max. load of wooden shelves (from 105.6 cm width): 10 kg Max. load of cover shelves: 35 kg per metre length for floor units

Max. load of units when used as a seat accommodation: 110 kg for floor units.

Please also note any existing maximum load information for individual units which may be stated later, the general load information for wall units as well as the important notes on the quality of walls at the end of this type list.

hülsta-Push-to-open:

Drawers, flaps and hinge-doors with hülsta-Push-to-open device. All drawers on hidden bearings as fully pull-out units.

Wall units / stacked units

If the 2 and 3 Raster units are included as wall units, a maximum load per unit of 15 kg per metre must not be exceeded for reasons of stability! Max. load 15 kg per metre:

52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg 105.6 cm width: 15.0 kg 140.8 cm width: 20.0 kg

If 4 - 10 Raster units are included as wall units, a maximum load per unit of 40 kg must not be exceeded for reasons of stability!

The wall units can only be fitted on absolutely solid walls. Light masonry is not suitable for this purpose.

For each project please remember to leave a 2.0 cm gap at the top to be able to mount units.

If units are planned as wall units, a wall bracket must be ordered

If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hilsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15.

For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over — especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" chapter!

Notes on delivery

Notes on delive

3

The majority of the units are delivered standard as **fully connected units (glued)** so that the carcase **cannot be disassembled**. There are however some **exceptions** to this rule:

Some carcases are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with a **1** in the type list.

Some carcases are delivered in individual sections because of their size. These types are marked with a $\bf 2$ in the type list.

The fronts with the number ${\bf 2}$ are delivered separately and can therefore always be (dis-) assembled.

Information on the sketches

Partitions behind flaps

Partitions are used behind flaps in front widths from 140.8 cm. In the sketches the partitions are shown by dotted lines.



Split drawer frames

6

Split drawer frames are used for drawers in front widths from 140.8 cm (the partitions are shown by dotted lines in the sketches).

Partitions behind doors

Partitions are used behind doors in front widths from 105.6 cm. In the sketches the partitions are shown by dotted lines.

Order of markings

2 drawers


The markings for the fronts go from left to right and/or from top to bottom.

1 open compart-





Special combinations



Suggested combinations

]7

2 Raster units

2 Hastor annts										
2 Raster units 35.2 cm high			_		1 dr	awer	\rightarrow	. —	\rightarrow	
(37,0 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep									3	
00.0 or 10.0 om doop		52.8 c	m wide	70.4 c	m wide	105.6 c	m wide	140.8 c	m wide	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
		2351	2451	23710	2471	23110	2411	23410	2441	
	Price gr.	_	-	_	-	_	-	_	_	
	II III	-	-	-	-	-	-	-	-	
NEW Units in 33.0 cm depth!	iv	-	-	-	-	-	-	-	-	
onnes no solo em depun:					1 f	flap			_	
									3	
		52.8 c	m wide	70.4 c	m wide	105.6 0	m wide	140.8 0	m wide	
	Flap hinge at	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
	bottom	2352	2452	23720	2472	2312	2412	2342	2442	
	Price gr.									
	li l	-	-	- -	-	-	-	- -	-	
	iii IV	-	-	-	-	-	-	-	-	
	IV	-	-	- 2 drs	awers	-	-		- IMARC	
				2 016	iwers			4 drawers		
		50.0 a		70.4.0	ma voida	105.0	ana voida	140.00		
		<u> </u>	m wide		m wide	105.6 c			m wide	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
	Price gr.	2353	2453	2373	2473	2313	2413	2343	2443	
	1	-	-	-	-	-	-	-	-	
	II III	-	-	-	-	-	-	-	-	
	IV	-	-	-	-	-	-	-	-	
	2 drawers; 1 open compartment									
									3	
						105.6 d	m wide	140.8 c	m wide	
						33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
	as illustr. v. versa					23131 23132	24131 24132	23431 23432	24431 24432	
	Price gr.					-	-	-	-	
	III					-	-	-	-	
	IV					-	-	-	-	
							1 flap; 1 oper	n compartment		
When used as wall units or stacked							V D		3	
units: Max. load 15 kg per metre:						105.6 d	m wide	140.8 c	m wide	
52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg	Flap hinge at bottom					33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	
105.6 cm width: 15.0 kg 140.8 cm width: 20.0 kg	as illustr. v. versa					23141	24141	23441	24441	
	Price gr.					23142	24142	23442	24442	
Wall units or wall assembly:	ii					-	-	-	-	
Please see here the information on page 6 .	III IV						-		-	
	•	•				•				

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.				
	4528	4704	4105	4140
3	-	-	-	-

3 and 4 Raster units

3 and 4 Raster units													
3 Raster units						2 drawers							
52.8 cm high (54.6 cm high incl. 1.8 cm													
high plinth adjusters),													
33.0; 45.0 or 52.0 cm deep								Γ					
52.0 cm deep units cannot													
be used as wall units!	52.8 cm wide			7	'0.4 cm wid	е	1	05.6 cm wi	de				
		33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm			
		deep	deep	deep	deep	deep	deep	deep	deep	deep			
		3351	3451	3551	3371	3471	3571	3311	3411	3511			
NEW	Price gr.												
Units in 33.0 cm depth!	lii 💮	_	_	_	_	_	_	_	_	_			
	III	-	-	-	-	-	-	-	-	-			
	IV	-	-	-	-	-	-	-	-	-			
					1	flap; 1 drawe	r				2 1	laps; 2 drawe	ers
				`\			1	ſ					3
				•			*						3
When used as wall units or stacked					ı						_		
units: Max. load 15 kg per metre:			52.8 cm wid	le	7	0.4 cm wid	е	1	05.6 cm wi	de	14	40.8 cm wic	de
52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg	Flap hinge at bottom	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm
105.6 cm width: 15.0 kg 140.8 cm width: 20.0 kg	DOLLOITI	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep
140.0 GH Width. 20.0 kg		3352	3452	3552	3372	3472	3572	3312	3412	3512	3342	3442	3542
	Price gr.	_	_	_	_	_	_	_	_	_	_	_	_
Wall units or wall assembly:	lii 💮	-	-	-	-	-	-	-	-	-	-	-	-
Please see here the information on page 6 .	III	-	-	-	-	-	-	-	-	-	-	-	-
on page o .	IV										I –		- 1
L					_	-	-	_	_	_			
4 Raster units				<u> </u>	_	3 drawers	-	_	_		<u> </u>		
70.4 cm high (72.2 cm high incl. 1.8 cm		ı				3 drawers	-						
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters),		I				3 drawers				7			
70.4 cm high (72.2 cm high incl. 1.8 cm				l	<u> </u>	3 drawers	-						
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters),			F		<u> </u>	3 drawers	_				I		
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters),			52.8 cm wid	l le	1		e	- 1	05.6 cm wi		<u> </u>		
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep			52.8 cm wid		7	0.4 cm wid			05.6 cm win	de			
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters),		33.0 cm deep	52.8 cm wid 45.0 cm deep	le 52.0 cm deep	1		e 52.0 cm deep	1 33.0 cm deep	05.6 cm widep				
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep		33.0 cm	45.0 cm	52.0 cm	7 33.0 cm	0.4 cm wid 45.0 cm	52.0 cm	33.0 cm	45.0 cm	de 52.0 cm			
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep		33.0 cm deep	45.0 cm deep	52.0 cm deep	7 33.0 cm deep	0.4 cm wid 45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	de 52.0 cm deep			
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep	7 33.0 cm deep	0.4 cm wid 45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	de 52.0 cm deep			
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep	7 33.0 cm deep	0.4 cm wid 45.0 cm deep	52.0 cm deep 4571 -	33.0 cm deep 4311 - -	45.0 cm deep	de 52.0 cm deep			
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep 4551 - -	7 33.0 cm deep	0.4 cm wid 45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	de 52.0 cm deep			
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep 4551 - - -	7 33.0 cm deep	0.4 cm wid 45.0 cm deep	52.0 cm deep 4571 - -	33.0 cm deep 4311 - -	45.0 cm deep 4411 - - -	de 52.0 cm deep		doors; 1 draw	rer
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep 4551 - - -	33.0 cm deep 4371 - - -	0.4 cm wid 45.0 cm deep	52.0 cm deep 4571 - -	33.0 cm deep 4311 - - - -	45.0 cm deep 4411 2 doors Modifie	52.0 cm deep 4511 - - -		doors; 1 draw	rer
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep 4551 - - -	33.0 cm deep 4371 - - -	0.4 cm wid 45.0 cm deep	52.0 cm deep 4571 - - - -	33.0 cm deep 4311 - - - -	45.0 cm deep 4411 - - - - 2 doors	52.0 cm deep 4511 - - -		doors; 1 draw	rer
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep 4551 - - -	33.0 cm deep 4371 - - -	0.4 cm wid 45.0 cm deep	52.0 cm deep 4571 - - - -	33.0 cm deep 4311 - - - -	45.0 cm deep 4411 2 doors Modifie	52.0 cm deep 4511 - - -		doors; 1 draw	
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep 4551 - - -	33.0 cm deep 4371 - - -	0.4 cm wid 45.0 cm deep	52.0 cm deep 4571 - - - -	33.0 cm deep 4311 - - - -	45.0 cm deep 4411 2 doors Modifie	52.0 cm deep 4511 - - -		doors; 1 draw	rer 3
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep	45.0 cm deep	52.0 cm deep 4551 - - -	33.0 cm deep 4371 - - - -	0.4 cm wid 45.0 cm deep 4471	52.0 cm deep 4571 - - - - - NE	33.0 cm deep 4311 - - - -	45.0 cm deep 4411	52.0 cm deep 4511 - - - - d type pers!	3		3
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep 4351 - - - -	45.0 cm deep	52.0 cm deep 4551 1 d	33.0 cm deep 4371 - - - -	0.4 cm wid 45.0 cm deep	52.0 cm deep 4571 - - - - - NE	33.0 cm deep 4311 - - - -	45.0 cm deep 4411 2 doors Modifie	52.0 cm deep 4511 - - - - d type pers!	3	doors; 1 draw	3
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep	Price gr.	33.0 cm deep 4351 - - - - - 33.0 cm	45.0 cm deep 4451 - - - - - - - - - - 45.2 cm wid	52.0 cm deep 4551 1 d	7 33.0 cm deep 4371	0.4 cm wide 45.0 cm deep 4471	52.0 cm deep 4571 52.0 cm	33.0 cm deep 4311 - - - - - - - 33.0 cm	45.0 cm deep 4411	52.0 cm deep 4511 	3 · 1 · 33.0 cm	40.8 cm wic	3 de 52.0 cm
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep NEW Units in 33.0 cm depth!	Price gr.	33.0 cm deep 4351 - - - - - 33.0 cm deep	45.0 cm deep 4451 - - - - - - - - - - - - - - - - - - -	52.0 cm deep 4551 1 d	7 33.0 cm deep 4371	0.4 cm wide 45.0 cm deep 4471 0.4 cm wide 45.0 cm deep	52.0 cm deep 4571 NE	33.0 cm deep 4311 - - - - - - 33.0 cm deep	45.0 cm deep 4411	52.0 cm deep 4511 - - - - - d type ters!	33.0 cm deep	40.8 cm wic 45.0 cm deep	de 52.0 cm deep
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep NEW Units in 33.0 cm depth!	Price gr. IIIIIIV	33.0 cm deep 4351 - - - - - - 33.0 cm deep	45.0 cm deep 4451 - - - - - - - - - - - - - - - - - - -	52.0 cm deep 4551 1 d L e 52.0 cm deep	7 33.0 cm deep 4371 000r 7 33.0 cm deep 43721 L	0.4 cm wide 45.0 cm deep 4471	52.0 cm deep 4571 NE \$ 52.0 cm deep 45721 L	33.0 cm deep 4311 - - - - - - - 33.0 cm	45.0 cm deep 4411	52.0 cm deep 4511 	33.0 cm deep 43411	40.8 cm wic 45.0 cm deep 44411	3 52.0 cm deep 45411
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep NEW Units in 33.0 cm depth!	Price gr. IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	33.0 cm deep 4351 - - - - - - 33.0 cm deep	45.0 cm deep 4451 - - - - - - - - - - - - - - - - - - -	52.0 cm deep 4551 1 d L e 52.0 cm deep	7 33.0 cm deep 4371 000r 7 33.0 cm deep 43721 L	0.4 cm wide 45.0 cm deep 4471 0.4 cm wide 45.0 cm deep	52.0 cm deep 4571 NE \$ 52.0 cm deep 45721 L	33.0 cm deep 4311 - - - - - - 33.0 cm deep	45.0 cm deep 4411	52.0 cm deep 4511 - - - - - d type ters!	33.0 cm deep	40.8 cm wic 45.0 cm deep	3 de 52.0 cm deep
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep NEW Units in 33.0 cm depth! When used as wall units: Max. load 40 kg	Price gr. IIIIIIV	33.0 cm deep 4351 - - - - - - 33.0 cm deep	45.0 cm deep 4451 - - - - - - - - - - - - - - - - - - -	52.0 cm deep 4551 1 d L e 52.0 cm deep	7 33.0 cm deep 4371 000r 7 33.0 cm deep 43721 L	0.4 cm wide 45.0 cm deep 4471	52.0 cm deep 4571 NE \$ 52.0 cm deep 45721 L	33.0 cm deep 4311 - - - - - - 33.0 cm deep	45.0 cm deep 4411	52.0 cm deep 4511 - - - - - d type ters!	33.0 cm deep 43411	40.8 cm wic 45.0 cm deep 44411	3 52.0 cm deep 45411
70.4 cm high (72.2 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep NEW Units in 33.0 cm depth!	Price gr. IIIIIV as illustr. v. versa Price gr. I	33.0 cm deep 4351 - - - - - - 33.0 cm deep 43521 L 43522 R	45.0 cm deep 4451 - - - - - - - - - - - - - - - - - - -	52.0 cm deep 4551 1 d L e 52.0 cm deep 45521 L 45522 R	733.0 cm deep 4371	0.4 cm widep 45.0 cm deep 4471 0.4 cm wide 45.0 cm deep 44721 L 44722 R	52.0 cm deep 4571 NE 52.0 cm deep 45721 L 45722 R -	33.0 cm deep 4311 - - - - - 33.0 cm deep 43120	45.0 cm deep 4411 2 doors Modifie num 05.6 cm wideep 44120	de 52.0 cm deep 4511	33.0 cm deep 43411 43412	40.8 cm wic 45.0 cm deep 44411	52.0 cm deep 45411 45412

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano- ther, a wall bracket is only to be ordered for the stacked	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.				
	4528	4704	4105	4140
	-	-	-	-

5 Raster units

5 Raster units 88.0 cm high (89.8 cm high incl. 1.8 cm high plinth adjusters), 33.0; 45.0 or 52.0 cm deep		3 drawers								
NEW Units in 33.0 cm depth!			52.8 cm wide			70.4 cm wide		1	105.6 cm wide	
		33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep	33.0 cm deep	45.0 cm deep	52.0 cm deep
When used as wall units: Max. load 40 kg		5351	5451	5551	5371	5471	5571	5311	5411	5511
Wall units or wall assembly: Please see here the information on page 6 .	Price gr. I II III IV	- - - -	- - - -	- - -	- - -	- - -	- - - -	- - - -	- - - -	- - -

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano- ther, a wall bracket is only to be ordered for the stacked	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.		4704	4405
	4528 -	4704 -	4105 -

Possible arrangements



MULTI-DIELE

6 Raster units

6 Raster units 105.6 cm high (107.4 cm high incl. 1.8 cm				1 do	oor			2 do	pors
high plinth adjusters), 33.0 or 45.0 cm deep			 		 L				
		35.2 c	n wide	52.8 cr	n wide	70.4 cr	n wide	105.6 c	m wide
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	Price gr.	63311 L 63312 R	64311 L 64312 R	63511 L 63512 R	64511 L 64512 R	63711 L 63712 R	64711 L 64712 R	6311	6411
	I II III IV	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
				2 drawers	s; 1 door			2 drawers	s; 2 doors
			L		L		L		
		35.2 c	n wide	52.8 cr	n wide	70.4 cr	n wide	105.6 c	m wide
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	Price gr.	63321 L 63322 R	64321 L 64322 R	63521 L 63522 R	64521 L 64522 R	63721 L 63722 R	64721 L 64722 R	6312	6412
	I II III IV	- - -	- - -	- - -	- - -	- - -	-	- - -	- - -
				3 flaps					
				52.8 cm wide		70.4 cm wide		105.6 cm wide	
	Flap hinge at bottom			33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
				6353	6453	6373	6473	6313	6413
	Price gr.			-	-	-	-	-	-
	III IV			- -	- -	-	-	-	-
						3 drav	wers		
				52.8 cr	n wide	70.4 cr	m wide	105.6 c	m wide
When used as wall units:				52.8 cr 33.0 cm deep	45.0 cm deep	70.4 cr 33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
When used as wall units: Max. load 40 kg	Price or								
When used as wall units: Max. load 40 kg Wall units or wall assembly: Please see here the information	Price gr.			33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep

Wall bracket

E 7.2023


If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.				
	4352	4528	4704	4105
	-	-	-	-

NEO

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!

MULTI-DIELE


8 Raster units



Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano- ther, a wall bracket is only to be ordered for the stacked	for 52.8 cm width	for 70.4 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.		
	4528	4704
	-	-

12 Raster units



Clothes panels and mirrors

Clotnes panels and r	11111015					
4 and 6 Raster clothes		4 Raster clo	thes panels	6 Raster clo	thes panels	
panels 70.4 resp. 105.6 cm high;						
3.8 cm thick;						
35.0 cm deep incl. hat shelf						
Clothes rod in high-gloss chrome			<u></u>			
for fitting anywhere on walls						
		52.8 cm wide	70.4 cm wide	52.8 cm wide	70.4 cm wide	
		incl. hat shelf and clothes rod	incl. hat shelf and clothes rod	incl. hat shelf and clothes rod	incl. hat shelf and clothes rod	
		4951	4971	5951	5971	
	Dui	4951	49/1	5951	59/1	
	Price gr.	-	-	-	-	
		-	-	-	-	
	l iv	-	-	-	-	
12 Raster clothes panels		12 Raster cl	nthes nanels	12 Raster of	othes panels	
211.2 cm high;				12 Haotor of	ouros pariois	
3.8 cm thick; 35.0 cm deep incl. hat shelf		NE	:W			
Clothes rod resp. clothes rod and bag hooks in high-gloss						
chrome						
Special-sized products for the						
12 Raster clothes panels without bag hooks are				o o o		
possible (see special-sized						
products). Optional bag hooks for the		4	4	4	4	
12 Raster clothes panels: see			_			
next page.		52.8 cm wide	70.4 cm wide	52.8 cm wide	70.4 cm wide	
		incl. hat shelf and clothes rod	incl. hat shelf and clothes rod	incl. hat shelf, clothes rod and 3 bag hooks	incl. hat shelf, clothes rod and 3 bag hooks	
		1295101	1297101	12951	12971	
	Price gr.					
	ii	-	- -	-	- -	
	III IV	-	-	-	-	
G 10 Doctor mirroro	IV	-	<u>-</u>	-	<u>-</u>	
6 – 12 Raster mirrors 105.6; 140.8 resp. 211.2 cm		6 Raster	mirrors	8 Raster	mirrors	12 Raster mirror
high;						
0.3 cm thick; on 3.2 cm thick grey lac-						
quered base plate						
for fitting anywhere on walls		//	//			
		#	#			
			,	//	//	//,
						#
		52.8 cm wide	70.4 cm wide	52.8 cm wide	70.4 cm wide	52.8 cm wide
		fittable horizontally and vertically	fittable horizontally and vertically	fittable horizontally and vertically	fittable horizontally and vertically	fittable horizontally and vertically
		70.000.1	70.000.19	70.000.1	· o. downy	
		5952	5972	8952	8972	12952
1		-	-	-	-	-

NEW Bag hooks for 12 Raster clothes panel

Bag hooks for 12 Raster clothes panel Set of 3	
Bag hooks in high-gloss chrome	
	5000013 -

NEW Metal substructures

Metal substructure A

12.8 cm high; for 45.0 and 52.0 cm depth;

high-gloss chrome

Units, low-, side- and highboards can be fitted optionally on a metal substructure. In this case the plinth adjusters are omitted.





 for 105.6 cm width
 for 140.8 cm width

 for 45.0 cm depth
 for 45.0 cm depth
 for 52.0 cm depth

 4012
 5012
 4412
 5412

Metal substructure B

24.5 cm high; for 33.0 cm, 45.0 cm and 52.0 cm depth;

optionally in anthracite structured lacquer (price group I) or in high-gloss chrome (price group II)

Units, low-, side- and highboards can be fitted optionally on a metal substructure. In this case the plinth adjusters are omitted.







	TOT 35.2	2 / 52.8 / 70.4 cm	n wiatn	TO	r 105.6 cm wiat	n	TO	r 140.8 cm wlat	n
	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth
Price gr.	3703	4703	5703	3013	4013	5013	3413	4413	5413
l Š	-	-	-	-	-	-	-	-	-
l II	-	-	-	-	-	-	-	-	-

NEW

Cover shelves

Cover shelf

2.9 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep

All units, low-, side- and highboards can be fitted with an extra cover shelf.

The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.



Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep
Price gr.	3515	3510	3517
I	-	-	-
		-	-
iv	-	-	-

Cover shelf

1.0 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep

All units, low-, side- and highboards can be fitted with an extra cover shelf.

The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.



Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep
Price gr.	3525	3520	3527
1	-	-	-
II III	-	-	-
IV	-	-	-

Cover shelf of rear-lacquered glass

0.8 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep

Please be sure to state the required version in the order!

All units, low-, side- and highboards can be fitted with an extra cover shelf.

The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.



Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep
	3535 -	3530 -	3537 -

Cover shelf of ceramic

0.6 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep

All units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.



Price per 10 cm section:

	33.0 cm deep	45.0 cm deep	52.0 cm deep
	3545	3540	3547
	-	-	-

Please be sure to state the required version in the order!

Fitted shelves - behind doors

Fitted shelves - behind doors 1.9 cm thick (2.9 cm thick for 105,6 cm width) Depths: 27.5 cm (for 33.0 cm depth), 39.5 cm (for 45.0 cm depth) or 46.5 cm (for 52.0		fo	r 35.2 cm wie	dth	fo	ır 52.8 cm wi	dth	foi	r 70.4 cm wid	lth	for	105.6 cm wid	dth
cm dépth)		for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth
		133	134	137	153	154	157	173	174	177	1103	1104	1107
	Price gr.												
	ii	-	-	-	-	-	-	-	-	-	-	-	-
	III IV	-	-	-	-	-	-	-	-	-	-	-	-

Fitted shelves – behind flaps

TILLOG SHOIVES DOM	iiu iiup	•											
Fitted shelves - behind flaps 1.9 cm thick (2.9 cm thick for 105.6 cm width) Depths: 21.5 cm (for 33.0 cm													
depth), 33.5 cm (for 45.0 cm depth) or 40.5 cm (for 52.0					fo	r 52.8 cm wid	dth	for 70.4 cm width			for 105.6 cm width		
cm depth)		for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth
		1338	1348	1378	1538	1548	1578	1738	1748	1778	11038	11048	11078
	Price gr.												
			-	-		-	-	-	-	-	-	-	-
	III IV	-	-	-	-	-	-	-	-	-	-	-	-
I	110	I -	_	I -	I -	_	1 -	_	_	1			_

Shoe rack

Shoe rack 0.2 cm thick; for 33.0; 45.0 or 52.0 cm depth of metal, silver colour anodised			NEW I	Modified type numbers!		
Required assembly height: 13.0 cm (for 52.8 cm width)	for 52.8 cm width					
resp. 9.8 cm (for 70.4 cm width)	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth
	15300 -	15400 -	15700 -	17300 -	17400 -	17700 -

Seat upholstery

Seat upholstery 5.0 cm high; for 45.0 or 52.0 cm depth Material identification: see range introduction page Important note:		NE	EW E	Modified type numbers!						
For static reasons, a compart- ment below the seat upholste-		for 52.8 (cm width	for 70.4 (cm width	for 105.6	cm width	for 140.8 cm width		
ry may only be max. 70.4 cm wide. For wider compartments,		for 45.0 cm depth	for 52.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	
a full-length partition must be planned.	n: on page NEW Modified type numbers! compart- upholste- 70.4 cm partments, n must be NEW for 52.8 cm width for 70.4 cm width for 105.6 cm width for 45.0 cm depth for 52.0 cm depth for 52.0 cm depth for 45.0									
Not for sale in the UK!		7530 -	5530 -	7730	5730 -	7103 -	5103 -	7143 -	5143 -	

NEW Pull-out clothes rod

Pull-out clothes rod 6.8 cm high	
for fitting under constructional shelves in units	
Max. load: 15 kg	e = = = = = = = = = = = = = = = = = = =
	5000734

Lamps

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).

				3-,	
LED light strip for fitting under wall units	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
	1.6 W	2.8 W	4.7 W	7.1 W	9.8 W
//		NEW	Modified type numbers!		
This product contains a light source of energy efficiency class F. 12 V.	322 -	522 -	822	112 -	142
Integrated LED spotlamp Ø 7.1 cm; for fitting in units			2.9 W	I	
Later fitting is not possible.					
This product contains a light source of energy efficiency class F. 12 V.					

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.



7941

2119

18.



TETRIM MULTI-DIELE

MULTI-DIELE TETRIM





TETRIM MULTI-DIELE

Lists of versions

Version no.	Carcase, fronts and clothes panels	Price group	Version no.	Open compartments **: Frame version / inside carcase version	Version no.	Cover shelves	Price group
1058 1685 2208	Pure white lacquer Grey lacquer Silk grey lacquer		2344 2345	bronze-colour / satinised glass, rear-lacquered grey-brown silver-colour / satinised mirror glass	1058 1685 2208	Pure white lacquer Grey lacquer Silk grey lacquer	
1260 1529 2205 1696 2200	Natural oak Core walnut High-gloss pure white lacquer * High-gloss grey lacquer * High-gloss silk grey lacquer *	=======================================			1260 1529 2205 1696 2200	Natural oak Core walnut High-gloss pure white lacquer High-gloss grey lacquer High-gloss silk grey lacquer	
RALM	Free colour choice according to the RAL colour system - Matt lacquer	III			RALM	Free colour choice according to the RAL colour system - Matt lacquer	"
RALH	Free colour choice according to the RAL colour system - High-gloss lacquer	IV			RALH	Free colour choice according to the RAL colour system - High-gloss lacquer	IV
Fabric no.	Continuitation]		1749 1698 2297	Rear-lacquered glass pure white Rear-lacquered glass grey Rear-lacquered glass silk grey	
rapric iio.	Seat upholstery				2369 2370 2435 2262	Ceramic zaha stone Ceramic storm nero Ceramic white Ceramic grey	
S451	Artificial leather with structure white	9	Motorial id	entification artificial leather	2268	Ceramic calacatta	
S453	Artificial leather with structure taupo	е	with structor top: 100% p	u re: olyurethane, below: 41%	2269 2270	Ceramic concrete Ceramic pulpis	
S455	Artificial leather with structure brow grey	'n	Not for sale	polyethylene, 20% cotton			

The interior carcase of the high-gloss lacquer versions is in a matching matt lacquer colour.

Changing versions

Colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

Free colour choice according to the RAL colour system

The RAL colour system

Determine almost any desired colour and colour combination yourself – it's easy with the RAL colour system. RAL colours are standardised colours that are assigned a unique number and are used in a number of colour systems and colour catalogues that are used worldwide. No matter which colour you choose: every colour trend finds the ideal application in this collection from hülsta.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

^{**} Open compartments with aluminium frame; frame bronze-colour and interior carcase of satinised glass, rear-lacquered grey-brown or with silver-colour frame and interior carcase of satinised mirror glass. It is not possible to change the colours of the frame and interior carcase.

TETRIM **MULTI-DIELE**

Important notes

Changing versions:

Colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

Glass cover shelves:

Please be sure to state the required version of the rear-lacquered glass cover shelves in the order!

Ceramic cover shelves:

Please be sure to state the required version of the ceramic cover shelves in the order!

Open compartments:

Open compartments with aluminium frame; frame bronze-colour and interior carcase of satinised glass, rear-lacquered grey-brown or with silver-colour frame and interior carcase of satinised mirror glass. It is not possible to change the colours of the frame and interior carcase. Please be sure to state the required version of the open compartments in the order!

Standard interior fittings:

Fitted wooden shelves are included behind doors at 2 Raster intervals.

Switch cable (when using a foot switch in combination with open compartments with a bronzecoloured frame):

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. If the warm white start colour is desired for open compartments with a bronze-coloured frame, the switch cable supplied in fittings bag 2907 must also be used in accordance with the assembly instructions. 1 switch cable is supplied per open compartment with a bronze-coloured frame. The use of a radio remote control with change of colour temperature is also possible (at a surcharge)

Drawer frames in standard grev

Wall units:

If units are to be included as wall units, a wall bracket must be ordered.

Stacked units:

If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit resp. stacked in an off-set position.

Combinations of floor and wall units:

If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

Max. load:

Max. load of wooden shelves (up to 70.4 cm width) as well as drawers: 25 kg

Max. load of wooden shelves (between 70.4 and 105.6 cm width): 15 kg

Max. load of wooden shelves (from 105.6 cm width): 10 kg

Max. load of cover shelves: 35 kg per metre length for floor units.

Max. load of units when used as a seat accommodation: 110 kg for floor units.

Please also note any existing maximum load information for individual units which may be stated later, the general load information for wall units as well as the important notes on the quality of walls at the end of this type list.

hülsta-Push-to-open:

Drawers, flaps and hinge-doors with hülsta-Push-to-open device. All drawers on hidden bearings as fully pull-out units.

Wall units

If the 1 to 3 Raster units are included as wall units, a maximum load per unit of 15 kg per metre must not be exceeded for reasons of stability! Max. load 15 kg per metre:

52.8 cm width: 7.5 kg 70.4 cm width: 10.0 kg 105.6 cm width: 15.0 kg 140.8 cm width: 20.0 kg

If the 4 to 10 Raster units are included as wall units, a maximum load per unit of 40 kg must not be exceeded for reasons of stability!

The wall units can only be fitted on absolutely solid walls. Light masonry is not suitable for this

For each project please remember to leave a 2.0 cm gap at the top to be able to mount units.

If units are planned as wall units, a wall bracket must be ordered

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15.

For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over - especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition"

Notes on delivery

Notes on delivery:

3

The majority of the units are delivered standard as fully connected units (glued) so that the carcase cannot be disassembled. There are however some exceptions to this rule:

Some carcases are delivered as complete units but can be disassembled into individual sections in the final customer's home. These types are marked with a 1 in the type list.

Some carcases are delivered in individual sections because of their size. These types are marked with a 2 in the type list.

The fronts with the number 2 are delivered separately and can therefore always be (dis-)

Information on the sketches

Split drawer frames are used for drawers in front widths of 140.8 cm (the partitions are shown by dotted lines in the sketches).






2

MULTI-DIELE

TETRIM MULTI-DIELE

Special combinations



TETRIM MULTI-DIELE

2 Raster units

2 Raster units 35.2 cm high (37,0 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep

				1 dra	awer			
								3
	52.8 ci	m wide	70.4 c	m wide	105.6 c	m wide	140.8 0	m wide
	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	2351	2451	23710	2471	23110	2411	23410	2441
Price gr.	-	-	_	-	_	_	-	-
III	-	-	- -	-	-	-	-	-
IV	-	-	-	-	-	-	-	-
				1 f	lap			
								€ 3
	52.8 ci	m wide	70.4 ci	m wide	105.6 c	m wide	140.8 0	m wide
Flap hinge at bottom	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	2352	2452	23720	2472	2312	2412	2342	2442
Price gr.	-	-	-	-	-	-	-	-
III	-	-	- -	- -	-	-	-	-
IV	-	-	-	-	-	-	-	-
			1 open compar	tment; 1 drawer		1 flap; 1 oper	n compartment	
					V		V	3
			70.4 cı	n wide	105.6 c	m wide	140.8 c	m wide
Flap hinge at bottom			33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
as illustr. v. versa			23741 23742	24741 24742	23151 23152	24151 24152	23451 23452	24451 24452
Price gr.			-	-	-	-	-	-
II III			- -	-	-	-	-	-
IV			1 0000 000	mpartment	-	-	-	-
			i open co	mpartment				
			70.4 ci	m wide				
			33.0 cm deep	45.0 cm deep				
			2375	2475				
Price gr.			_	-				
II III				-				
IV	1		_	_				

Wall bracket

When used as wall units or stacked units:
Max. load 15 kg per metre:
52.8 cm width: 7.5 kg
70.4 cm width: 10.0 kg
105.6 cm width: 15.0 kg
140.8 cm width: 20.0 kg

Wall units or wall assembly: Please see here the information on page 22.

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano- ther, a wall bracket is only to be ordered for the stacked	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.				
	4528	4704	4105	4140
	<u> </u>	<u> </u>		<u> </u>

MULTI-DIELE

3 and 4 Raster units


3 and 4 Raster units													
3 Raster units						2 drawers					2 drawers	s; 1 open con	npartment
52.8 cm high (54.6 cm high incl. 1.8 cm													
high plinth adjusters),								_		_			\geq
33.0; 45.0 or 52.0 cm deep										_			3
50.0 am daan unita aannat								L					
52.0 cm deep units cannot be used as wall units!		į	52.8 cm wid	le	7	0.4 cm wid	е	1	05.6 cm wi	de	14	40.8 cm wid	de
		33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm
		deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep
	as illustr. v. versa	3351	3451	3551	3371	3471	3571	3311	3411	3511	33411 33412	34411 34412	35411 35412
	Price gr.	_	_	_	_	_	_	_	_	_	-	-	-
	11.	-	-	-	-	-	-	-	-	-	-	-	-
	III IV	-	-	-	-	-	-	-	-	-	-	-	-
						flap; 1 drawe	r	I		1	21	flaps; 2 draw	ers
					,	nup, r uruw	,,				2.	napo, z araw	510
													_
				V			· \	Γ		- ` ` v			3
								L					<u> </u>
When used as wall units or stacked units:		ı	52.8 cm wid	le	l 7	'0.4 cm wid	e	l 1	05.6 cm wid	de	1,	40.8 cm wid	de.
Max. load 15 kg per metre: 52.8 cm width: 7.5 kg	Flap hinge at		45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm
70.4 cm width: 10.0 kg 105.6 cm width: 15.0 kg	bottom	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep
140.8 cm width: 20.0 kg		3352	3452	3552	3372	3472	3572	3312	3412	3512	3342	3442	3542
	Price gr.	_	_	_	_	_	_	_	_	_	_	_	_
Wall units or wall assembly:	ii	-	-	-	-	-	-	-	-	-	-	-	-
Please see here the information on page 22 .	III IV	-	-	-	- -	-	-	-	-	-	-	-	-
4 Raster units		1				3 drawers		I			1		
70.4 cm high (72.2 cm high incl. 1.8 cm													
high plinth adjusters),													
33.0; 45.0 or 52.0 cm deep										_			
		į	52.8 cm wid	le	7	0.4 cm wid	e	1	05.6 cm wid	de	[
		33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm			
		deep	deep	deep	deep	deep	deep	deep	deep	deep			
		4351	4451	4551	4371	4471	4571	4311	4411	4511			
	Price gr.	_	-	_	_	-	-	-	-	_			
	II III	-	-	-	-	-	-	-	-	-			
	iv] -	-	-	-	-	-	-	-	-			
				1 (loor				2 doors		3 (doors; 1 drav	/er
											N		
													3
				L			L				Ų		
		5	52.8 cm wid	le	7	0.4 cm wide	Э	10	05.6 cm wid	le	14	40.8 cm wid	de
		33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm	33.0 cm	45.0 cm	52.0 cm
When used as wall units:	an illustra	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep	deep
Max. load 40 kg	as illustr. v. versa	43521 L 43522 R	44521 L 44522 R	45521 L 45522 R	43721 L	44721 L 44722 R	45721 L	4312	4412	4512	43411 43412	44411 44412	45411 45412
	Price gr.							_	_	_	-	-	-
Wall units or wall assembly:	<u>ii.</u>	-	-	-	-	-	-	-	-	-	-	-	-
Please see here the information on page 22 .	III IV		-	-		-	-	-	-	-		_	-
1	1	l		1	ı			i e		1	1		

Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.				
	4528	4704	4105	4140
	-	-	-	-

TETRIM MULTI-DIELE

5 Raster units



Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked unit(s) if the stacked unit is wider than the floor unit or if	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.	4528	4704 -	4105 -	

Possible arrangements



MULTI-DIELE


6 Raster units

6 Raster units 105.6 cm high (107.4 cm high incl. 1.8 cm high plinth adjusters), 33.0 or 45.0 cm deep			L	1 dc	DOOR L			2 d	pors
		35.2 c	m wide	52.8 cr	m wide	70.4 cm wide		105.6 cm wide	
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	Price gr.	63311 L 63312 R	64311 L 64312 R	63511 L 63512 R	64511 L 64512 R	63711 L 63712 R	64711 L 64712 R	6311	6411
	II III IV	- - -	- - -	- - -	- - -	- - - -	- - -	- - -	- - -
			2 drawers; 1 door					2 drawer	s; 2 doors
			L		L		L		
		35.2 c	m wide	52.8 cr	n wide	70.4 cı	n wide	105.6 c	m wide
		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	Price gr.	63321 L 63322 R	64321 L 64322 R	63521 L 63522 R	64521 L 64522 R	63721 L 63722 R	64721 L 64722 R	6312	6412
	li li	-	-	-	-	-	-	-	-
	III IV	-	-	-	-	-	-	-	-
		1 door; 1 oper	n compartment			3 fla	aps		
			J _L						
		35.2 c	m wide	52.8 cm wide		70.4 cm wide		105.6 cm wide	
	Flap hinge at bottom	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
	Price gr.	63331 L 63332 R	64331 L 64332 R	6353	6453	6373	6473	6313	6413
	li	-	-	-	- -	-	-	-	-
	III IV	-	-	-	-	-	-	-	-
		1 door; 1 open	compartment			3 dra	wers		
			L						
		35.2 c	m wide	52.8 cr	n wide	70.4 ci	m wide	105.6 c	m wide
When used as wall unite		33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep	33.0 cm deep	45.0 cm deep
When used as wall units: Max. load 40 kg	Price gr.	63341 L 63342 R	64341 L 64342 R	6354	6454	6374	6474	6314	6414
Wall units or wall assembly:		-	-	-	-		-	-	-
Please see here the information on page 22.	III IV	- -	-	-	-	-	-	-	-

Wall bracket


If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one another, a wall bracket is only to be ordered for the stacked	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.				
	4352	4528	4704	4105
	-	-	-	-

E 7.2023



MULTI-DIELE

8 Raster units




Wall bracket

If units are to be included as wall units, a wall bracket must be ordered. If units are stacked on top of one ano- ther, a wall bracket is only to be ordered for the stacked	for 52.8 cm width	for 70.4 cm width	for 70.4 cm width
unit(s) if the stacked unit is wider than the floor unit or if the units are stacked in an off-set position.			
	4528	4704	4704
	-	-	-

TETRIM MULTI-DIELE

12 Raster units



TETRIM

Clothes panels and mirrors

4 Feater damks pursus 1/2 Element 1.05 Cent high- 2/2 Element but hald Clathies and in high- 2/2 Element hald 2/2 Element hald 2/2 Element hald 2/2 Element hald 2/2 Element damks pursus 2/2 Ele	Clotnes panels and I	IIIITTOTS					
Panels 3.5 cm deep not hat shed Cibrise and in high-gloss from it fitting anywhere on walls 6.2.8 cm wide 7.0.4 cm wide 6.2.8 cm wide 7.0.4 cm wide 7.0			4 Raster clo	thes panels	6 Raster clo	thes panels	
2.8 cm mich mich size of in high-gloss chonne for fitting anywhere on walls 5.2.8 cm wide 7.0.4 cm wide 5.2.8 cm wide 7.0.4 cm wide 5.2.8 cm wide 7.0.4 cm wide 7.0.							
SS. 8 cm wide SS. 8							
Section Sect							
52.8 cm wide 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 10cl. hat shell and clothes 10dl. hat shell and clothes 12 Raster clothes panels 21.2 cm high; 3.8 cm blick; 3.8 c							
S2.8 cm wide T0.4 cm wide S2.8 cm wide T0.4							
Incl. hat dreef and clothes incl. hit dreef and clothes incl. hat shelf and clothes panels incl. hat shelf and clothes panels incl. hat shelf	for fitting anywhere on walls						
Incl. hat dreef and clothes incl. hit dreef and clothes incl. hat shelf and clothes panels incl. hat shelf and clothes panels incl. hat shelf							
Incl. hat dreef and clothes incl. hit dreef and clothes incl. hat shelf and clothes panels incl. hat shelf and clothes panels incl. hat shelf							
Incl. hat dreef and clothes incl. hit dreef and clothes incl. hat shelf and clothes panels incl. hat shelf and clothes panels incl. hat shelf							
Incl. hat dreef and clothes incl. hit dreef and clothes incl. hat shelf and clothes panels incl. hat shelf and clothes panels incl. hat shelf							
Incl. hat dreef and clothes incl. hit dreef and clothes incl. hat shelf and clothes panels incl. hat shelf and clothes panels incl. hat shelf				_			
rod							
### A951							
Price gr.							
12 Raster clothes panels 21 12 cm high; 3.8 cm thick; 3.6 cm deep incl. hat shelf Clothes rad resp. clothes panels without bag hooks are possible (see special-sized products) Optional bag hooks for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels; see next page.		Price gr.					
12 Raster clothes panels 21 12 cm high; 3.8 cm thick; 3.6 cm deep incl. hat shelf Clothes rad resp. clothes panels without bag hooks are possible (see special-sized products) Optional bag hooks for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels; see next page.		l Č	-	-	-	-	
12 Rester clothes panels 13 Rester clothes panels 14 Rester clothes panels 15 Rester clothes p			-	-	- -	-	
211.2 cm high; 3.6 cm thick; 3.5 cm deep incl. hat shelf Clothes rod resp. clothes rod and bug hooks in high-gloss chrome Special-sized products for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels: see mext page. 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 1295101 1297101 12951 12971 12971 12971 6 Raster mirrors 10.5,6; 140.8 resp. 211.2 cm high; 0 3.2 cm thick; on 3.2 cm thick; grey lac- quieted base plate for fitting anywhere on walls 52.8 cm wide 70.4 cm wide 6 Raster mirrors 12 Raster mirror 13 Raster mirror 14 Raster mirror 15 Raster mirror 16 Raster mirror 16 Raster mirror 17 Raster mirror 18 Raster mirror 19 Raster mirror 10 Raster mirror 10 Raster mirror 11 Raster mirror 12 Raster mirror 13 Raster mirror 14 Raster mirror 15 Raster mirror 16 Raster mirror 16 Raster mirror 17 Raster mirror 18 Raster mirror 19 Raster mirror 10 Raster mirror 10 Raster mirror 11 Raster mirror 12 Raster mirror 13 Raster mirror 14 Raster mirror 15 Raster mirror 16 Raster mirror 17 Raster mirror 18 Raster mirror 19 Raster mirror 10 Raster mirror 10 Raster mirror 10 Raster mirror 11 Raster mirror 12 Raster mirror 13 Raster mirror 14 Raster mirror 15 Raster mirror 16 Raster mirror 17 Raster mirror 18 Raster mirror 19 Raster mirror 19 Raster mirror 10 Raster mirror 10 Raster mirror 10 Raster mirror 11 Raster mirror 12 Raster mirror 13 Raster mirror 14 Raster mirror 15 Raster mirror 16 Raster mirror 17 Raster mirror 18 Raster mirror 19 Raster mirror 19 Raster mirror 10 Raster mirror 10 Raster mirror 10 Raster mirror 11 Raster mirror 12 Raster mirror 13 Raster mirror 14 Raster mirror 15 Raster mirror 16 Raster mirror 17 Raster mirror 18 Raster mirror 19 Raster mirror 19 Raster mirror 10 Raster mirror 10 Raster			-	-	-	-	
211.2 cm high; 3.6 cm deep incl. hat shelf Clothes rod resp. clothes rod and bag hooks in high-gloss chrome Special-sized products for the 12 Raster clothes panels without bag hooks are possible (see special-sized products) Optional bag hooks for the 12 Raster clothes panels: see next page. 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 70.4 cm wide 70.4 cm wide 70.4 cm wide 1295101 1297101 12981 129971 129971 12981 12981 129971 129971 12981 129971 12981 129971 12981 129971 129971 12981 129971 129971 12981 129971 1299			12 Raster cl	othes panels	12 Raster cl	othes panels	
Special-sized products for the 12 Raster dothes panels without hap holks are possible (see special-sized products). Optional bag hooks for the 12 Raster dothes panels see next page. Incl. hat shelf and dothes incl. hat shelf, dothes and and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf and dothes incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and incl. hat shelf, dothes and 3 hap hooks are next page. Incl. hat shelf, dothes and inc							
and bag hooks in high-gloss chrome Special-sized products for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels: see next page. Frice gr.	35.0 cm deep incl. hat shelf						
and bag hooks in high-gloss chrome Special-sized products for the 12 Raster clothes panels without bag hooks are possible (see special-sized products). Optional bag hooks for the 12 Raster clothes panels: see next page. Frice gr.	Clothes rod resp. clothes rod						
Special-sized products for the 12 Raster Clothes panels without bag hooks are possible (see sepcial-sized products). Optional bag hooks for the 2 Raster clothes panels: see next page.	and bag hooks in high-gloss						
12 Raster clothes panels without bag hooks for the 12 Raster clothes panels: see mext page. Incl. hat shelf and clothes Foundaries Foundaries	chrome						
12 Raster clothes panels without bag hooks for the 12 Raster clothes panels: see mext page. Incl. hat shelf and clothes Foundaries Foundaries							
without bag hooks are possible (see special sized products). Optional bag hooks for the 12 Raster clothes panels; see next page. Incl. hat shelf and clothes rod Incl. hat shelf and clothes rod Incl. hat shelf, clothes rod and 3 bag hooks	Special-sized products for the						
products). Optional bag hooks for the 12 Raster clothes panels: see next page. Incl. hat shelf and clothes Frice gr.	without bag hooks are				a a a		
Optional bag hooks for the 12 Raster clothes panels: see next page. Solution Soluti							
12 Raster clothes panels: see next page. 12 Raster clothes panels: see next page. 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm w	Optional bag hooks for the		4	4	4	4	
incl. hat shelf and clothes rod and 3 bag hooks 1295101 1297101 12951 12971				70.4 cm wide	52 8 cm wide	70.4 cm wide	
rod rod and 3 bag hooks and 3 bag hooks 1295101 1297101 12951 12971 Price gr.	next page.		l				
Price gr. I							
6 – 12 Raster mirrors 105.6; 140.8 resp. 211.2 cm high; 0.3 cm thick; on 3.2 cm thick grey lac- quered base plate for fitting anywhere on walls 52.8 cm wide fittable horizontally and vertically fittable horizontally and vertically fittable horizontally and vertically recommended			1295101	1297101	12951	12971	
6 - 12 Raster mirrors 105.6; 140.8 resp. 211.2 cm high; 0.3 cm thick; on 3.2 cm thick grey lac- quered base plate for fitting anywhere on walls 52.8 cm wide 70.4 cm wide 52.8 cm wide fittable horizontally and vertically vertically fittable horizontally and vertically vertically fittable horizontally and vertically vertically		Price gr.					
6 - 12 Raster mirrors 105.6; 140.8 resp. 211.2 cm high; 0.3 cm thick; on 3.2 cm thick grey lac- quered base plate for fitting anywhere on walls 52.8 cm wide 70.4 cm wide 52.8 cm wide fittable horizontally and vertically vertically fittable horizontally and vertically vertically fittable horizontally and vertically vertically			-	-	-	-	
6 - 12 Raster mirrors 105.6; 140.8 resp. 211.2 cm high; 0.3 cm thick; on 3.2 cm thick grey lac- quered base plate for fitting anywhere on walls 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 70.4 cm wide 6 Raster mirrors 12 Raster mirror 12 Raster mirror 12 Raster mirror 12 Raster mirror 13 Raster mirror 14 Raster mirror 15 Raster mirror 15 Raster mirror 15 Raster mirror 16 Raster mirror 17 Raster mirror 18 Raster mirror 18 Raster mirror 19 Raster mirror 10 Raster mirror 10 Raster mirror 10 Raster mirror 12 Raster mirror 12 Raster mirror 13 Raster mirror 14 Raster mirror 15 Raster mirror 15 Raster mirror 15 Raster mirror 16 Raster mirror 16 Raster mirror 17 Raster mirror 18 Raster mirror 18 Raster mirror 18 Raster mirror 18 Raster mirror 19 Raster mirror 10		III	-	-	-	-	
105.6; 140.8 resp. 211.2 cm high; 0.3 cm thick; on 3.2 cm thick grey lacquered base plate for fitting anywhere on walls 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 52.8 cm wide fittable horizontally and vertically vertically fittable horizontally and vertically vertically fittable horizontally and vertically		IV	-	-	-	-	
high; 0.3 cm thick; on 3.2 cm thick grey lac- quered base plate for fitting anywhere on walls 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 70.4 cm wide 52.8 cm wide 70.4	6 – 12 Raster mirrors		6 Raster	mirrors	8 Raster	mirrors	12 Raster mirror
on 3.2 cm thick grey lacquered base plate for fitting anywhere on walls 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide	high;						
quered base plate for fitting anywhere on walls	0.3 cm thick;						
52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 52.8 cm wide fittable horizontally and vertically retrically and vertically retrically	quered base plate						
52.8 cm wide 70.4 cm wide 52.8 cm wide 70.4 cm wide 52.8 cm wide fittable horizontally and vertically retrically and vertically retrically	for fitting anywhere on walls		 	1/			
fittable horizontally and vertically and vertically and vertically vertically vertically vertically vertically	lor many anywhere on wans		//			//	
fittable horizontally and vertically and vertically and vertically vertically vertically vertically vertically			"	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		//	
fittable horizontally and vertically and vertically and vertically vertically vertically vertically vertically							
fittable horizontally and vertically and vertically and vertically vertically vertically vertically vertically							
fittable horizontally and vertically and vertically and vertically vertically vertically vertically vertically							
fittable horizontally and vertically and vertically and vertically vertically vertically vertically vertically							
fittable horizontally and vertically and vertically and vertically vertically vertically vertically vertically			52,8 cm wide	70,4 cm wide	52,8 cm wide	70.4 cm wide	52,8 cm wide
			fittable horizontally and	fittable horizontally and	fittable horizontally and	fittable horizontally and	fittable horizontally and
9902 0912 0902 0912 12902							
			3932	3912	0902	0312	12332
)		-	-	-	-	-

MULTI-DIELE

Bag hooks for 12 Raster clothes panel

Bag hooks for 12 Raster clothes panel Set of 3 Bag hooks in high-gloss chrome	
	5000013

Cover shelf 1.0 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep					
All units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the		Price p	er 10 cm section:		
combination needs to be calculated here. The cover shelves are full-length up to a max. 268.0 cm width.		33.0 cm deep	45.0 cm deep	52.0 cm deep	
		3525	3520	3527	
	Price gr. I II III IV	- - - -	- - -	- - -	
Cover shelf of rear-lacquered glass 0.8 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep					
Ill units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the	Price per 10 cm section:				
combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width. Please be sure to state the required version in the order!		33.0 cm deep	45.0 cm deep	52.0 cm deep	
		3535	3530	3537	
		_	_	_	
sover shelf of ceramic .6 cm thick; 33.0 cm, 45.0 cm or 52.0 cm deep					
Ill units, low-, side- and highboards can be fitted with an extra cover shelf. The cover shelf is charged in 10 cm lengths or parts thereof. To make things easier, only the total width of the combination needs to be calculated here. The cover shelves are full-length up to a max. 299.2 cm width.	Price per 10 cm section:				
Please be sure to state the required version in the order!		33.0 cm deep	45.0 cm deep	52.0 cm deep	
		3545	3540	3547	


TETRIM MULTI-DIELE

Fitted shelves - behind doors

Fitted shelves behind doors

1.9 cm thick (2.9 cm thick for 105,6 cm width)

Depths: 27.5 cm (for 33.0 cm depth), 39.5 cm (for 45.0 cm depth) or 46.5 cm (for 52.0 cm depth)



Fitted shelves - behind flaps

Fitted shelves

– behind flaps

1.9 cm thick (2.9 cm thick for 105.6 cm width)

Depths: 21.5 cm (for 33.0 cm depth), 33.5 cm (for 45.0 cm depth) or 40.5 cm (for 52.0 cm depth)

	fo	r 35.2 cm wid	ith	for	r 52.8 cm wid	dth	foi	70.4 cm wid	lth	for	105.6 cm wid	lth
	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth
	1338	1348	1378	1538	1548	1578	1738	1748	1778	11038	11048	11078
Price gr.												
<u> </u>	-	-	-	-	-	-	-	-	-	-	-	-
	_	-	-	-	-	-	-	-	-	-	-	-
iv	_	-	_	-	-	-	-	-	_	-	-	-

Shoe rack

Shoe rack 0.2 cm thick; for 33.0; 45.0 or 52.0 cm

of metal, silver-colour anodised

Required assembly height: 13.0 cm (for 52.8 cm width) resp. 9.8 cm (for 70.4 cm width)

	for 52.8 cm width			for 70.4 cm width	
for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 33.0 cm depth	for 45.0 cm depth	for 52.0 cm depth
1530	1540 -	1570 -	1730 -	1740 -	1770

Seat upholstery

Seat upholstery

5.0 cm high; for 45.0 or 52.0 cm depth Material identification: see range introduction page Important note: For static reasons, a compartment below the seat upholste ry may only be max. 70.4 cm

wide. For wider compartments a full-length partition must be planned. Not for sale in the UK!

t-								
e-	for 52.8 (cm width	for 70.4 o	cm width	for 105.6	cm width	for 140.8	cm width
ts,	for 45.0 cm depth	for 52.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 45.0 cm depth	for 52.0 cm depth	for 45.0 cm depth	for 52.0 cm depth
е								
	753	553	773	573	7103	5103	7143	5143
	-	-	-	-	-	-	-	-

32

TETRIM MULTI-DIELE

Pull-out clothes rod

Pull-out clothes rod 6.8 cm high	
for fitting under constructional shelves in units	
Max. load: 15 kg	ε = = = = = = = = = = = = = = = = = = =
	5000734
	-

LED lamps incl. foot switch. A radio remote control is possible for operation (against a

Lamps		LLD lamps inc	i. ioot switch	SU	rcharge).	or operation (against a
LED light strip for fitting under wall units	for 35.2 cm width	for 52.8 cm width	for 70.4	cm width	for 105.6 cm width	for 140.8 cm width
Later fitting is not possible.	1.6 W	2.8 W	4.7	W	7.1 W	9.8 W
///						
This product contains a light source of energy efficiency class F. 12 V.	322 -	522 -	82	22	112 -	142 -
Integrated LED spotlamp Ø 7.1 cm; for fitting in units		•	2.9) W		
Later fitting is not possible.						
This product contains a light source of energy efficiency class F. 12 V.			79	41		
LED frame lamps for fitting in frame of open compartments				Frame form:		14.5 W
This product contains a light source of energy efficiency class E. 12 V.	Frame form:	9.0 W	I	Frame form:	MANA	17.2 W
	Frame form:	14.5 V	V	Frame form:	A TOTAL STATE OF THE PARTY OF T	= - 17.2 W -
				Frame form:	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	22.7 W
		7954 -			7955 -	

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.



2119

E 7, 2023

GENTIS MULTI-DIELE

MULTI-DIELE GENTIS



Lists of versions

Version no.	Carcase and front, end units	Price group	Version no.	Carcase and front of accent units, accent rear wall, clothes panels	Price group
1058 0299 1685 2208	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer		1058 0299 1685 2208	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer	1
2205 1002 1696 2200 RALM	High-gloss pure white lacquer * High-gloss white lacquer * High-gloss grey lacquer * High-gloss silk grey lacquer * Free colour choice according to the RAL colour system - Matt lacquer ** Free colour choice according	 	1260 1529 2205 1002 1696 2200 RALM	Natural oak Core walnut High-gloss pure white lacquer High-gloss white lacquer High-gloss grey lacquer High-gloss silk grey lacquer Free colour choice according to the RAL colour system - Matt lacquer	
	to the RAL colour system - High-gloss lacquer **		2229 2423 2230 RALH	Knotted oak Knotted oak anthracite Knotted core walnut Free colour choice according to the RAL colour system - High-gloss lacquer	IV IV IV

The interior carcase and the interior surfaces of the high-gloss lacquer versions are in a matching matt lacquer colour. The same applies to the straight outer side of the lowboards with rounded end at one side.

The interior carcase of the RAL matt lacquer and RAL high-gloss lacquer versions is optionally in a pure white, white, grey or silk grey matt lacquer. The same applies to the straight outer side of the lowboards with rounded end at one side. Please state the required version clearly in the order!

GENTIS MULTI-DIELE

Lists of versions

Version no.	Cover shelves	Price group	Fabric no.	Seat upholstery
1058 0299 1685 2208 2205 1002 1696 2200 RALM	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer High-gloss pure white lacquer High-gloss white lacquer High-gloss grey lacquer High-gloss silk grey lacquer Free colour choice according to the RAL colour system - Matt lacquer	 - - - - - - - -	S451 S453 S455	Artificial leather with structure white Artificial leather with structure taupe Artificial leather with structure brown grey Material identification artificial leather with structure: top: 100% polyurethane, below: 41% leather, 39% polyethylene, 20% cotton Not for sale in the UK!
1749 1699 1698 2297 2369 2370 2435 2262 2268 2269 2270	Free colour choice according to the RAL colour system - High-gloss lacquer Rear-lacquered glass pure white Rear-lacquered glass white Rear-lacquered glass grey Rear-lacquered glass silk grey Ceramic zaha stone Ceramic storm nero Ceramic white Ceramic grey Ceramic calacatta Ceramic concrete Ceramic pulpis	IV		

Free colour choice according to the RAL colour system

The RAL colour system

Determine almost any desired colour and colour combination yourself – it's easy with the RAL colour system. RAL colours are standardised colours that are assigned a unique number and are used in a number of colour systems and colour catalogues that are used worldwide. No matter which colour you choose: every colour trend finds the ideal application in this collection from hülsta.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV, depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

GENTIS MULTI-DIELE

Important notes

Glass cover shelves:

Please be sure to state the required version of the rear-lacquered glass cover shelves in the order!

Ceramic cover shelves:

Please be sure to state the required version of the ceramic cover shelves in the order!

Glass versions:

Outer glass sides of 8 Raster units with accent rear wall of bronzed glass.

Accent units, accent rear wall:

Accent units and accent rear wall are possible in all versions.

Interior carcase:

The interior carcase and the interior surfaces of the high-gloss lacquer versions are in a matching matt lacquer colour. The same applies to the straight outer side of the lowboards with rounded end at one side. The interior carcase of the RAL matt lacquer and RAL high-gloss lacquer versions is optionally in a pure white, white, grey or silk grey matt lacquer. The same applies to the straight outer side of the lowboards with rounded end at one side. Please state the required version clearly in the order!

Hinge-doors for end units:

The sideward distance must be 27 cm (per door) to open doors fully.

Standard interior fittings:

Fitted wooden shelves are included behind doors at 2 Raster intervals.

Functional frame:

Functional frame always in white lacquer.

Drawer frames in grev

Wall units:

If units are to be included as wall units, a wall bracket must be ordered.

Combinations of floor and wall units:

If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

May Inac

Max. load of wooden and glass shelves (up to 70.4 cm width) as well as drawers: 25 kg

Max. load of wooden and glass shelves (between 70.4 and 105.6 cm width): 15 kg Max. load of wooden and glass shelves (from 105.6 cm wide): 10 kg

Max. load of wooden and glass shelves (from 105.6 cm wide): 10 k Max. load of cover shelves: 35 kg per metre length for floor units.

Max. load of units when used as a seat accommodation: 110 kg for floor units.

Please also note any existing maximum load information for individual units which may be stated later, the general load information for wall units as well as the important notes on the quality of walls at the end of this type list.

hülsta-Push-to-open:

Drawers and flap units with hülsta Push-to-open. All drawers on hidden roller bearings as fully pull-out units.

Wall units

If the 1 to 3 Raster units are included as wall units, a maximum load per unit of 15 kg per metre must not be exceeded for reasons of stability! Max. load 15 kg per metre:

 52.8 cm width: 7.5 kg
 140.8 cm width: 20.0 kg

 70.4 cm width: 10.0 kg
 158.4 cm width: 20.0 kg

 88.0 cm width: 12.5 kg
 176.0 cm width: 25.0 kg

 105.6 cm width: 15.0 kg
 193.6 cm width: 25.0 kg

 123.2 cm width: 15.0 kg
 211.2 cm width: 30.0 kg

If the 4 to 10 Raster units are included as wall units, a maximum load per unit of 40 kg must not be exceeded for reasons of stability!

The wall units can only be fitted on absolutely solid walls. Light masonry is not suitable for this purpose.

For each project please remember to leave a 2.0 cm gap at the top to be able to mount units.

If units are planned as wall units, a wall bracket must be ordered.

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hilsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15.

For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over — especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" chapter!

Notes on delivery

Notes on delivery:

3

4

Gentis low-, side-and highboards consist of several component groups which are delivered separately and have to be assembled on site.


These component groups are the cover shelf, the side end units and the main carcase resp. the main carcases.

The fronts of the individual component groups are already fitted but can be disassembled on site.

Information on the sketches

Split drawer frames


Split drawer frames are used for drawers in front widths of 123.2 cm (the partitions are shown by dotted lines in the sketches).



I II III IV

Suggested combinations


As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra.



2 Raster units with rounded end at one side

2 Raster units with rounded end at one side 36.2 cm high (38.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Wall units, max. load when used as wall units resp. wall assembly: Please see here the information on page 36			52,8		70,4		88,0	
		70.4 cr	n wide	88.0 cr	n wide	105.6 c	m wide	
	Flap hinge at bottom	1 drawer	1 flap	1 drawer	1 flap	1 drawer	1 flap	
	as illustr.	27111	27181	28111	28181	210111	210181	
	v. versa Price gr.	27112	27182	28112	28182	210112	210182	
	ii	-	-	-	-	-	-	
	III IV	- -	-	-	-	-	-	
Drawer for end unit left (L; as illustr.) or right (R; vice versa)		291L -	292R -	291L -	292R -	291L -	292R -	
Hinge-door for end unit left (L; as illustr.) or right (R; vice versa)		281L -	282R -	281L -	282R -	281L -	282R -	
Cover shelf in ceramic version rounded left (L; as illustr.) or right (R; vice versa)		8x 354199L 8x -	8x 354299R 8x -	9x 354199L 9x -	9x 354299R 9x -	11x 354199L 11x -	11x 354299R 11x -	
Cover shelf in glass version rounded left (L; as illustr.) or right (R; vice versa)		8x 353199L 8x -	8x 353299R 8x -	9x 353199L 9x -	9x 353299R 9x -	11x 353199L 11x -	11x 353299R 11x -	
Wall bracket If units are planned as wall units, a wall bracket must be ordered.		45.			04	48	80	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require								
an extra wall bracket. In this case the plinth adjusters are omitted.		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
		252 -	253 -	272	273 -	2829 -	283	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge). Later fitting is not possible.		8.0 W	12.0 W	9.5 W	15.0 W	≥	17.5 W	
This product contains a light source of energy efficiency class G. 12 V.		25	54	27	74	28	34	

GENTIS



3 Raster units with rounded end at one side


Cover shelf in glass version rounded left (L; as illustr.) or right (R; vice versa) 8x	o naster annes with rounded tha at	one siu	<u> </u>						
Peace see here the information on page 36 Feace see here the information on page 37 Feace see here the information on page 37 Feace see here the information on page 37 Feace see here the information on page 38 Feace see here see here the information on page 37 Feace see here the information on page 37 Feace see here the information on page 38 Feace see h	with rounded end at one side 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters),								
Fige Integral 2 drawers Fop: 1 drawer 1 drawe	resp. wall assembly:			52,8		70,4		88,0	
Solution			70.4 cr	m wide	88.0 ci	m wide	105.6 c	m wide	
V versa Price gr			2 drawers	1 drawer Bottom:	2 drawers	1 drawer Bottom:	2 drawers	1 drawer Bottom:	
V versa Price gr									
Drawer for end unit left (L; as illustr) or right (R; vice versa) 391L 392R 39		v. versa Price gr. I	37112 - - -	37182 - - -	38112 - - -	38182 - - - -	310112 - - -		
Cover shelf in ceramic version rounded left (L; as illustr.) or right (R; vice versa) 8x 354199L 8x 354299R 9x 354199L 9x 354299R 11x 354199L 11x 354298 8x - 8x - 9x - 9x - 11x -			391L -	392R -				392R -	
Tounded left (L; as illustr.) or right (R; vice versa) 8x - 8x - 9x - 9x - 11x - 11x - 11x - 2x - 3x - 3x - 9x - 11x - 11x - 11x - 3x - 3x - 3x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 9x - 9x - 11x - 11x - 11x - 3x - 3x - 9x - 9x - 9x - 9x - 9x - 9	Hinge-door for end unit left (L; as illustr.) or right (R; vice versa)		381L -	382R -	381L -	382R -	381L -	382R -	
Tounded left (L; as illustr) or right (R; vice versa) 8x - 8x - 9x - 9x - 11x - 11x - Wall bracket If units are planned as wall units, a wall bracket must be ordered. 4528 4704 4880 Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Functional frame for wall assembly Functional frame for floor units Functional fra				8x -	9x -		11x -	11x 354299R 11x -	
If units are planned as wall units, a wall bracket must be ordered. 4528 4704 4880 Functional frame for floor units The units can be planned optionally with a functional frame for for units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Functional frame for Functional frame for wall assembly Functional frame for floor units Functional frame for floor	Cover shelf in glass version rounded left (L; as illustr.) or right (R; vice versa)							11x 353299R 11x -	
The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Functional frame for Functional frame for floor units Functional frame for Functional frame for wall assembly Functional frame for floor units The functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a	If units are planned as wall units, a wall bracket must be		45	28 -	47	704 -	48	80	
omitted. Functional frame for floor units Functional frame for wall assembly Functional frame for floor units Functional frame for floor units Functional frame for floor units Functional frame for wall assembly Functional frame for floor units Functional frame for floor	The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require								
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a								Functional frame for wall assembly	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a			352 -	353 -	372 -	373 -		383 -	
remote control unit (against surcharge). Later fitting is not possible.	The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge). Later fitting is not		M		M - 1		13.0 W	W W	
This product contains a light source of energy efficiency class G. 12 V. 354 374 384			35	54	37	74	38	34	

40 _

MULTI-DIELE

Notes on delivery: Please see here the information on range introduction pages.


MULTI-DIELE



4 Raster units with rounded end at both sides

4 Raster units with rounded end at both sides 71.4 cm high (73.2 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep								
Wall units, max. load when used as wall units resp. wall assembly: Please see here the information on page 36			52,8		70,4		88,0	
		88.0 c	m wide	105.6 0	cm wide	123.2 (cm wide	
	Flap hinge at bottom	3 drawers	Top/Centre: 2 drawers Bottom: 1 flap	3 drawers	Top/Centre: 2 drawers Bottom: 1 flap	3 drawers	Top/Centre: 2 drawers Bottom: 1 flap	
	as illustr. v. versa Price gr.	4831 -	4838 -	41031	41038	41231 -	41238 -	
	III	-	-	-	-	-	-	
	iv	-	-	-	-	-	-	
Drawer for end unit optionally left (L) and/or right (R)		491L -	492R -	491L -	492R -	491L -	492R -	
Hinge-door for end unit optionally left (L) and/or right (R)		481L -	482R -	481L -	482R -	481L -	482R -	
Cover shelf in ceramic version rounded left and right		9x 3 9x	54399 -	11x 3	54399 -	13x 3 13x	54399 -	
Cover shelf in glass version rounded left and right		9x 3 9x	53399	11x 353399 11x -		13x 353399 13x -		
Wall bracket If units are planned as wall units, a wall bracket must be ordered.		45	28	47	04	48	80	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are								
omitted.		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
		452 -	453 -	472 -	473 -	4829 -	483 -	
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge). Later fitting is not possible.		13.5 W	17.5 W	15.0 W	20.5 W	16.0 W	23.0 W	
This product contains a light source of energy efficiency class G. 12 V.		45	54	47	49		84	

Notes on delivery: Please see here the information on range introduction pages.



4 Raster units with rounded end at both sides

4 Raster units with rounded end at both sides 71.4 cm high (73.2 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep							
Wall units, max. load when used as wall units resp. wall assembly: Please see here the information on page 36		14	3	70,4	70,4	176,	3
		176.0	cm wide	176.0	cm wide	211.2	m wide
	Flap hinge at bottom	3 drawers with split drawer frames	Top/Centre: 2 drawers with split drawer frames Bottom: 1 flap with 1 par- tition	Left: 1 door Right: 3 drawers	Left: 1 door Top right/Centre: 2 drawers Bottom right: 1 flap	3 drawers with split drawer frames	Top/Centre: 2 drawers with split drawer frames Bottom: 1 flap with 1 par- tition
	as illustr. v. versa Price gr.	41731	41738	417511 417512	417581 417582	42131	42138
		-	-	-	-	-	- -
	III IV	-	-	-	-	-	-
Durantes for and mit	10	491L	492R	491L	492R	491L	492R
Drawer for end unit optionally left (L) and/or right (R)		-	-	-	-	-	-
Hinge-door for end unit optionally left (L) and/or right (R)		481L -	482R -	481L -	482R -	481L -	482R -
Cover shelf in ceramic version rounded left and right		18x 3 :	54399	18x 3	354399 -	22x 3 22x	54399
Cover shelf in glass version rounded left and right		18x 3			353399		53399
Wall bracket If units are planned as wall units, a wall bracket must be ordered.		18x	-	18x	40	22x	76
			-	-	-	7'	-
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require							
an extra wall bracket. In this case the plinth adjusters are omitted.		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		4142 -	4143 -	4142 -	4143 -	4172 -	4173 -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge). Later fitting is not possible.		20.5 W	31.5 W	20.5 W		23.5 W	37,0 W
This product contains a light source of energy efficiency class G. 12 V. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		41	44	41	-	41	17 4 -






8 Raster units with rounded end at both sides

8 Raster units with rounded end at both sides 141.8 cm high										
(143.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep					_				1	
Cannot be fitted as a wall unit!	52,8		52,8 L		70,4					
			88.0 cm wid	е	88.0 cm wide		1	105.6 cm wide		
	Flap hinge at bottom	4 drawers	Top: 1 flap Bottom: 3 drawers	Top: 2 flaps Bottom: 2 drawers	1 di Bot	op: rawer ttom: door	4 drawers	Top: 1 flap Bottom: 3 drawers	Top: 2 flaps Bottom: 2 drawers	
	Price gr.	8811 - -	8818 - -	8817 - -		12 L 13 R -	81011 - -	81018 - -	81017 - -	
	III IV		-	-		-	-	-	-	
Drawer for end unit optionally left (L) and/or right (R)		891L -	-	892R -	891L -	892R -	891L -		892R -	
Hinge-door for end unit optionally left (L) and/or right (R)		881L	-	882R -	881L -	882R -	881L -	1	882R -	
Cover shelf in ceramic version rounded left and right			x 35439	9	9x 3	354399		1x 35439	9	
Cover shelf in glass version rounded left and right		9	x 35339	9		353399	1	1x 35339 1x -	9	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units.										
		Fu	nctional frame floor units	for		al frame for runits	Ful	nctional frame floor units	for	
			852 -		8	52 -		872 -		
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge). Later fitting is not possible. This product contains a light source of energy efficiency class G. 12 V.		:			M	.5 W	/i /ii /ii /ii		\$1000000000	
energy emiciency class G. 12 v.				€		<u></u>	}		ic X	
			854 -		8	54 -		874 -		

GENTIS

Notes on delivery:
Please see here the information on range introduction pages.



12 Raster units

12 haster units			
12 Raster units 211.2 cm high (213.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Mirror doors with handle in stainless steel look 12 Raster units cannot be planned as wall units.		L	
		52.8 cm wide	70.4 cm wide
		1 door	1 door
	Price gr.	124511 L 124512 R	124711 L 124712 R
	II	- -	-
	III IV	- -	-
		52.8 cm wide	70.4 cm wide
		1 mirror door	1 mirror door
	Price gr.	124521 L 124522 R	124721 L 124722 R
	 	- -	
	III IV	- -	

MULTI-DIELE

Raster units with accent rear wal	<u> </u>		
8 Raster units with accent rear wall 141.8 cm high (143.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Accent rear wall: Accent rear wall possible in all versions. Cannot be fitted as a wall unit!			
		L	
		52.8 cm wide 1 door with glass panel	105.6 cm wide 2 doors with glass panel
	Price gr.	85141 L 85142 R - - -	81014 - - -
	IV	- 6x 354099	- 11x 354099
Cover shelf in ceramic version		6x -	11x - 11x 353099
Cover shelf in glass version		6x 353099 6x -	11x -
Functional frame for floor units The units can be planned optionally with a functional frame for floor units.			
		Functional frame for floor units	Functional frame for floor units
		8520 -	81020 _
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge). Later fitting is not possible.		21.5 W ≥ ₩ ₩ ≥ ₩ ₩	25.5 W
This product contains a light source of energy efficiency class G. 12 V.			A
		8540 -	81040 -
Integrated LED spotlamps for cabinets Ø 7.1 cm The cabinets can be fitted with optional integrated LED spotlamps. Integrated LED spotlamps incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge). Note: For type 81014 two integrated LED spotlamps must be		2.9 W	2x 2.9 W
ordered! This product contains a light source of energy efficiency class F. 12 V. ② ② ② ② ② ② ② ② ③ ② ③ ③ ③		7941	For type 81014 two integrated LED spotlamps 2x 7941
		-	must be ordered! 2x -

MULTI-DIELE

6, 8 and 12 Raster accent units

6, 8 and 12 Raster accent units				
6 Raster wall accent unit 105.6 cm high; 33.0 cm deep		6 Raster wall accent unit	8 Raster wall accent unit	12 Raster floor accent unit
8 Raster wall accent unit 140.8 cm high; 33.0 cm deep 12 Raster floor accent unit 211.2 cm high (213.0 cm high incl. 1.8 cm high plinth adjusters); 45.0 cm deep Notes on accent units: Accent units possible in all versions.				
Wall units, max. load when used as wall units resp. wall assembly: Please see here the information on page 36		L	L	L
		35.2 cm wide	35.2 cm wide	35.2 cm wide
		1 door; 2 fitted shelves	1 door; 3 fitted shelves	1 door; 5 fitted shelves
	Price gr.	632311 L 632312 R	832311 L 832312 R	123211 L 123212 R
		-	-	-
	III IV	-	-	-
Functional frame for wall assembly If you plan a functional frame for wall assembly for the wall accent units, you do not require an extra wall bracket. Functional frame for floor units The units can be planned optionally with a functional frame for floor units.				
		Functional frame for wall assembly	Functional frame for wall assembly	Functional frame for floor units
		636 -	836 -	1232 -
Lamp for functional frame The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge). Later fitting is not possible. This product contains a light source of energy efficiency class G. 12 V.		19.5 W	22.5 W	28.5 W
		634 -	834 -	1234 -

Clothes panels and mirrors

Clothes panels and n	nirrors					
4 and 6 Raster clothes		4 Raster clo	othes panels	6 Raster clo	othes panels	
panels 70.4 resp. 105.6 cm high; 3.8 cm thick; 35.0 cm deep incl. hat shelf						
Clothes rod in high-gloss chrome						
or fitting anywhere on walls						
Clothes panels: Clothes panels possible in all versions.						
		52.8 cm wide	70.4 cm wide	52.8 cm wide	70.4 cm wide	
		incl. hat shelf and clothes rod	incl. hat shelf and clothes rod	incl. hat shelf and clothes rod	incl. hat shelf and clothes rod	
		4951	4971	5951	5971	
	Price gr.	-	-	-	-	
	II III	-	-	-	-	
	IV	-	-	-	-	
12 Raster clothes panels 211.2 cm high; 3.8 cm thick; 35.0 cm deep incl. hat shelf		12 Raster cl	othes panels	12 Raster cl	othes panels	
Clothes rod resp. clothes rod and bag hooks in high-gloss ahrome						
clothes panels: clothes panels possible in all ersions.				o a °	, p	
Special-sized products for the 12 Raster clothes panels wi- thout bag hooks are possible		52.8 cm wide	70.4 cm wide	52.8 cm wide	70.4 cm wide	
see special-sized products; exception: special-sized products are not possible for		incl. hat shelf and clothes	incl. hat shelf and clothes	incl. hat shelf, clothes rod and 3 bag hooks	incl. hat shelf, clothes rod and 3 bag hooks	
notted wood versions). Optional bag hooks for the 2 Raster clothes panels: see		1295101	1297101	12951	12971	
next page.	Price gr.	-	-	-	-	
	II III IV	-	- -	-	- -	
– 12 Raster mirrors	IV	- C Posto		- 0 Doots		12 Raster mirror
05.6; 140.8 resp. 211.2 cm nigh; 0.3 cm thick; on 3.2 cm thick grey lac-		u nastei	r mirrors	o naste	r mirrors	12 nastei IIIIII
quered base plate on walls						
		52.8 cm wide	70.4 cm wide	52.8 cm wide	70.4 cm wide	52.8 cm wide
		fittable horizontally and	fittable horizontally and	fittable horizontally and	fittable horizontally and	fittable horizontally and
		vertically 5952	vertically 5972	vertically 8952	vertically 8972	vertically 12952
		-	-	-	-	-
TI-DIELE E 7. 2023						

Bag hooks for 12 Raster clothes panel

Bag hooks for 12 Raster clothes panel Set of 3	
Bag hooks in high-gloss chrome	
	5000013 -

Shoe rack

Shoe rack 0.2 cm thick; for 45.0 cm depth		
of metal, silver colour anodised		
Required assembly height: 13.0 cm (for 52.8 cm width)		
resp. 9.8 cm (for 70.4 cm width)	for 52.8 cm width	for 70.4 cm width
	for 45.0 cm depth	for 45.0 cm depth
	1540	1740
	-	-

Seat upholstery

Seat upholstery 5.0 cm high; for 45.0 cm depth				
Material identification: see range introduction page Important note:				
For static reasons, a compart- ment below the seat upholste-	for 52.8 cm width	for 70.4 cm width	for 105.6 cm width	for 140.8 cm width
ry may only be max. 70.4 cm wide. For wider compartments,	for 45.0 cm depth	for 45.0 cm depth	for 45.0 cm depth	for 45.0 cm depth
a full-length partition must be planned.				
Not for sale in the UK!	753	773	7103	7143

Pull-out clothes rod

Pull-out clothes rod 6.8 cm high			
for fitting under constructional shelves in units			
Max. load: 15 kg			
	e = = = = = = = = = = = = = = = = = = =		
	5000734		
52	-	E 7 2022	

Fitted shelves - behind doors of 2 - 8 Raster units

Fitted shelves – behind doors of 2 - 8 Raster units 1.9 cm thick (2.9 cm thick for 105.6 cm width)				
105.6 cm width)		for 52.8 cm width	for 70.4 cm width	for 105.6 cm width
Depth: 39.5 cm		for 45.0 cm depth	for 45.0 cm depth	for 45.0 cm depth
	Price gr.	- -	174 -	1104 -

Fitted shelves – behind flaps of 2 - 8 Raster units

Fitted shelves – behind flaps of 2 - 8 Raster units 1.9 cm thick (2.9 cm thick for					
105.6 cm width)		for 52.8 cm width	for 70.4 cm width	for 88.0 cm width	for 105.6 cm width
Depth: 33.5 cm		for 45.0 cm depth			
		1548	1748	1848	11048
	Price gr.	-	-	-	-

Fitted shelves – behind doors of 12 Raster units,

8 Raster units with accent rear wall and accent units

Fitted shelves – behind doors of 12 Raster units,		for 6-8 Raster wall accent unit	for 12 Raster floor accent unit	for 8 Raster units with accent rear wall and 12 Raster units	for 12 Raster units
8 Raster units with accent rear wall and accent units 1.9 cm thick		for 35.2 cm width	for 35.2 cm width	for 52.8 cm width	for 70.4 cm width
Depths: 27.5 cm (for 33.0 cm depth) or 39.5 cm (for 45.0		for 33.0 cm depth	for 45.0 cm depth	for 45.0 cm depth	for 45.0 cm depth
cm depth)		13304	13404	15401	174
	Price gr.				
		-	-	-	
	iii	-	-	-	
	IV	-	-	-	-

Lamps

Integrated LED spotlamp Ø 7.1 cm; for fitting in units	2.9 W
LED lamp incl. foot switch. Lamp switch optionally with a radio remote control (against surcharge). Later fitting is not possible.	This product contains a light source of energy efficiency class F. 12 V.
	7941 -

Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.



2119

_

53

CLOTHES/NICHE HALLWAY UNIT



Lists of versions

Version no.	Wardrobe outer carcase and front	Price group	Version no.	Wardrobe interior carcase	Version no.	Niche compartment
1058 0299 1685 2208 2205 1002 1696 2200 1260 1529	Pure white lacquer White lacquer Grey lacquer Silk grey lacquer High-gloss pure white lacquer High-gloss white lacquer High-gloss grey lacquer High-gloss silk grey lacquer Natural oak Core walnut		0299 1685	White lacquer Grey lacquer	1260 1529	Natural oak Core walnut

Changing versions:With the hinge-door wardrobes and the functional hinge-door wardrobes you can choose the carcase and the front in a different version. Please state this clearly in the order. When versions from different price groups are exchanged, the higher price group is always charged.

Fabric no.	Seat upholstery
S451	Artificial leather with structure white
S453	Artificial leather with structure taupe
S455	Artificial leather with structure brown grey

Material identification artificial leather with

structure: top: 100% polyurethane, below: 41% leather, 39% polyethylene, 20% cotton

Not for sale in the UK!

Handle versions for hinge-doors

Handle 057 / 058 Handle 058	Handle 011	Handle 063 / 064	Handle 046 / 047	Handle 014 / 015	Handle 012	Handle 029 / 030	Handle 048 / 049	Handle 026 / 013	Handle 031	Handle 052 / 060
= standard handle Handle height: 5.6 cm	Handle height: 24.0 cm	Handle height: 5.6 cm	Handle height: 6.3 cm	Handle height: 24.8 cm	Handle height: 24.9 cm matching version	Handle height: 77.0 cm	Handle height: 114.0 cm	Handle height: 114.9 cm	Handle height: 175.8 cm matching version	Handle height = door height
High-gloss chrome	Matt chrome	White lacquer	High-gloss chrome	High-gloss chrome	Matt chrome/ Wood/lacquer version	High-gloss chrome	High-gloss chrome	High-gloss chrome	Wood/lacquer version	High-gloss chrome
057	011	063	047	014	012	029	049	026	031	052
Matt chrome		Grey lacquer	Matt chrome	Matt chrome		Matt chrome	Matt chrome	Aluminium colour		Matt chrome
058		064	046	015		030	048	013		060
without surcharge	without surcharge	without surcharge	without surcharge	without surcharge	without surcharge	Surcharge per handle: -	Surcharge per handle: -	Surcharge per handle: -	Surcharge per handle: -	Surcharge per handle: -

With the hinge-door wardrobes you can choose between different handles. The desired handle and the desired wood/lacquer version for matching handles must always be stated in the order. Handles for high-gloss lacquer fronts are in matt lacquer in the matching colour. With the functional hinge-door wardrobes only handle 057/058 can be supplied.

If no details of the handle are stated in the order, the standard handle 058 is supplied.

Maximum loads

Max. loads:

Max. load of wooden shelves (up to 58 cm width): 35 kg Max. load of wooden shelves (between 58 and 98 cm width): 30 kg Max. load of wooden shelves (from 98 cm width) as well as drawers: 25 kg

Max. load of units when used as a seat accommodation: 110 kg for floor units.

Wall fitting

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15. For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used.

For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Suggested combinations

As an alternative to planning an individual unit from the complete range there is the possibility of choosing from specially suggested combinations. This eases planning. Incorporating accessories can enhance the suggested combinations. These are charged extra. as illustr. v. versa 981002 981102 Price gr. I II as illustr. v. versa 981001 981101 Price gr.

(Functional) Hinge-door wardrobes

Notes on planning wardrobes according to the endless assembly principle


(Functional) Hinge-door wardrobes can be planned endlessly and combined with one another. Due to the various element widths one can create many total wardrobe widths. In this way the available floor space can be exploited to the full. For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. In the case of single-door (functional) hinge-door units one can choose between left- and right-hand hinges. The graphics shown below give you an excerpt from our wardrobe assortment.

Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod.

Wardrobe interior fittings optionally in white lacquer (standard) or grey lacquer. Please state in the order!

Wardrobe examples for (functional) hinge-door wardrobes

Clothes/niche hallway unit Hinge-door wardrobes









- Hinge-door wardrobes and functional hinge-door wardrobes can be planned endlessly and combined with one another
- Optionally available with many different handles
- · Mirror fronts for hinge-door wardrobes against surcharge
- Wardrobe height: 268.0 cm
- Unit outside widths:

52, 82, 102, 152 cm (basic units) 50, 80, 100, 150 cm (extension units)

- Unit inside widths: 48, 78, 98 cm
- Outside depth: 61.3 cm
- Inside depth: 56.0 cm

Height, width and depth reductions for hinge-door wardrobes


 Height reductions at intervals of 1 mm, width and depth reductions at intervals of 1.0 cm without surcharge.


Height and depth reductions for functional hinge-door wardrobes


- Height reductions (done on upper doors):
 - Above the niche between 268.0 and 247.2 cm hinge-doors are still fitted. Above the niche between 247.1 and 224.0 cm a fixed cover panel is fitted (compartments not accessible).
- Depth reductions are possible up to a max. 12.0 cm. In this case drawers with a frame depth of 38.0 cm are fitted.
- Width reductions are not possible.


Clothes/niche hallway unit Functional hinge-door wardrobes











The niche of the functional hingedoor wardrobes can be fitted out partly or completely with seat upholstery and/or niche mirrors.

Clothes rods can be fitted transversely or rotated at the top of the niche.

If the clothes rod is fitted transversely and/or the clothes/niche hallway unit is required in a special depth, then it is not possible to fit integrated LED spotlamps.

Hinge-door wardrobes


Height: 268.0 cm Width: see table Depth: 61.3 cm

Hinge-door wardrobes					Depth: 61.3 cm	
Basic units with 2 outer side-sections (each 2 cm thick)			Extension units with 1 cent partition (2 cm thick)	re		Surcharge for mirror Each wardrobe door
For each wardrobe combination, the first element on the considered to be the basic unit, incorporating both oute sections. One can only include one basic unit in each of When adding on extension units, the right-hand side-seemployed as the end side-section.	er side- ombination.					can be optionally fit- ted with a mirror for which a surcharge is made.
Single-door unit, left or right, 42 cm wide			Single-door unit, left or right, 40 cm wide			
+42+ + £° 19 + L	Price gr.	A03011 L A03012 R - -	+40+ + £;19 + R	Price gr.	A01011 L A01012 R - -	
Single-door unit, left or right, 52 cm wide			Single-door unit, left or right, 50 cm wide			
+ 52+ & 15 + 52+ & 15 L	Price gr.	A3011 L A3012 R - -	+50+ +50+ R	Price gr.	A1011 L A1012 R - -	Please mark exactly in the front sketch or state in the order (from the left) which hinge-doors are to be fitted with a mirror. Surcharge for mirror per hinge-door:
Twin-door unit, 82 cm wide			Twin-door unit, 80 cm wide			
82 + 82 + 82 + 82 + 82 + 82 + 82 + 82 +	Price gr. I	A0302 - -	80 + 80 + 80	Price gr. I	A0102 - -	
Twin-door unit, 102 cm wide			Twin-door unit, 100 cm wide			
102	Price gr.	A302 - -	100	Price gr.	A102 - -	


Functional hinge-door wardrobes

Height: 268.0 cm Width: see table **Depth:** 61.3 cm Basic units with 2 outer side-sections above and below above niche: Extension units with 1 centre above and below above niche: (each 2 cm thick) doors partition (2 cm thick) doors niche: doors niche: doors below niche: below niche: For each wardrobe combination, the first element on the left is drawers drawers considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section is employed as the end side-section. Single-door unit, Single-door unit, left or right, left or right, 52 cm wide 50 cm wide A3171 L A3181 L A1171 L A1181 L A3172 R A1182 R A3182 R A1172 R Illustration: Door below niche Price gr. Price gr. i Ī Twin-door unit, Twin-door unit, 102 cm wide 100 cm wide A328 A127 A128 A327 Illustration: Doors below niche Price gr. Price gr. II Ш Triple-door unit, Triple-door unit, 152 cm wide 150 cm wide _ 100 - 50 → as illustr. as illustr A3371 A3381 A1371 A1381 A3372 A3382 A1372 A1382 Illustration: Price gr. Price gr.

Seat upholstery



Niche mirror, clothes rod



Lamps

60

LED lamps incl. foot switch. A radio remote control is possible for operation (against a surcharge).



Radio remote control with change of colour temperature

The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.



2119

		for wardrobe inside widths	Type no.	
Fitted shelf 2.3 cm thick		38 cm 48 cm 78 cm 98 cm	79002 79003 79004 79006	- - - -
Extendable fitted shelf 7.2 cm high		48 cm 78 cm 98 cm	79403 79404 79406	- - -
Surcharge for extendable fitted shelf in special width			99910	-
Illuminated LED shelf 2.9 cm thick; with LED-lamp; with automatic switch and motion detector This product contains a light source of energy efficiency class F. 12 V.	3.4 W 4.3 W 7.2 W 9.0 W	38 cm 48 cm 78 cm 98 cm	79332 79333 79334 79336	- - - -
Presentation shelf 2.3 cm thick; with extra slat on the front rim, 6.0 cm high Fitted height: approx. 17.5 cm when fitted at an angle		48 cm 78 cm 98 cm	79503 79504 79506	- - -
Protective mat of silver-coloured plastic; for presentation shelves		48 cm 78 cm 98 cm	79563 79564 79566	- - -
Clothes rod chrome, uniform tubular metal with two supports		38 cm 48 cm 78 cm 98 cm	79012 79013 79014 79016	- - - -
Inside mirror fitted on the inner side of 268.0 cm high and 50 cm wide hinge-doors Please state clearly in the order which hinge-doors are to be fitted with an in	side mirror.		79154	_

MULTI-DIELE E 7. 2023

		for wardrobe inside widths	Type no.	
	Centre partition kit for wardrobes with unit inside widths of 78 and 98 cm, consisting of: 1 centre partition (153.0 cm high); 2 constructional shelves 48 cm wide (fitted optionally left or right) for 78 cm width: 48 cm wide compartment with 2 constructional shelves; 28 cm open compartment for 98 cm width: 48 cm wide compartment with 2 constructional shelves; 48 cm open compartment Additional extras: 48 cm wide fitted shelves, clothes rods and sets		79130	-
8	Clothes lift Twin-arm, aluminium-coloured, swing-out clothes rod with brake mechanism Max. load: 10 kg	78 cm 98 cm	79184 79186	

cked, the cover shelf of the	lete unit consisting of top cover shelf, block sides and different drawer bottom set of drawers is omitted and can be deducted from the price; the units as stand-alone units at one side. If 2 sets of drawers are fit pries: see page 65!	for wardrobe inside widths	Type no.		
	Set 1 1 drawer with wooden front	Total height: 21.5 cm	48 cm 78 cm 98 cm	60013 60014 60016	
	Set 2 1 drawer with glass front	Total height: 21.5 cm	48 cm 78 cm 98 cm	60023 60024 60026	-
	Set 3 1 shoe drawer	Total height: 40.7 cm	78 cm 98 cm	60034 60036	-
	Set 4 2 drawers with wooden front	Total height: 40.7 cm	48 cm 78 cm 98 cm	60043 60044 60046	
	Set 5 1 drawer with glass front 1 drawer with wooden front	Total height: 40.7 cm	48 cm 78 cm 98 cm	60053 60054 60056	- - -
	Set 6 2 drawers with glass front	Total height: 40.7 cm	48 cm 78 cm 98 cm	60063 60064 60066	-

MULTI-DIELE E 7. 2023

Sets of drawers Sets of drawers as a complete unit consisting of top cover shelf, block sides and different drawers. If sets of drawers are stacked, the cover shelf of the bottom set of drawers is omitted and can be deducted from the price. A cover for a set of drawers must be fitted for mounting the units as stand-alone units at one side. If 2 sets of drawers are fitted adjacently please use the centre partition kit. Accessories: see page 65!				Туре по.	
	Set 7 3 drawers with wooden front	Total height: 59.9 cm	48 cm 78 cm 98 cm	60073 60074 60076	1 1 1
	Set 8 1 drawer with glass front 2 drawers with wooden front	Total height: 59.9 cm	48 cm 78 cm 98 cm	60083 60084 60086	1.1.1
	Set 9 2 drawers with glass front 1 drawer with wooden front	Total height: 59.9 cm	48 cm 78 cm 98 cm	60093 60094 60096	1 1 1
	Set 10 1 drawer with wooden front 1 shoe drawer	Total height: 59.9 cm	78 cm 98 cm	60104 60106	1 1
	Set 11 4 drawers with wooden front	Total height: 79.1 cm	48 cm 78 cm 98 cm	60113 60114 60116	-
	Set 12 1 drawer with glass front 3 drawers with wooden front	Total height: 79.1 cm	48 cm 78 cm 98 cm	60123 60124 60126	- - -


Accessories The drawers in the sets of o	drawers can be fitted with drawer compartments.		for wardrobe inside widths	Type no.	
	Drawer compartment A We recommend only fitting these compartments in drawers with glass fronts. 5.6 cm high Number of compartments for 48 cm width: 12 for 78 cm width: 24 for 98 cm width: 32		48 cm 78 cm 98 cm	49283 49284 49286	
	Drawer compartment B We recommend only fitting these compartments in drawers with glass fronts. 5.6 cm high Number of compartments for 48 cm width: 6 for 78 cm width: 15 for 98 cm width: 15		48 cm 78 cm 98 cm	49293 49294 49296	
	Cover for sets of drawers	for 1 Raster height	48 cm 78 cm 98 cm	40413 40414 40416	
		for 2 Raster height	48 cm 78 cm 98 cm	40423 40424 40426	
		for 3 Raster height	48 cm 78 cm 98 cm	40433 40434 40436	- - -
		for 4 Raster height	48 cm 78 cm 98 cm	40443 40444 40446	- - -

65


Technical notes on clothes/niche hallway unit

If the on-site situation has been clarified (also see the following page), the required dimensions must be calculated. The situation/view is the key here.

View 1 right-angled




View 2 with 1 or 2 slopes



1.) Floor


Example 1

Floor absolutely horizontal = everything 0.K.




Example 2

Floor (with absolutely horizontal ceiling) has max. 8 mm height difference per metre length = everything 0.K.



Example 3

Floor has more than 8 mm height difference per metre length = this difference must be equalised effectively on-site. If both the floor and ceiling betray differences in height, the sum of these height differences per metre length must not exceed 8 mm.




Not O.K.

Difference must be balanced effectively on-site.

2.) Ceiling

Example 4


Ceiling absolutely horizontal = everything 0.K.



0.K.


Example 5

Ceiling (with absolutely horizontal floor) has max. 8 mm height difference per metre length = everything 0.K.



Example 6

Ceiling has more than 8 mm height difference per metre length = this difference must be equalised effectively on-site. If both the floor and ceiling betray differences in height, the sum of these height differences per metre length must not exceed 8 mm.




Not O.K.

Difference must be balanced effectively on-site (e.g. with panel material; see here the following double page).

3.) Walls

Example 7


Walls absolutely vertical = everything 0.K.



0.K.

Example 8

Walls are not vertical = this difference must be equalised effectively on-site.




Not O.K.

Difference must be balanced effectively on-site (e.g. with panel material; see here the following double page).

Measuring heights

Height 1 Height 2 Height 3

Measuring widths




Please state all measurements in millimetres. Warm corners must be straightened on-site before measuring. Please always check all walls for quality and to see if they are exactly straight.

corner

Please measure height 1 and height 3 in each

Maximum tolerances



The on-site situation must be checked before you can calculate the individual sizes of the furniture units.

1.) Floor

The floor must be checked to see if it is horizontal using a spirit level. An absolutely horizontal floor (see example 1) is best. The MULTI-DIELE clothes/niche hallway unit, however, will permit height differences in the floor of a **maximum 8 mm per 1 m length** (i.e. 16 mm for a max. width of 2 m, 24 mm for a max. width of 3 m, etc.; see example 2). The various maximum tolerances cannot be added up.

If the maximum tolerance value of 8 mm per 1 m length is exceeded (see example 3), this difference must be equalised suitably on-site.

2.) Ceiling

The ceiling must be checked to see if it is horizontal using a spirit level. An absolutely horizontal ceiling (see example 4) is best. The MULTI-DIELE clothes/niche hallway unit, however, will permit height differences in the ceiling of a **maximum 8 mm per 1 m length** (i.e. 16 mm for a max. width of 2 m, 24 mm for a max. width of 3 m, etc.; see example 5). The various maximum tolerances cannot be added up.

If the maximum tolerance value of 8 mm per 1 m length is exceeded (see example 6), this difference must be equalised suitably on-site.

3.) Walls

The walls must be checked to see if they are vertical using a spirit level. The walls must be absolutely vertical (see example 7). If they are not (see example 8), this difference must be equalised suitably on-site.

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class C12/15.

For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over — especially when alternative mounting materials acquired on site have been used. For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

Radio remote control with change of colour temperature


The lamps are normally operated by an external foot switch. The colour temperature of the LED lamps is cold white if a foot switch is used. A 4-channel radio remote control is also available as an alternative, which is charged extra. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set to any level from cold white (approx. 6500 kelvin = the basic setting of the LED lamps) to warm white (approx. 2700 kelvin). If warm white is required, a radio remote control must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. The radio remote control consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The foot switch is omitted when the radio remote control is used.

The following points must be noted with the radio remote control:

- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The change of the colour temperature takes place for all lamps in all light groups.
- The radio remote control is not suitable for equipment operating on 110 V.

Please be sure to note the operating and programming instructions!

4-channel radio remote control with change of color temperature



4-channel radio remote control with change of color temperature

Type **2119** -

68

Examples of use (schematic diagrams)

Example 1

Lights inside a unit


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamp in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps in the open compartment

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlamp in the right cabinet $\,$

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 2

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamp and the LED light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the LED spotlamps and the LED light panels in the centre cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the LED spotlamp and the LED light panels in the right cabinet

Notes:

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Example 3

Lights in units set apart


Channel 1 operates (and dims) all the lights in light group 1, i.e. the LED spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top LED light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom LED light panels in the left, centre and right cabinet

Notes

The total wattage power of all lamps included per receiver must not exceed 30 W. The change of the colour temperature takes place for all lamps in all light groups.



Special heights, special widths, special depths



Special heights

- Hinge-, folding- and sliding-door wardrobes can be reduced in height at intervals of 1.0 cm.
- Below eye-level we recommend fitting a top cover shelf made of panelling material.
- Special heights in stepped versions (not possible on sliding-door wardrobes) at a surcharge.

Surcharge per step:

00030



Special widths

Only applies to hinge- and folding-door wardrobes

- Single-door units, left or right hinges, can be reduced down to 25 cm width (apart from profiled doors).
- Twin-door units can be reduced at both sides down to 50 cm total width (apart from profiled doors).
- Interior fittings such as drawers and other fittings cannot be reduced in width
- For notes on width reductions on Multi-Forma sliding-door wardrobes please see special-sized products for Multi-Forma.



Special depths


- Depth reductions are made on side sections, plinths, cornices and shelves.
- Interior fittings such as drawers and other fittings cannot be reduced in depth.
- A max. reduction of 30.0 cm is possible on hinge- and folding-door wardrobes.
- A max. reduction of 9.0 cm is possible on profiled hinge-doors.
- For sliding-door wardrobes, a max. reduction of 30.0 cm is possible.
- Please note that for technical production reasons not every special depth can be achieved:


2.5 cm standard reduction between 0 and 2.5 cm

5.0 cm standard reduction between 4.5 and 5.0 cm

27.5 cm standard reduction between 27.0 and 27.5 cm

Notes on calculating sizes of sloping units





Side sloping

Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer

Measurements required:

Room height

H2 =Height of slope (If a space is required between the wall and the wardrobe/unit,

please state the exact distance.)

. Width of slope B 2 = Width of slope


Total width


G S

Wardrobe width

Please note!

- If the slope cuts across the position of a handle, the handle of this door only is positioned further down in production.
- As floors, ceilings and walls are never exactly straight, the exact room size must be measured using
- If a cornice is fitted, please state if this is to be continued in the sloping section.





Rear sloping

Rear sloping is possible on all wardrobe units.

Measurements required:

Room height

H2 =Height of slope (If a space is required between the wall and the wardrobe/unit,

please state the exact distance.)

Depth of slope

T 2 = Depth of slope

Special-sized products

Special heights:

Hinge-door Hinge-door 0003 - Wood/high-gloss lacquer 00031 - Mirror

Height reductions for functional hinge-door units are done on the upper doors. Above the niche between 268.0 and 247.2 cm hinge-doors are still fitted. Above the niche between 247.1 and 224.0 cm a fixed cover panel is fitted (compartments not accessible).

Special widths:

0005 - Wood/high-gloss lacquer without surcharge for single-door unit 00051 for single-door unit - Mirror without surcharge Panels for side and top covering of fitted wardrobes 0006 without surcharge (support construction and fitting materials must be

9991

9992

0007

9993

00071

99941

99912

for twin-door unit - Wood/high-gloss lacquer for twin-door unit - Mirror 00061 without surcharge

Special widths are not possible for functional hinge-door wardrobes.

When ordering extra fitted shelves and clothes rods

Size reduction per fitted shelf Size reduction per clothes rod

Special depths: per unit

When ordering extra fitted shelves

Size reduction per fitted shelf

Functional hinge-door units Depth reduced by 12 cm

Side sloping:

Surcharge per unit

Side sloping is not possible for functional hinge-door wardrobes.

Rear sloping: Surcharge per unit

Rear sloping of functional hinge-door wardrobes on request.

More special products are possible. Please get in touch with your customer advisor.

Special articles

Wardrobe doors are also available as separate units and are charged as follows:

For 1 hinge-door/folding-door wing: 50% of the concerning 1-door hinge-door

For 1 sliding-door including mechanism: 35% of the twin-door sliding-door

For door superstructures, type 100 (max. 98 cm wide, only for assembly between wardrobes): 100% of twin-door hinge-door extension unit

For veneered/lacquered versions (max. 268.0 cm long, max. 59.0 cm wide,

2.0 cm thick) Basis charge per order:

acquired on site).

+ price per m² - lacquer without surcharge + price per m² - veneer

without surcharge

without surcharge

without surcharge

without surcharge Veneer match with fronts can not be guaranteed.

990

990

9901

without surcharge Edge veneer

for veneered/lacquered versions per m. length

9902

165° hinges

Wardrobe doors can also be fitted with **165° hinges** against a surcharge (only possible on plain, straight hinge-doors). Please mark the doors clearly in the order! Note: Doors with 165° hinges do not have a door cushioning system.

Surcharge for 165° hinges per hinge-door:

180

Individual special-sized products

If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a 33 unit type factor. In your order please state for us the relevant enquiry number and the 33 unit type factor stated.

33

Special colours; Note on "Blue Angel" / Emissions label of DGM

Special colours

All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV (see here the different lacquer versions in the NEO range), depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

NEO / TETRIM / GENTIS MULTI-DIELE

Special-sized products

Special articles

Special-sized products are possible on request. Please get in touch with your customer advisor. **Cover panels**

for side and top panelling of fitted wardrobes (support construction and fitting materials must be acquired on site).

9901 Basic price per order + price per m² lacquer or veneer 990

Veneer match with fronts can not be guaranteed.

Rim veneer

superimposed ex works or rims lacquered 9902 for veneer and lacquer versions per m. length

Individual special-sized products

If the special-sized product that you require is so unusual that it cannot be illustrated with the many special sized products that we already provide and charge for, then we will quote you the price using a 33 unit type factor. In your order please state for us the relevant enquiry number and the 33 unit type factor stated.

33

Special colours; Note on "Blue Angel" / Emissions label of DGM

Special colours

All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on "Blue Angel" (RAL-UZ 38) and Emissions label of DGM (Class A) It is possible that the requirements of the "Blue Angel" and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups III and IV (see here the different lacquer versions in the NEO range), depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely mat in all percent met in all cases!

Important notes MULTI-DIELE

Wall composition / assembly instruction

Important notes:

The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.

Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs supplied by hülsta as a standard set are only suitable for concrete \geq C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set	Assembly mortar set only suitable for the materials stated below!				
Concrete C12/15 Compression strength ≥ 15 N/mm ²		Building bricks Mz 12 Compression strength ≥ 12 N/mm²		Solid blocks of light concrete V2 Compression strength ≥ 2 N/mm²	
		Limestone blocks KS 12 Compression strength ≥ 12 N/mm²		Perforated blocks of light concrete Hbl 2 Compression strength ≥ 2 N/mm ²	
		Perforated sand lime bricks KSL12 Compression strength ≥ 12 N/mm²		Aerated concrete PP2 Compression strength ≥ 2 N/mm²	
		Vertically perforated bricks HLz 12 Compression strength \geq 12 N/mm ² Bulk density \geq 1.0 kg/dm ³			

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting! Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

Labelling in type list drawings / assembly notes for wall units

The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.

3 = 3 support boards

4 = 4 support boards, etc.

One assembly mortar set is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.

Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.

Standard set

The standard set consists of 4 plastic Rawl plugs and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.

Assembly mortar set for up to a maximum of 3 support boards consisting of:

9x injection retaining sleeve

9x screw-in sleeve

1x injection cartridge 2x static mixer

1x assembly instructions

Please use the mounting screws from the standard set (supplied free of charge).

Example of order:

- Add up number of support boards for all existing unit types
- Divide the sum by "3"
- Round up the result to a full number
- Number of assembly mortar sets required

М2

hülsta MULTI-DIELE

Stand: E 7. 2023

Design and concept legally protected, subject to error and alterations to construction, colour and materials by way of technological progress.

hülsta-werke · Karl-Hüls-Straße 1 · D-48703 Stadtlohn Tel. +49 (0) 2563 / 86-0 · Fax +49 (0) 2563 / 86-1000 www.huelsta.com

